

METEOROLOGICAL DATA AT ASUKA STATION, ANTARCTICA  
IN 1988

Teruo AOKI

(Meteorological Research Institute, Tsukuba 305)

1. Introduction

Surface meteorological observations have been made continuously since January 1987 at Asuka Station. The station was established as the third Japanese Antarctic station in December 1984 at  $71^{\circ}32'S$  and  $24^{\circ}08'E$  at an elevation of 965 m a.s.l. The international index number (WMO) 89524 was given.

The present report contains the surface synoptic data taken by the 29th Japanese Antarctic Research Expedition (JARE-29) in 1988. The automatic meteorological observation system was installed at the station at the beginning of January 1987. Observers were Teruo Aoki (JARE-29 : January 1 - December 18) and Nobuhiko Azuma, Akira Yukimatsu (JARE-30 : December 19-31). Surface synoptic reports (FM12-VIII-EXT.-SYNOP) at 00, 06 and 12 GMT for the period from January 1 to February 29 or at 00, 06, 12 and 18 GMT for the period from March 1 to December 31 and monthly summaries (FM71-VI-CLIMAT) were sent to Melbourne, Australia through Syowa and Mawson Stations.

## 2. Instrumentation

The automatic meteorological observation system (Nakaasa Inst. Co.) is composed of sensors and data recording unit as shown in Fig. 1. Atmospheric pressure, temperature, dew-point temperature, wind direction and speed and global solar radiation are measured automatically. The specifications of the sensors are as shown in Table 1.

A windmill type anemometer with a wind vane (aerovane) was installed on a meteorological tower at a height of 10 m above the snow surface. A platinum resistance type thermometer to measure the air temperature was placed inside an instrument shelter with mounted in ventilated cylinder at a height 1.5 m above the snow surface. A Dewcel type dew-point thermometer was also placed inside the shelter. The instrument shelter was installed on the snow surface equipped with lifting mechanism to maintain the height above the surface in case of a rise of the snow surface by the snow drift (Yamanouchi and Takabe, 1989). A pyranometer to measure the global radiation is mounted on the roof of the observation hut and a barometer is set inside the hut together with recording instruments.

Analog signals from the sensors are converted to the digital data through transducers and collected by the data logger and recorded on the floppy disk and printer every hour. Also the analog data are monitored by the pen recorders (Fig. 1).

The visibility, cloud amount, genus of cloud and weather phenomena are observed visually according to the WMO standards, twice a day at 09 and 15 LT for the period from January 1 to February 29 or three times a day at 09, 15 and 21 LT for the period from March 1 to December 31.

### 3. Notation in Tables

#### 1) Tables 2 and 3

PST,  $\bar{P}_{st}$  : Daily or monthly mean station pressure for 6 hourly observations

TM,  $\bar{T}$  : Daily or monthly mean air temperature for 3 hourly observations

TX, TN : Daily maximum or minimum air temperature

$T_x, \bar{T}_n$  : Monthly mean of maximum or minimum air temperature

$T_{xx}, T_{nn}$  : Extreme of maximum or minimum air temperature

UM : Daily mean relative humidity of 6 hourly observations

VM,  $\bar{V}$  : Daily or monthly mean wind speed

VX,  $V_{xx}$  : Daily or monthly maximum instantaneous wind speed (Gust)

NM,  $\bar{N}$  : Daily or monthly mean cloud amount

PHENOMENA : Number 0 - 4 means atmospheric phenomena as follows.

- 0 = No phenomena
- 1 = Drifting snow (↕)
- 2 = Blowing snow (⇐)
- 3 = Snow and blowing snow (⇐↕)
- 4 = Snow (✕)

2) Table 4

LT	:	Local standard time (GMT + 3 h)
PST	:	Pressure at station level
T	:	Air temperature
TD	:	Dew point temperature
U	:	Relative humidity
WD	:	Wind direction
V	:	Wind speed (10-minute mean)
A	:	Characteristic of the barometric tendency for the preceding 3 hours (WMO code)
PP	:	Amount of pressure change in the preceding 3 hours
VIS	:	Visibility
WW	:	Present weather (WMO code)
N	:	Total amount of cloud in tenths
CLMH	:	Genus of cloud (WMO code)
N1,N2,N3	:	Amount of cloud in tenths reported by the next "C"
C	:	Genus of cloud
D	:	Direction from which clouds move
H	:	Cloud base height above ground level in hundreds of meters

99.99, 999.9, 999.99 and 9999.99 in Tables mean lack of data.

References

Yamanouchi, T. and Takabe, H. (1989): Dai-28-ji Nankyoku Chiiki Kansokutai ni yoru Nankyoku kikô hendô kenkyû (ACR) kansoku hôkoku (Report on the ACR observation by the 28th Japanese Antarctic Research Expedition). Nankyoku Shiryô (Antarct. Rec.), 33, 53-72.




Fig. 1. Block diagram of automatic meteorological observation system.

Table 1. Sensor specifications.

Item	Type	Device	Range	Accuracy	Height
Wind direction and speed	Koshin Electric Co. Koshin vane KE-500 (Windmill with vane)	Wind speed : AC generator Wind direction : Synchronous motor Wind movement : 60m contacts	2 ~ 60 m/s 0 ~ 540°	±0.5 m/s (±5%) ±5°	10 m (above surface)
Temperature	Nakaasa Inst. Co. Platinum resistance E-732-01	Pt 100Ω/0°C	-70 ~ 30°C	±0.2°C	1.5 m
Dew point temperature	Nakaasa Inst. Co. Dewcel type E-771-20	LiCl solution	-50 ~ 40°C		1.5 m
Global radiation	Eko Inst. Co. Pyranometer MS-43F	Thermopile 7 mV/kW m <sup>-2</sup>	0 ~ 2 kW/m <sup>2</sup>	±2 % (within 45° zenith angle)	5 m
Pressure	Nakaasa Inst. Co. Vibrating cylinder type F-451	Resonance frequency of vibrating cylinder	830 ~ 930 mb	±0.2mb	967 m a.s.l

Table 2. Monthly summaries of surface meteorological data in 1988.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Annual
$\bar{P}_{st}$ (mb)	879.3	871.4	875.1	871.3	874.6	883.4	863.2	868.2	871.9	877.8	870.2	874.4	873.4
$\bar{T}$ (°C)	-7.4	-12.4	-15.2	-22.9	-22.0	-19.3	-25.6	-24.0	-23.4	-19.3	-15.4	-9.6	-18.0
$\bar{T}_x$ (°C)	-4.9	-10.2	-12.6	-20.1	-18.9	-16.9	-23.0	-21.4	-20.6	-16.7	-11.9	-6.6	-15.3
$T_{xx}$ (°C)	-2.9	-3.3	-1.7	-15.1	-10.8	-10.9	-14.5	-15.7	-13.3	-11.9	-7.3	-4.2	-1.7
Date	11	21	21	26	31	20	21	23	23	31	28	15	Mar.21
$\bar{T}_n$ (°C)	-10.9	-15.0	-17.9	-26.8	-25.4	-22.0	-28.4	-27.1	-26.7	-23.1	-20.5	-13.9	-21.5
$T_{nn}$ (°C)	-15.6	-23.8	-29.9	-35.3	-41.9	-37.7	-42.0	-42.4	-41.8	-33.8	-27.1	-17.8	-42.4
Date	21	16	9	24	10	27	31	1	17	19	14	21	Aug.1
$\bar{V}$ (m/s)	11.4	13.9	14.0	11.3	12.7	15.5	13.1	15.0	14.1	12.0	9.9	8.5	12.6
$V_{xx}(\text{Gust})(\text{m/s})$	26.9	32.6	33.1	30.1	39.1	33.1	33.3	32.1	30.9	25.6	26.6	25.5	39.1
Direction	ESE	ESE	ESE	ESE	SE	ESE	SE	ESE	ESE	ESE	SE	ESE	SE
Date	4	20	17	8	30	16	21	14	22	10	5	14	May.30
$\bar{N}$	6.5	6.8	5.6	4.8	4.2	6.9	4.4	4.7	5.2	5.6	2.5	5.1	5.2

Table 3. Daily summaries of surface meteorological data in 1988.

		JANUARY 1988									
DATE		PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)	NM	PHENOMENA	
1	1	882.2	-7.2	-4.9	-10.1	77.2	15.6	23.2	ESE	7.0	2
1	2	875.2	-7.2	-5.1	-9.4	70.4	12.8	22.9	ESE	0.0	2
1	3	867.1	-7.7	-6.1	-12.8	88.7	13.5	22.1	E	7.5	23
1	4	869.6	-5.4	-4.2	-6.9	96.1	16.8	26.9	ESE	10.0	3
1	5	876.9	-7.2	-5.7	-10.6	89.8	12.6	20.5	ESE	6.5	2
1	6	877.7	-7.9	-5.2	-12.2	83.9	8.9	16.2	ESE	10.0	1
1	7	877.2	-8.9	-5.0	-14.5	75.9	7.2	14.0	ESE	7.0	0
1	8	883.6	-8.1	-4.8	-13.7	78.2	8.2	14.8	ESE	9.0	1
1	9	884.0	-7.9	-4.8	-11.7	77.9	7.4	12.7	ESE	8.0	0
1	10	880.2	-9.5	-5.4	-14.5	79.7	5.5	10.2	E	0.0	0
MEAN		877.4	-7.7	-5.1	-11.6		10.9			6.5	
1	11	874.2	-7.0	-2.9	-13.6	71.4	9.8	22.0	ESE	0.0	1
1	12	869.0	-5.2	-3.4	-7.1	79.4	15.4	22.8	ESE	7.0	1
1	13	876.3	-4.8	-3.2	-6.7	83.4	14.0	21.0	E	9.5	23
1	14	876.5	-5.6	-3.1	-7.7	75.0	11.2	16.7	ESE	8.5	0
1	15	875.1	-6.4	-4.8	-8.3	78.1	11.6	17.5	ESE	9.5	1
1	16	881.8	-6.7	-6.3	-7.2	94.6	12.6	19.5	E	10.0	3
1	17	883.1	-9.2	-6.5	-14.3	87.1	7.7	15.0	ESE	6.0	1
1	18	881.3	-10.6	-7.7	-15.0	78.9	9.5	20.1	ESE	6.5	12
1	19	882.6	-8.9	-5.1	-15.3	78.3	9.5	15.3	ESE	9.5	0
1	20	883.9	-9.4	-5.8	-13.6	75.1	8.7	16.3	ESE	8.5	1
MEAN		878.4	-7.4	-4.9	-10.9		11.0			7.5	
1	21	889.2	-9.1	-5.9	-15.6	79.3	10.5	17.0	ESE	0.5	1
1	22	887.3	-7.4	-6.0	-9.2	82.3	14.2	19.4	ESE	10.0	12
1	23	883.0	-5.9	-4.8	-7.4	94.7	15.6	25.5	ESE	10.0	3
1	24	883.4	-6.3	-4.4	-11.2	86.5	8.2	15.4	ESE	10.0	3
1	25	881.7	-8.0	-3.7	-13.5	69.6	6.2	15.7	ESE	0.0	0
1	26	880.1	-7.4	-5.2	-10.7	74.9	12.8	23.2	ESE	0.0	1
1	27	880.5	-6.8	-4.6	-9.8	99.9	12.1	17.1	ESE	5.5	1
1	28	880.2	-5.7	-4.1	-7.7	85.5	15.0	23.5	ESE	8.5	1
1	29	879.5	-5.6	-3.6	-7.0	76.8	14.0	20.1	ESE	9.5	1
1	30	878.6	-7.0	-5.0	-9.0	73.0	14.2	20.5	ESE	3.0	1
1	31	878.6	-8.0	-5.0	-10.9	66.6	11.5	17.8	ESE	4.5	1
MEAN		882.0	-7.0	-4.8	-10.2		12.2			5.6	
MONTHLY MEAN		879.3	-7.4	-4.9	-10.9		11.4			6.5	

FEBRUARY 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)	NM	PHENOMENA
2 1	872.5	-10.0	-8.0	-12.4	72.4	12.7	20.2	E	2.0 1
2 2	871.9	-11.9	-10.0	-13.5	78.4	14.8	22.0	ESE	6.0 1
2 3	873.1	-10.6	-9.2	-11.7	78.1	13.5	20.0	ESE	9.5 1
2 4	872.8	-10.3	-7.6	-12.1	78.6	13.0	20.7	ESE	10.0 1
2 5	868.4	-10.2	-7.3	-12.3	78.7	14.6	24.1	ESE	10.0 12
2 6	868.1	-10.2	-7.8	-12.3	69.7	14.5	21.0	ESE	0.0 1
2 7	874.2	-11.8	-9.4	-13.6	76.0	14.8	22.0	ESE	0.0 1
2 8	874.1	-12.1	-9.8	-14.6	72.8	13.5	22.1	ESE	0.0 1
2 9	869.5	-12.4	-9.7	-14.5	66.6	12.2	19.1	ESE	6.0 1
2 10	872.2	-12.3	-10.2	-15.3	71.6	11.4	19.5	ESE	10.0 1
MEAN	871.7	-11.2	-8.9	-13.2		13.5			5.4
2 11	870.6	-11.9	-10.4	-13.8	84.5	14.9	22.9	ESE	10.0 13
2 12	866.2	-11.1	-9.7	-12.3	83.4	13.2	20.2	ESE	10.0 1
2 13	869.4	-11.8	-10.6	-13.8	72.5	10.8	17.0	ESE	10.0 1
2 14	874.0	-13.5	-11.0	-16.8	78.8	11.3	19.3	ESE	10.0 2
2 15	871.9	-15.3	-11.5	-20.2	68.7	8.2	15.5	ESE	3.5 0
2 16	871.2	-16.3	-12.4	-23.8	999.9	5.6	10.0	E	7.5 0
2 17	875.3	-14.4	-13.0	-15.8	86.1	11.3	16.6	ESE	8.5 13
2 18	877.3	-13.7	-12.8	-15.1	85.8	12.8	21.3	ESE	10.0 13
2 19	871.3	-11.4	-8.7	-14.4	999.9	22.0	30.9	ESE	7.0 3
2 20	869.8	-7.3	-5.8	-8.9	97.6	21.6	32.6	ESE	7.0 3
MEAN	871.7	-12.7	-10.6	-15.5		13.2			8.4
2 21	880.7	-8.0	-3.3	-16.0	999.9	12.6	23.9	E	6.5 3
2 22	876.7	-11.7	-10.1	-16.6	82.7	10.5	17.3	ESE	4.5 1
2 23	876.3	-12.9	-11.1	-14.7	84.2	14.2	20.3	ESE	6.5 1
2 24	877.4	-15.5	-13.1	-18.6	81.4	14.4	23.6	ESE	0.5 12
2 25	872.8	-16.6	-14.4	-19.3	66.7	11.4	17.1	ESE	6.5 1
2 26	870.5	-16.5	-14.3	-18.9	69.4	14.0	22.4	ESE	6.5 12
2 27	867.5	-15.6	-13.0	-18.2	81.3	17.1	25.2	ESE	10.0 2
2 28	859.2	-12.5	-11.6	-14.0	95.5	21.6	29.5	SE	10.0 3
2 29	856.3	-11.9	-11.1	-12.8	95.2	20.3	29.8	ESE	10.0 3
MEAN	870.8	-13.5	-11.3	-16.6		15.1			6.8
MONTHLY MEAN	871.4	-12.4	-10.2	-15.0		13.9			6.8

MARCH 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
3 1	864.5	-13.0	-11.1	-14.2	96.0	18.5	25.5	SE	6.0	23
3 2	869.9	-14.2	-11.2	-18.2	82.3	11.4	20.3	ESE	5.7	1
3 3	872.2	-18.4	-16.6	-20.2	66.3	11.1	19.5	ESE	1.3	1
3 4	872.1	-18.0	-16.0	-20.0	67.0	13.4	20.2	ESE	3.7	1
3 5	867.8	-22.4	-16.6	-27.0	58.2	4.5	10.5	ESE	0.0	0
3 6	867.0	-19.0	-16.3	-24.3	69.9	17.2	25.5	ESE	6.7	23
3 7	875.8	-16.8	-13.0	-21.0	64.0	10.1	25.2	ESE	1.0	0
3 8	873.7	-21.7	-14.2	-27.8	55.3	3.8	9.4	SE	9.3	0
3 9	866.7	-22.8	-18.0	-29.9	49.4	4.4	12.5	SE	0.7	0
3 10	863.0	-17.8	-14.7	-24.1	79.8	13.1	19.8	E	10.0	3
MEAN	869.3	-18.4	-14.8	-22.7		10.8			4.4	
3 11	867.6	-15.9	-14.3	-18.5	999.9	16.9	26.3	ESE	7.7	23
3 12	877.9	-18.2	-15.1	-23.6	78.7	10.0	20.6	E	10.0	1
3 13	878.4	-12.7	-11.0	-15.3	87.0	17.6	25.4	ESE	10.0	12
3 14	876.1	-11.8	-11.0	-12.2	91.8	20.1	26.9	ESE	10.0	3
3 15	878.4	-12.5	-11.6	-14.2	93.6	16.6	24.6	ESE	7.0	123
3 16	872.4	-8.9	-6.4	-12.5	999.9	23.1	33.1	ESE	10.0	3
3 17	874.2	-7.4	-6.1	-9.8	97.7	23.3	33.1	ESE	10.0	3
3 18	882.1	-7.2	-5.4	-9.2	999.9	20.9	32.4	ESE	10.0	3
3 19	874.8	999.9	999.9	-8.0	999.9	20.2	27.7	ENE	10.0	3
3 20	881.4	999.9	999.9	-12.5	999.9	12.8	25.2	E	8.7	13
MEAN	876.3	-11.8	-10.1	-13.6		18.2			9.3	
3 21	874.6	-4.3	-1.7	-9.9	88.0	10.1	21.4	SE	7.0	12
3 22	874.1	-11.2	-5.2	-14.0	88.3	17.1	29.3	ESE	0.3	12
3 23	879.4	-12.9	-11.9	-14.7	90.4	17.5	27.7	ESE	0.0	12
3 24	880.0	-16.3	-14.2	-20.2	75.3	7.7	20.7	ESE	0.0	1
3 25	879.0	-18.5	-15.8	-22.9	64.5	7.1	15.5	SE	0.0	0
3 26	879.2	-20.6	-16.7	-24.7	65.9	10.5	21.2	ESE	1.0	1
3 27	885.9	-18.2	-16.5	-19.5	75.3	14.9	24.0	ESE	6.0	2
3 28	883.2	-14.6	-12.6	-18.7	80.4	15.0	23.5	ESE	2.0	1
3 29	880.6	-14.8	-13.5	-15.6	82.1	16.8	25.4	ESE	0.0	12
3 30	875.9	-15.4	-14.3	-16.3	79.4	14.3	20.2	ESE	9.7	1
3 31	879.3	-15.7	-14.8	-16.6	77.4	13.7	19.4	ESE	10.0	1
MEAN	879.2	-14.8	-12.5	-17.6		13.2			3.3	
MONTHLY MEAN	875.1	-15.2	-12.6	-17.9		14.0			5.6	

APRIL 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
4 1	879.5	-20.1	-16.1	-24.7	65.1	8.1	17.3	ESE	3.3	0
4 2	872.2	-27.6	-24.6	-31.3	62.0	5.0	11.4	SE	0.0	0
4 3	868.2	-21.6	-19.0	-25.8	68.4	13.3	22.6	ESE	6.7	12
4 4	868.2	-25.6	-23.7	-27.8	59.8	6.9	14.1	SE	0.0	0
4 5	874.4	-19.6	-17.7	-23.7	68.8	10.7	19.9	ESE	10.0	13
4 6	878.4	-28.9	-22.4	-34.3	58.6	4.4	10.4	SE	0.0	0
4 7	883.3	-28.1	-23.9	-34.2	56.4	5.4	10.9	SE	4.0	0
4 8	871.8	-17.2	-16.3	-24.9	75.6	18.9	30.1	ESE	10.0	23
4 9	866.9	-17.3	-16.0	-20.3	80.6	17.7	27.9	ESE	7.7	13
4 10	866.6	-25.1	-20.0	-30.4	67.7	5.7	17.3	ESE	1.3	0
MEAN	873.0	-23.1	-20.0	-27.7		9.6			4.3	
4 11	862.7	-21.6	-20.8	-22.9	71.6	17.2	25.1	ESE	4.0	12
4 12	866.0	-22.2	-20.7	-23.8	71.2	17.9	29.1	ESE	9.0	1
4 13	870.0	-23.9	-21.5	-26.3	68.0	10.4	19.5	ESE	1.0	12
4 14	863.2	-22.5	-20.5	-25.1	68.3	13.9	24.7	SE	1.3	1
4 15	861.7	-27.0	-22.4	-29.1	63.0	6.6	12.3	SE	1.3	0
4 16	860.1	-25.5	-22.6	-29.1	63.8	7.0	18.7	ESE	9.0	0
4 17	863.4	-23.5	-20.5	-31.9	74.7	8.7	19.9	ESE	7.3	3
4 18	870.9	-24.2	-22.0	-28.1	70.7	10.2	18.9	ESE	10.0	3
4 19	862.4	-21.0	-19.6	-22.0	75.1	13.3	23.1	ESE	7.3	23
4 20	861.1	-19.1	-17.3	-21.4	77.4	19.1	29.9	ESE	8.0	23
MEAN	864.2	-23.0	-20.8	-26.0		12.4			5.8	
4 21	869.5	-21.3	-18.0	-23.4	75.2	12.2	21.1	ESE	1.3	12
4 22	869.8	-29.8	-23.0	-34.8	66.3	6.0	16.5	SE	0.0	0
4 23	876.5	-29.4	-26.2	-34.4	64.8	9.8	20.8	ESE	0.0	2
4 24	887.2	-32.6	-29.1	-35.3	58.9	5.5	9.7	SE	0.0	0
4 25	885.8	-19.4	-15.4	-31.4	64.6	11.8	23.6	ESE	10.0	2
4 26	888.0	-16.7	-15.1	-20.9	70.9	15.1	24.7	ESE	8.0	2
4 27	878.9	-20.9	-16.8	-25.9	61.9	11.1	22.4	ESE	7.0	2
4 28	867.6	-17.1	-16.5	-17.6	78.7	19.6	25.5	ESE	9.3	3
4 29	871.4	-19.1	-16.9	-21.2	71.8	12.8	21.1	ESE	2.7	2
4 30	873.4	-19.7	-18.6	-21.7	64.6	13.4	20.9	SE	5.3	1
MEAN	876.8	-22.6	-19.6	-26.7		11.7			4.4	
MONTHLY MEAN	871.3	-22.9	-20.1	-26.8		11.3			4.8	

MAY 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)	NM	PHENOMENA
5 1	868.2	-29.0	-21.7	-35.7	62.0	4.6	11.8	SW	2.0 0
5 2	860.8	-32.9	-24.4	-39.7	61.5	8.2	25.0	SE	0.3 0
5 3	862.6	-25.7	-24.1	-27.3	58.1	11.6	20.5	ESE	0.0 0
5 4	860.6	-21.8	-18.8	-26.0	63.4	13.6	21.5	ESE	7.3 2
5 5	866.3	-18.8	-18.5	-19.3	84.6	16.4	23.1	ESE	10.0 23
5 6	872.7	-18.5	-17.3	-19.2	83.0	15.3	22.6	ESE	4.7 2
5 7	876.2	-18.7	-17.0	-20.9	80.8	12.2	23.6	ESE	5.7 1
5 8	873.1	-21.5	-20.0	-23.3	73.8	15.2	25.4	ESE	0.3 2
5 9	863.7	-25.6	-21.6	-30.7	66.2	7.6	16.7	SE	0.0 0
5 10	868.1	-38.1	-29.0	-41.9	64.8	3.9	9.6	SE	0.0 0
MEAN	867.2	-25.1	-21.2	-28.4		10.9			3.0
5 11	877.1	-23.6	-20.1	-39.8	64.6	14.1	22.8	ESE	7.0 2
5 12	880.4	-23.4	-20.3	-26.3	60.2	10.0	20.4	ESE	0.3 0
5 13	882.0	-21.6	-19.4	-23.9	56.3	11.7	19.6	SE	1.0 0
5 14	873.2	-23.9	-21.9	-25.8	66.7	15.5	26.6	ESE	2.3 2
5 15	877.6	-15.6	-13.9	-22.0	89.1	15.0	22.4	ESE	6.0 2
5 16	875.5	-13.2	-12.4	-14.2	999.9	21.0	30.7	SE	10.0 3
5 17	886.8	-14.0	-12.7	-17.1	999.9	18.8	25.8	ESE	7.7 23
5 18	888.7	-19.2	-17.1	-22.0	80.0	10.7	21.8	ESE	6.3 2
5 19	885.5	-16.7	-15.4	-18.0	84.3	18.3	25.5	ESE	6.0 2
5 20	885.6	-18.1	-17.1	-20.6	78.4	13.4	23.0	ESE	5.3 2
MEAN	881.2	-18.9	-17.0	-23.0		14.9			5.2
5 21	880.7	-28.1	-20.2	-30.3	66.2	6.2	13.2	ESE	1.3 0
5 22	884.6	-22.7	-20.9	-28.2	65.3	6.9	14.1	E	5.3 0
5 23	880.6	-28.1	-21.4	-32.2	65.3	4.9	7.5	SE	0.7 0
5 24	873.5	-31.1	-25.1	-35.0	63.7	5.0	11.3	SE	1.7 0
5 25	875.1	-28.7	-23.5	-34.3	61.1	8.0	17.8	ESE	3.0 0
5 26	878.1	-21.3	-20.0	-23.5	77.2	18.0	25.4	ESE	6.0 2
5 27	876.1	-18.4	-16.8	-20.1	80.7	17.2	23.9	ESE	4.7 2
5 28	877.7	-17.7	-16.3	-18.9	83.6	16.0	25.2	ESE	4.3 2
5 29	876.9	-17.1	-16.4	-18.5	80.9	15.9	23.3	ESE	5.0 2
5 30	856.7	-15.2	-11.5	-19.0	85.2	21.3	39.1	SE	7.3 23
5 31	867.0	-12.3	-10.8	-13.0	999.9	16.7	25.5	ESE	8.3 23
MEAN	875.2	-21.9	-18.4	-24.8		12.4			4.3
MONTHLY MEAN	874.6	-22.0	-18.9	-25.4		12.7			4.2

JUNE 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
6 1	886.6	-20.6	-12.8	-27.3	78.9	7.5	19.0	ESE	2.7	0
6 2	878.0	-20.2	-17.2	-25.2	71.8	11.2	25.4	ESE	1.0	2
6 3	872.9	-22.9	-21.3	-25.4	72.2	19.0	31.7	ESE	7.7	2
6 4	874.5	-20.0	-17.7	-25.4	75.8	18.9	31.4	ESE	10.0	3
6 5	878.4	-18.3	-15.5	-22.5	77.5	17.5	28.1	ESE	10.0	23
6 6	883.9	-16.7	-16.0	-17.6	81.2	16.4	24.7	ESE	6.3	2
6 7	887.7	-21.5	-17.5	-24.9	76.7	13.6	20.6	ESE	2.3	2
6 8	895.9	-19.6	-15.9	-25.2	79.2	15.3	25.5	ESE	4.0	2
6 9	902.7	-15.3	-14.4	-16.4	83.7	19.1	28.1	ESE	2.0	2
6 10	897.5	-15.8	-15.0	-16.8	79.1	19.9	26.0	ESE	6.0	2
MEAN	885.8	-19.1	-16.3	-22.7		15.8			5.2	
6 11	882.7	-15.0	-14.2	-16.0	77.5	18.9	25.5	ESE	6.3	12
6 12	880.1	-17.3	-16.0	-18.3	64.7	16.8	25.5	ESE	0.3	1
6 13	884.9	-21.7	-16.8	-25.5	59.5	9.2	18.3	ESE	4.0	0
6 14	880.5	-13.8	-12.4	-16.8	69.6	19.8	28.7	ESE	8.0	1
6 15	881.2	-16.0	-15.3	-17.1	76.8	20.5	29.2	ESE	9.0	13
6 16	881.3	-16.6	-15.7	-17.5	90.8	22.2	33.1	ESE	9.3	23
6 17	878.5	-17.5	-14.7	-19.7	87.6	13.2	20.5	ESE	8.7	12
6 18	876.7	-13.8	-12.5	-15.1	91.2	14.2	25.4	ESE	9.3	123
6 19	891.2	-12.3	-11.4	-13.2	95.4	18.0	25.5	ESE	10.0	3
6 20	886.8	-11.5	-10.9	-12.3	999.9	17.1	25.4	ESE	10.0	3
MEAN	882.4	-15.5	-14.0	-17.1		17.0			7.5	
6 21	881.7	-14.8	-12.1	-18.1	89.4	17.4	24.8	ESE	10.0	2
6 22	886.7	-22.4	-18.1	-24.5	71.8	15.6	21.0	ESE	6.7	2
6 23	886.6	-21.5	-19.4	-24.4	72.3	12.9	19.3	ESE	8.3	1
6 24	881.5	-19.9	-19.5	-20.6	76.0	15.6	22.5	E	10.0	1
6 25	878.0	-22.2	-20.5	-23.7	72.3	16.1	22.6	E	10.0	1
6 26	883.2	-29.9	-23.1	-36.9	64.4	8.6	22.6	ESE	1.3	1
6 27	887.0	-34.5	-28.5	-37.7	60.9	5.5	10.8	ESE	5.3	0
6 28	882.2	-23.5	-21.5	-28.5	68.2	11.5	19.3	ESE	10.0	1
6 29	877.9	-21.4	-20.4	-22.2	75.2	18.7	25.5	ESE	10.0	3
6 30	873.8	-21.8	-20.2	-24.9	74.0	15.9	25.4	ESE	8.7	1
MEAN	881.9	-23.2	-20.3	-26.1		13.8			8.0	
MONTHLY MEAN	883.4	-19.3	-16.9	-22.0		15.5			6.9	

JULY 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
7 1	872.6	-24.8	-23.7	-25.9	69.0	8.6	14.2	SE	3.0	1
7 2	871.9	-25.2	-24.3	-26.2	68.1	12.8	23.1	ESE	2.0	1
7 3	870.5	-25.5	-24.7	-26.3	67.3	16.7	25.5	ESE	3.3	12
7 4	867.7	-28.0	-25.8	-32.2	66.2	12.0	21.0	ESE	1.3	1
7 5	857.0	-31.9	-26.1	-35.5	64.2	6.9	16.1	SE	3.0	0
7 6	863.2	-24.0	-21.6	-27.8	67.1	13.4	22.9	ESE	3.3	1
7 7	869.1	-25.6	-21.8	-30.4	65.5	10.8	18.8	ESE	2.7	1
7 8	869.0	-34.4	-30.4	-38.5	60.9	5.4	9.7	SE	1.0	0
7 9	870.2	-38.8	-34.9	-40.9	61.8	4.6	10.5	SE	0.3	0
7 10	872.7	-39.1	-33.0	-41.7	59.7	5.1	12.6	ESE	0.7	0
MEAN	868.4	-29.7	-26.6	-32.5		9.6			2.1	
7 11	874.2	-32.3	-26.1	-39.4	60.2	8.5	15.8	ESE	0.7	0
7 12	875.4	-21.1	-18.9	-26.1	63.1	13.2	19.5	ESE	7.7	1
7 13	867.3	-22.6	-19.4	-26.2	58.2	10.1	17.3	E	8.3	1
7 14	860.9	-27.0	-24.0	-29.9	54.3	13.9	22.0	E	3.3	1
7 15	854.5	-22.7	-17.8	-33.6	53.9	14.2	23.5	ESE	7.3	1
7 16	847.2	-18.2	-17.3	-19.4	59.5	18.7	28.1	ESE	7.7	12
7 17	842.8	-17.4	-16.0	-19.4	77.6	19.1	32.1	ESE	8.3	23
7 18	849.3	-19.2	-18.2	-20.0	76.7	16.0	23.6	ESE	6.0	2
7 19	854.0	-19.7	-18.6	-20.6	73.3	16.4	23.6	ESE	7.0	12
7 20	868.7	-21.2	-20.3	-22.2	70.7	13.4	21.6	ESE	6.3	1
MEAN	859.4	-22.1	-19.7	-25.7		14.4			6.3	
7 21	859.2	-18.5	-14.5	-21.5	74.5	19.8	33.3	SE	8.3	23
7 22	852.9	-16.7	-15.2	-17.9	83.5	19.2	29.3	ESE	7.7	12
7 23	863.5	-18.7	-15.8	-20.0	74.7	16.0	22.3	ESE	6.3	1
7 24	867.0	-20.9	-20.0	-21.6	56.6	18.1	25.5	ESE	3.0	1
7 25	859.2	-22.0	-20.9	-23.1	69.2	19.8	33.0	ESE	3.7	12
7 26	855.7	-23.9	-20.2	-26.2	55.6	17.1	25.5	ESE	1.7	0
7 27	861.6	-27.2	-24.5	-29.9	55.3	11.7	18.0	ESE	2.3	0
7 28	860.5	-29.0	-28.3	-30.4	55.1	12.3	18.2	ESE	4.0	0
7 29	861.7	-29.3	-28.5	-31.5	53.9	14.0	21.6	ESE	5.0	1
7 30	867.7	-29.1	-27.7	-33.4	55.2	11.9	19.7	ESE	7.7	0
7 31	872.0	-38.7	-33.1	-42.0	58.3	5.3	8.2	ESE	2.7	0
MEAN	861.9	-24.9	-22.6	-27.0		15.0			4.8	
MONTHLY MEAN	863.2	-25.6	-23.0	-28.4		13.1			4.4	

AUGUST 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
8 1	866.9	-37.1	-28.0	-42.4	57.3	6.6	13.8	SE	1.0	0
8 2	864.4	-27.0	-24.6	-32.1	56.8	15.1	26.5	ESE	1.3	1
8 3	872.8	-22.2	-19.3	-28.5	57.6	15.6	24.7	ESE	7.7	1
8 4	867.8	-21.8	-21.1	-23.2	52.2	17.2	25.1	ESE	8.7	1
8 5	860.6	-20.5	-19.1	-21.9	53.9	17.4	25.3	ESE	8.0	0
8 6	860.1	-20.8	-19.2	-22.0	56.9	19.2	25.7	SE	7.3	0
8 7	857.8	-19.6	-19.0	-20.6	61.1	21.0	27.7	ESE	8.0	1
8 8	858.1	-24.0	-19.6	-27.7	48.5	17.8	25.5	ESE	4.0	0
8 9	864.0	-23.9	-21.3	-29.7	53.1	15.4	25.5	ESE	5.0	1
8 10	867.7	-28.4	-23.3	-35.4	51.1	8.0	20.2	ESE	0.0	0
MEAN	864.0	-24.5	-21.4	-28.3		15.3			5.1	
8 11	857.9	-26.0	-23.7	-29.9	49.1	13.6	25.5	ESE	0.3	1
8 12	854.7	-22.7	-21.4	-25.6	50.7	18.1	25.5	ESE	5.7	0
8 13	856.0	-24.4	-22.2	-29.7	46.9	17.9	31.2	ESE	5.7	0
8 14	864.0	-30.0	-28.2	-31.7	70.9	19.2	32.1	ESE	6.3	2
8 15	861.7	-28.3	-26.4	-29.4	72.6	19.0	26.8	ESE	3.3	2
8 16	858.9	-25.2	-24.1	-26.6	72.6	15.6	25.5	ESE	4.0	12
8 17	878.9	-26.0	-23.1	-29.9	70.7	15.2	25.5	ESE	1.0	0
8 18	885.0	-28.7	-23.4	-34.2	64.2	10.7	20.8	ESE	6.7	0
8 19	879.7	-21.1	-20.1	-23.4	69.5	15.7	21.4	ESE	10.0	3
8 20	880.9	-20.7	-20.0	-21.5	75.6	14.6	19.5	ESE	10.0	23
MEAN	867.8	-25.3	-23.3	-28.2		16.0			5.3	
8 21	885.7	-27.0	-21.5	-29.7	65.9	7.5	13.5	ESE	3.0	0
8 22	880.1	-17.3	-16.6	-22.4	66.3	19.4	30.1	ESE	10.0	12
8 23	873.9	-16.9	-15.7	-18.3	83.0	19.8	31.3	ESE	10.0	23
8 24	869.1	-21.2	-18.2	-24.7	76.1	18.0	25.4	E	8.0	2
8 25	870.9	-24.0	-22.6	-25.7	71.1	18.4	25.5	ESE	6.3	0
8 26	878.2	-23.0	-21.2	-24.4	63.9	11.4	21.4	SE	2.0	0
8 27	882.4	-20.5	-17.0	-24.4	57.0	10.7	21.8	ESE	0.0	0
8 28	873.7	-19.9	-16.6	-21.9	52.4	14.0	25.5	ESE	0.0	0
8 29	867.4	-21.9	-20.7	-23.5	50.1	14.1	23.3	ESE	1.0	0
8 30	854.8	-25.0	-20.9	-26.8	50.3	9.5	19.5	ESE	0.0	0
8 31	861.1	-30.3	-26.1	-34.2	49.7	8.5	20.0	ESE	0.0	0
MEAN	872.5	-22.5	-19.7	-25.1		13.8			3.7	
MONTHLY MEAN	868.2	-24.0	-21.4	-27.1		15.0			4.7	

SEPTEMBER 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)	NM	PHENOMENA	
9 1	868.6	-33.3	-27.3	-39.5	50.3	9.6	25.5	E	0.3	0
9 2	858.7	-24.3	-22.3	-27.3	48.5	19.1	26.7	E	1.0	0
9 3	861.4	-25.4	-24.0	-28.2	51.7	14.6	22.2	ESE	3.0	0
9 4	867.5	-30.6	-27.1	-32.6	53.8	7.7	15.0	ESE	3.3	0
9 5	859.9	-29.8	-27.4	-35.6	50.5	10.3	19.9	ESE	0.0	0
9 6	857.0	-29.0	-26.8	-33.4	52.1	12.2	19.3	ESE	6.7	0
9 7	865.6	-29.2	-27.8	-30.9	51.1	14.6	21.3	ESE	1.0	0
9 8	868.5	-24.4	-22.5	-27.9	56.7	16.7	23.5	ESE	7.7	2
9 9	868.3	-22.3	-20.7	-24.6	45.4	15.2	23.3	ESE	0.0	0
9 10	863.3	-23.8	-21.1	-26.3	55.2	15.3	25.5	ESE	1.3	2
MEAN	863.9	-27.2	-24.7	-30.6		13.5			2.4	
9 11	873.3	-18.2	-16.0	-21.7	50.7	17.7	25.5	ESE	6.3	0
9 12	878.2	-17.1	-16.0	-18.0	58.6	18.2	26.6	ESE	7.7	2
9 13	873.7	-22.8	-17.2	-31.2	51.1	9.3	17.6	SE	1.0	0
9 14	874.1	-28.3	-23.9	-34.1	54.0	3.3	7.2	SW	9.0	0
9 15	877.8	-31.5	-24.1	-37.3	64.6	3.4	6.3	SSE	4.7	0
9 16	879.0	-35.7	-28.4	-40.1	57.0	3.6	9.0	SSE	0.0	0
9 17	875.2	-32.8	-26.5	-41.8	61.2	6.6	21.4	ESE	0.0	2
9 18	874.7	-24.5	-21.4	-28.5	60.9	18.3	25.0	ESE	10.0	2
9 19	871.7	-17.5	-15.2	-21.5	72.5	21.8	30.2	ESE	10.0	23
9 20	860.9	-16.1	-14.8	-18.4	999.9	20.5	29.1	ESE	10.0	0
MEAN	873.9	-24.4	-20.3	-29.3		12.3			5.9	
9 21	868.0	-18.2	-16.1	-19.3	47.1	17.0	25.3	ESE	7.3	0
9 22	876.4	-17.3	-16.1	-18.4	48.4	19.2	30.9	ESE	8.7	1
9 23	874.3	-16.3	-13.3	-19.8	40.5	16.6	26.0	ESE	2.0	12
9 24	869.7	-22.8	-19.7	-24.3	56.1	20.4	28.3	ESE	2.7	2
9 25	873.6	-21.9	-20.3	-24.4	51.7	16.5	24.8	ESE	9.3	0
9 26	875.7	-19.7	-18.5	-20.9	53.8	13.2	20.8	ESE	4.3	0
9 27	879.2	-17.3	-15.2	-20.4	51.3	14.6	21.4	ESE	10.0	1
9 28	886.1	-16.0	-14.9	-18.1	52.3	16.9	24.5	ESE	10.0	1
9 29	887.8	-16.8	-15.8	-17.8	44.1	16.4	22.7	ESE	7.3	0
9 30	888.2	-17.8	-16.6	-18.5	46.6	14.7	22.3	ESE	10.0	0
MEAN	877.9	-18.4	-16.6	-20.2		16.6			7.2	
MONTHLY MEAN	871.9	-23.4	-20.6	-26.7		14.1			5.2	

OCTOBER 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)	NM	PHENOMENA
10 1	883.4	-20.2	-18.4	-22.4	52.3	12.1	17.3	ESE	4.7 0
10 2	880.5	-21.2	-19.2	-23.7	61.2	12.5	18.9	ESE	7.7 3
10 3	878.2	-18.8	-16.4	-20.7	52.3	10.4	19.0	ESE	7.0 0
10 4	871.0	-18.7	-15.8	-23.1	50.3	13.0	21.4	ESE	9.0 1
10 5	867.2	-21.4	-18.6	-25.8	54.3	10.5	18.1	ESE	2.7 0
10 6	868.6	-24.2	-22.0	-29.2	49.2	9.7	18.3	ESE	8.7 0
10 7	873.0	-23.7	-21.6	-26.6	47.9	12.3	19.6	ESE	4.0 1
10 8	879.4	-21.6	-18.6	-24.7	47.3	12.2	19.0	ESE	3.3 1
10 9	878.9	-20.3	-18.0	-24.9	52.2	14.8	25.5	ESE	0.0 12
10 10	884.8	-21.7	-20.1	-22.8	62.2	18.3	25.6	ESE	0.0 2
MEAN	876.5	-21.2	-18.9	-24.4		12.6			4.7
10 11	879.0	-22.6	-21.3	-24.7	55.3	16.8	25.2	ESE	0.0 12
10 12	882.9	-23.3	-20.9	-25.4	54.2	14.9	25.0	ESE	5.3 12
10 13	889.2	-20.1	-17.8	-22.5	56.1	14.6	21.8	ESE	5.0 1
10 14	884.0	-17.1	-14.9	-21.7	53.1	15.2	22.6	ESE	10.0 12
10 15	876.1	-15.6	-14.6	-17.0	54.7	14.9	24.1	ESE	10.0 1
10 16	881.5	-16.8	-15.6	-18.6	62.2	14.1	23.1	ESE	10.0 12
10 17	888.6	-19.4	-15.2	-26.7	58.6	7.3	16.4	ESE	9.7 0
10 18	880.1	-24.4	-16.3	-32.0	55.3	3.3	7.1	SE	1.7 0
10 19	876.2	-25.2	-22.3	-33.8	57.1	10.0	20.3	E	1.7 2
10 20	882.3	-19.5	-16.9	-23.2	63.0	11.7	18.7	ESE	9.3 12
MEAN	882.0	-20.4	-17.6	-24.6		12.3			6.3
10 21	882.1	-16.6	-14.1	-20.0	53.2	13.5	20.1	ESE	2.0 1
10 22	882.1	-15.9	-13.7	-18.1	60.1	15.5	24.5	E	1.0 12
10 23	877.0	-16.5	-14.3	-18.7	55.8	13.4	20.4	ESE	0.3 1
10 24	876.0	-17.2	-13.9	-20.9	54.4	9.5	17.9	ESE	4.3 0
10 25	869.9	-15.9	-13.5	-21.9	57.1	11.4	18.8	ESE	4.0 1
10 26	871.4	-15.8	-13.1	-20.9	64.9	11.1	19.2	ESE	3.7 1
10 27	871.1	-18.3	-14.0	-22.8	63.6	7.1	15.2	E	7.7 0
10 28	872.2	-18.8	-16.3	-22.7	71.5	7.3	15.8	E	9.7 12
10 29	876.5	-18.4	-16.0	-22.7	76.2	8.8	17.2	E	9.7 123
10 30	877.2	-15.8	-12.5	-20.2	71.8	12.6	20.8	ESE	10.0 12
10 31	870.6	-14.4	-11.9	-16.8	68.9	14.6	22.9	ESE	10.0 12
MEAN	875.1	-16.7	-13.9	-20.5		11.3			5.7
MONTHLY MEAN	877.8	-19.3	-16.7	-23.1		12.0			5.6

NOVEMBER 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
11 1	873.1	-13.4	-11.1	-16.4	64.9	16.5	24.2	ESE	9.3	12
11 2	875.6	-15.0	-10.1	-19.5	54.3	6.7	19.8	SE	4.3	0
11 3	875.9	-19.0	-15.9	-23.8	57.5	9.7	20.3	ESE	0.0	12
11 4	869.3	-15.5	-12.4	-24.0	60.6	15.7	23.0	ESE	0.7	12
11 5	860.6	-12.9	-10.6	-15.5	67.5	17.4	26.6	SE	4.7	12
11 6	867.8	-13.8	-11.9	-17.7	70.9	12.6	20.3	ESE	2.3	1
11 7	874.0	-15.4	-12.6	-18.7	57.9	10.5	17.8	ESE	6.0	1
11 8	871.4	-16.6	-14.1	-21.6	57.0	10.7	18.8	ESE	1.3	12
11 9	867.8	-16.2	-13.4	-21.5	58.4	10.4	19.2	ESE	8.7	1
11 10	868.7	-15.6	-12.6	-20.7	56.9	11.4	20.7	ESE	3.3	12
MEAN	870.4	-15.3	-12.5	-19.9		12.2			4.1	
11 11	869.0	-17.0	-12.3	-24.0	53.2	7.9	17.3	E	0.0	0
11 12	866.9	-19.7	-14.9	-25.1	57.3	6.7	16.4	ESE	0.0	0
11 13	864.4	-20.3	-16.5	-25.9	57.2	7.5	18.3	ESE	0.0	1
11 14	865.3	-19.2	-14.6	-27.1	52.8	8.1	19.7	ESE	0.3	1
11 15	873.5	-18.8	-14.6	-26.3	54.1	8.2	17.7	ESE	0.7	1
11 16	873.0	-15.3	-12.1	-19.8	60.1	13.1	22.3	ESE	1.0	12
11 17	867.4	-14.6	-11.1	-18.8	51.5	10.8	19.6	ESE	0.7	1
11 18	865.3	-14.7	-11.2	-18.7	49.9	9.6	16.8	ESE	2.3	1
11 19	871.3	-16.0	-12.9	-20.6	56.6	7.9	15.7	ESE	3.7	1
11 20	868.1	-14.4	-11.0	-20.4	53.7	8.6	15.7	ESE	3.3	1
MEAN	868.4	-17.0	-13.1	-22.7		8.8			1.2	
11 21	868.0	-15.6	-11.9	-19.4	60.0	10.0	20.0	ESE	0.0	12
11 22	870.7	-15.7	-13.4	-19.3	72.4	12.5	22.2	ESE	2.0	12
11 23	873.3	-15.2	-12.4	-18.9	61.2	11.2	19.7	ESE	0.7	1
11 24	873.6	-15.2	-12.2	-19.4	59.8	9.7	18.5	ESE	6.3	12
11 25	871.9	-14.2	-9.3	-20.8	61.0	6.4	12.9	SE	0.0	0
11 26	866.1	-13.0	-8.3	-18.9	57.1	6.7	15.7	ESE	0.0	1
11 27	871.4	-12.1	-8.6	-17.4	57.5	8.7	16.2	ESE	0.0	0
11 28	875.1	-13.1	-7.3	-19.1	52.4	3.8	7.6	SSE	3.7	0
11 29	875.3	-12.9	-9.5	-18.4	54.6	7.4	14.5	ESE	1.7	0
11 30	872.6	-10.9	-8.3	-16.4	79.8	11.4	21.4	ESE	8.3	23
MEAN	871.8	-13.8	-10.1	-18.8		8.8			2.3	
MONTHLY MEAN	870.2	-15.4	-11.9	-20.5		9.9			2.5	

DECEMBER 1988

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
12 1	872.8	-9.9	-7.6	-12.7	83.2	9.2	19.5	ESE	6.0	1
12 2	874.8	-10.4	-5.9	-15.1	67.6	7.6	16.8	ESE	0.0	12
12 3	876.1	-11.5	-8.1	-16.3	69.2	8.4	17.5	ESE	0.0	12
12 4	876.1	-10.3	-5.4	-16.1	61.8	6.6	13.8	E	0.7	1
12 5	872.1	-9.9	-4.5	-16.5	62.5	5.4	12.0	SE	7.0	0
12 6	870.8	-9.8	-7.4	-14.4	69.2	10.5	17.5	ESE	9.3	12
12 7	874.7	-9.7	-7.6	-11.6	86.1	6.7	10.1	E	9.0	4
12 8	870.1	-8.5	-6.2	-13.5	80.8	10.9	18.0	ESE	5.7	1
12 9	868.7	-9.3	-6.6	-13.3	75.2	10.4	17.7	ESE	3.7	12
12 10	870.5	-10.5	-5.9	-15.4	70.9	6.4	14.4	E	3.0	1
MEAN	872.7	-10.0	-6.5	-14.5		8.2			4.4	
12 11	876.2	-11.7	-9.5	-17.3	83.0	7.0	11.4	E	8.3	4
12 12	876.5	-10.7	-8.1	-13.9	81.4	9.2	14.3	E	9.0	1
12 13	867.9	-7.0	-4.4	-11.4	79.8	15.4	23.2	ESE	9.7	2
12 14	881.0	-7.3	-5.3	-10.4	999.9	12.3	25.5	ESE	8.0	32
12 15	878.1	-9.2	-4.2	-14.5	85.4	3.6	6.8	S	2.7	0
12 16	872.9	-10.6	-8.3	-14.4	87.2	6.3	13.6	ENE	7.7	14
12 17	877.1	-9.4	-7.9	-11.4	90.4	6.4	12.3	E	10.0	4
12 18	878.4	-9.6	-6.2	-12.9	86.3	7.1	12.4	E	7.3	1
12 19	875.4	-11.4	-8.0	-15.4	76.1	8.3	17.4	ESE	8.0	1
12 20	874.8	-11.3	-7.7	-16.0	71.6	7.2	13.8	ESE	0.0	1
MEAN	875.8	-9.8	-7.0	-13.8		8.3			7.1	
12 21	880.6	-11.2	-6.1	-17.8	69.1	5.8	11.2	ESE	0.0	0
12 22	882.7	-10.0	-5.0	-17.0	66.4	4.8	10.4	E	0.0	0
12 23	877.7	-9.6	-7.1	-14.3	73.1	10.6	21.4	ESE	3.5	12
12 24	872.6	-10.4	-8.1	-12.7	81.4	10.6	20.7	ESE	1.7	1
12 25	873.6	-11.1	-8.5	-15.5	90.4	7.2	14.0	ESE	9.7	23
12 26	872.0	-7.7	-4.5	-12.0	82.0	6.9	13.1	ESE	6.0	1
12 27	868.8	-7.5	-4.9	-10.8	76.3	10.5	19.9	ESE	0.0	1
12 28	872.3	-8.2	-6.4	-11.9	76.0	11.1	20.1	ESE	3.7	1
12 29	875.7	-8.6	-6.4	-12.5	73.3	10.5	17.4	ESE	6.0	0
12 30	873.4	-9.0	-6.5	-13.1	75.0	11.6	18.5	ESE	3.3	1
12 31	873.2	-7.7	-6.5	-10.0	75.7	9.4	15.4	ESE	9.3	4
MEAN	874.8	-9.2	-6.4	-13.4		9.0			3.9	
MONTHLY MEAN	874.4	-9.6	-6.6	-13.9		8.5			5.1	

Table 4. Surface synoptic data in 1988.

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1	1	3	880.8	-9.1	-12.4	76.9	ESE	15.6	3	0.2						
1	1	6	880.8	-9.5	-13.2	74.5	ESE	15.6		0.0						
1	1	9	881.2	-8.4	-11.0	81.2	ESE	16.7	3	0.4	0.5	38	8	001	8	CI X X
1	1	12	882.0	-7.0	-9.9	79.8	ESE	17.3		0.8						
1	1	15	883.3	-5.6	-8.9	77.4	ESE	16.1	3	1.3	2.0	38	6	001	6	CI X X
1	1	18	883.5	-5.0	-8.4	77.2	ESE	13.4		0.2						
1	1	21	883.3	-5.9	-9.9	73.4	ESE	15.8	5	-0.2						
1	1	24	882.7	-7.3	-11.9	69.7	ESE	14.9		-0.6						
1	2	3	882.1	-8.7	-14.1	65.0	SE	11.2	8	-0.6						
1	2	6	879.7	-9.3	-14.6	65.6	SE	10.2		-2.4						
1	2	9	877.1	-7.1	-12.1	67.4	ESE	10.3	7	-2.6	50	02	0	000		
1	2	12	874.8	-5.7	-10.2	70.5	ESE	15.7		-2.3						
1	2	15	872.1	-5.6	-8.9	77.4	ESE	17.4	6	-2.7	0.5	38	0	000		
1	2	18	870.3	-5.6	-9.3	74.9	ESE	13.1		-1.8						
1	2	21	869.3	-6.8	-11.0	71.9	E	10.0	8	-1.0						
1	2	24	869.3	-9.2	-12.6	76.4	ESE	11.1		0.0						
1	3	3	868.6	-12.3	-15.7	75.6	SE	7.7	8	-0.7						
1	3	6	867.6	-8.7	-12.2	75.7	ESE	11.5		-1.0						
1	3	9	867.4	-8.4	-10.1	87.4	ESE	12.1	5	-0.2	0.5	38	5	002	5	CI X X
1	3	12	866.5	-7.2	-8.2	92.7	ESE	14.2		-0.9						
1	3	15	865.8	-6.5	-7.1	95.5	ESE	16.0	6	-0.7	0.1	71	10	XXX	10	XX X X
1	3	18	865.5	-6.2	-6.7	96.1	ESE	16.4		-0.3						
1	3	21	866.5	-6.3	-6.8	96.1	E	13.1	2	1.0						
1	3	24	865.9	-6.4	-7.0	95.5	ESE	15.9		-0.6						
1	4	3	865.9	-6.2	-6.7	96.1	ESE	17.6	5	0.0						
1	4	6	866.4	-6.0	-6.4	96.9	ESE	22.6		0.5						
1	4	9	867.8	-5.7	-6.2	96.3	ESE	19.2	3	1.4	0.05	71	10	XXX	10	XX X X
1	4	12	870.0	-5.1	-5.3	98.6	ESE	17.9		2.2						
1	4	15	871.2	-4.5	-4.9	97.0	ESE	15.2	3	1.2	0.1	71	10	XXX	10	XX X X
1	4	18	872.4	-4.4	-4.9	96.4	E	14.1		1.2						
1	4	21	873.6	-5.0	-5.7	95.0	E	12.9	1	1.2						
1	4	24	874.6	-6.4	-7.7	90.5	ESE	12.4		1.0						
1	5	3	875.9	-7.8	-9.1	90.3	ESE	11.1	3	1.3						
1	5	6	876.8	-7.3	-8.5	91.2	ESE	13.6		0.9						
1	5	9	877.0	-6.9	-7.9	92.3	ESE	15.2	3	0.2	0.7	38	10-	500	10-SC	X X
1	5	12	877.2	-6.4	-7.5	91.8	ESE	14.9		0.2						
1	5	15	877.1	-5.9	-7.3	89.6	E	14.0	5	-0.1	2.0	38	3	042	2	AC X X
1	5	18	877.4	-5.8	-7.1	90.4	E	11.1		0.3					1	CI X X
1	5	21	877.4	-7.5	-9.3	86.8	E	10.3	5	0.0						
1	5	24	877.9	-10.4	-12.2	86.6	ESE	8.8		0.5						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1	6	3	878.4	-8.6	-10.6	85.3	ESE	10.3	2	0.5						
1	6	6	878.1	-8.0	-10.9	79.7	ESE	11.9		-0.3						
1	6	9	878.3	-7.8	-10.1	83.5	ESE	12.7	0	0.2	30	03	10	57X	1 SC X X	10 AC X X
1	6	12	877.8	-6.9	-9.3	82.7	ESE	13.5		-0.5						
1	6	15	877.2	-5.9	-8.2	83.8	ESE	10.4	8	-0.6	30	02	10-	07X	10-AC X X	
1	6	18	877.2	-5.2	-8.1	80.0	E	4.5		0.0						
1	6	21	876.8	-8.5	-10.9	82.9	SE	3.3	8	-0.4						
1	6	24	876.6	-12.2	-14.5	82.9	SE	5.3		-0.2						
1	7	3	876.8	-14.4	-16.8	82.1	SSE	6.2	1	0.2						
1	7	6	876.6	-12.4	-15.9	75.0	SE	4.6		-0.2						
1	7	9	876.8	-8.2	-12.9	68.8	ESE	8.9	3	0.2	50	02	0+	030	0+ AC X X	
1	7	12	877.0	-6.6	-10.4	74.3	ESE	10.0		0.2						
1	7	15	877.0	-5.2	-9.9	69.6	E	7.5	0	0.0	40	03	7	005	7 CS X X	
1	7	18	877.2	-5.4	-8.8	77.0	E	6.7		0.2						
1	7	21	878.2	-9.5	-11.8	83.2	ESE	5.2	2	1.0						
1	7	24	879.2	-9.5	-12.4	79.2	ESE	6.4		1.0						
1	8	3	880.2	-11.2	-14.3	77.7	ESE	7.7	2	1.0						
1	8	6	881.4	-10.9	-14.5	74.5	ESE	9.0		1.2						
1	8	9	882.8	-8.5	-12.2	74.5	ESE	10.2	2	1.4	30	02	8	002	8 CI X X	
1	8	12	884.2	-6.6	-10.4	74.3	E	11.2		1.4						
1	8	15	885.2	-5.0	-8.5	76.5	E	9.0	3	1.0	30	03	10-	006	10-CS X X	
1	8	18	885.5	-5.3	-8.3	79.4	E	8.0		0.3						
1	8	21	886.0	-7.5	-9.7	84.2	E	6.1	1	0.5						
1	8	24	886.3	-10.0	-11.9	86.0	SE	5.0		0.3						
1	9	3	886.0	-9.4	-12.0	81.3	ESE	7.6	6	-0.3						
1	9	6	885.6	-8.8	-12.5	74.3	ESE	6.3		-0.4						
1	9	9	884.8	-7.0	-11.4	70.7	E	8.8	6	-0.8	30	02	6	002	6 CI X X	
1	9	12	883.9	-5.8	-9.7	73.8	ESE	8.6		-0.9						
1	9	15	883.1	-5.1	-9.2	73.0	E	8.6	8	-0.8	30	02	10-	007	10-CS X X	
1	9	18	882.6	-6.3	-9.3	79.1	E	7.4		-0.5						
1	9	21	882.2	-8.8	-10.6	86.7	ESE	5.2	6	-0.4						
1	9	24	881.6	-11.7	-13.2	88.8	SE	4.9		-0.6						
1	10	3	881.0	-13.9	-15.7	86.1	SE	5.7	6	-0.6						
1	10	6	880.3	-13.3	-16.0	80.0	SE	5.0		-0.7						
1	10	9	880.0	-9.7	-13.2	75.8	SE	5.1	6	-0.3	40	02	0+	501	0+ SC X X	0+ CI X X
1	10	12	879.7	-7.1	-11.4	71.3	E	6.8		-0.3						
1	10	15	879.7	-5.9	-9.6	74.9	E	8.0	5	0.0	50	02	0+	500	0+ SC X X	
1	10	18	879.8	-5.6	-8.7	78.7	ENE	4.5		0.1						
1	10	21	879.9	-8.8	-11.3	81.9	SE	4.6	0	0.1						
1	10	24	879.9	-11.8	-14.1	83.1	SE	5.3		0.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1	11	3	879.1	-13.3	-16.8	75.0	SE	6.6	8	-0.8						
1	11	6	878.0	-11.8	-16.7	66.9	SSE	6.5		-1.1						
1	11	9	876.2	-7.4	-13.2	63.2	SE	8.1	6	-1.8	50	02	0+	001	0+ CI X X	
1	11	12	874.0	-5.1	-10.8	64.4	SE	12.1		-2.2						
1	11	15	871.7	-3.4	-8.2	69.5	SE	8.6	8	-2.3	40	02	0+	001	0+ CI X X	
1	11	18	870.3	-3.5	-8.5	68.2	ESE	10.2		-1.4						
1	11	21	869.7	-5.1	-8.4	77.8	ESE	11.5	6	-0.6						
1	11	24	868.7	-6.2	-9.3	78.4	ESE	17.0		-1.0						
1	12	3	869.0	-6.7	-9.8	78.6	SE	17.7	1	0.3						
1	12	6	869.3	-6.6	-9.8	78.0	ESE	17.1		0.3						
1	12	9	868.9	-5.6	-9.0	76.9	ESE	16.1	7	-0.4	20	02	5	131	0+ CU X X	1 AC X X 5 CI X X
1	12	12	867.7	-4.2	-7.3	78.8	ESE	16.5		-1.2						
1	12	15	868.1	-3.5	-6.7	78.4	ESE	15.1	3	0.4	20	03	9	51X	3 SC X X	9 AS X X
1	12	18	868.4	-4.0	-7.1	78.9	ESE	15.5		0.3						
1	12	21	869.8	-4.9	-7.2	83.8	ESE	12.2	3	1.4						
1	12	24	871.5	-5.9	-8.3	83.0	E	13.6		1.7						
1	13	3	873.4	-6.6	-9.1	82.3	ESE	11.8	1	1.9						
1	13	6	874.5	-6.2	-8.9	81.0	ESE	14.9		1.1						
1	13	9	876.0	-5.7	-7.8	85.0	ESE	15.4	2	1.5	2.0	38	9	5XX	9 ST X X	
1	13	12	876.9	-4.0	-6.0	85.9	E	16.0		0.9						
1	13	15	877.6	-3.9	-6.2	84.1	E	14.7	0	0.7	2.0	71	10	5XX	1 ST X X	10 SC X X
1	13	18	878.0	-3.4	-5.9	82.9	E	13.8		0.4						
1	13	21	878.1	-3.6	-6.2	82.3	E	13.9	3	0.1						
1	13	24	878.6	-5.1	-7.8	81.3	ESE	11.7		0.5						
1	14	3	878.4	-7.6	-11.1	75.9	ESE	11.8	8	-0.2						
1	14	6	877.9	-6.7	-10.4	74.9	ESE	9.7		-0.5						
1	14	9	877.3	-5.1	-9.8	69.6	ESE	12.4	6	-0.6	20	02	9	031	8 AC X X	9 CI X X
1	14	12	876.6	-4.5	-8.3	74.7	E	12.9		-0.7						
1	14	15	875.9	-3.6	-7.8	72.6	E	11.9	6	-0.7	30	02	8	101	1 CU X X	8 CI X X
1	14	18	875.0	-3.5	-7.6	73.1	E	9.4		-0.9						
1	14	21	874.4	-6.1	-8.7	81.7	E	8.8	6	-0.6						
1	14	24	874.4	-7.4	-11.1	74.6	E	9.6		0.0						
1	15	3	874.2	-8.0	-13.0	67.2	ESE	10.3	6	-0.2						
1	15	6	873.5	-7.0	-11.8	68.5	ESE	11.9		-0.7						
1	15	9	873.9	-7.3	-11.4	72.5	ESE	13.1	1	0.4	20	02	10-	037	5 AC X X	10-CS X X
1	15	12	874.6	-6.0	-9.5	76.2	E	12.4		0.7						
1	15	15	875.2	-5.0	-8.2	78.4	E	11.1	1	0.6	30	02	9	036	3 AC X X	9 CS X X
1	15	18	875.7	-5.1	-6.3	91.4	ENE	10.5		0.5						
1	15	21	877.0	-6.1	-6.9	94.1	ENE	11.0	3	1.3						
1	15	24	878.6	-6.8	-7.5	94.8	E	10.3		1.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1 16 3	879.5	-6.9	-7.6	94.5	E	10.5	2	0.9								
1 16 6	880.0	-6.9	-7.7	94.0	E	9.8		0.5								
1 16 9	880.9	-6.5	-7.3	93.9	E	11.4	3	0.9	0.6	71	10	7XX	10 ST X X			
1 16 12	882.3	-6.8	-7.7	93.5	E	12.9		1.4								
1 16 15	882.9	-6.8	-7.6	94.0	E	13.5	1	0.6	0.3	71	10	7XX	10 ST X X			
1 16 18	883.2	-6.6	-7.1	96.2	E	14.3		0.3								
1 16 21	884.0	-6.3	-6.8	96.1	E	13.0	3	0.8								
1 16 24	884.8	-6.8	-7.4	95.6	E	12.4		0.8								
1 17 3	885.0	-7.8	-8.3	96.2	ESE	10.2	2	0.2								
1 17 6	884.6	-11.1	-11.9	93.9	SE	6.4		-0.4								
1 17 9	884.0	-9.0	-10.2	91.0	SE	6.5	6	-0.6	30	01	4	641	1 ST X X	1 AC X X	2 CI X X	
1 17 12	883.2	-7.3	-10.4	78.5	ESE	9.7		-0.8								
1 17 15	882.4	-6.8	-9.7	79.8	E	10.0	8	-0.8	30	02	8	11X	0+ CU X X	8 AC X X		
1 17 18	881.5	-6.7	-9.6	79.7	E	5.7		-0.9								
1 17 21	881.1	-10.7	-13.3	81.2	SSE	3.8	6	-0.4								
1 17 24	880.6	-13.9	-16.5	80.9	SSE	7.3		-0.5								
1 18 3	880.4	-15.0	-18.6	73.8	SSE	7.2	8	-0.2								
1 18 6	880.3	-10.8	-14.0	77.3	ESE	12.4		-0.1								
1 18 9	880.9	-9.8	-12.4	81.1	ESE	14.4	2	0.6	1.0	38	10-	007	10-CS X X			
1 18 12	881.1	-8.6	-11.5	79.4	ESE	12.7		0.2								
1 18 15	881.6	-7.7	-10.5	80.2	E	10.3	3	0.5	30	02	3	001	3 CI X X			
1 18 18	882.0	-8.1	-10.9	80.4	E	6.4		0.4								
1 18 21	882.2	-11.1	-13.8	80.5	ESE	5.2	1	0.2								
1 18 24	882.1	-13.6	-16.3	80.4	ESE	6.4		-0.1								
1 19 3	882.2	-12.7	-15.7	77.9	ESE	8.6	3	0.1								
1 19 6	882.5	-11.0	-14.5	75.4	ESE	9.9		0.3								
1 19 9	882.7	-10.1	-13.1	78.5	E	10.2	3	0.2	30	02	9	506	0+ SC X X	9 CS X X		
1 19 12	883.0	-7.3	-10.4	78.5	E	9.5		0.3								
1 19 15	883.0	-5.3	-8.2	80.1	ESE	10.3	0	0.0	30	01	1	032	1 AC X X	1 CI X X		
1 19 18	883.1	-6.0	-9.3	77.2	ESE	10.9		0.1								
1 19 21	882.4	-7.9	-11.3	76.6	ESE	9.0	6	-0.7								
1 19 24	882.4	-10.7	-14.5	73.4	ESE	9.2		0.0								
1 20 3	882.5	-11.9	-16.2	70.3	SE	9.6	0	0.1								
1 20 6	882.9	-10.5	-14.6	72.0	ESE	9.4		0.4								
1 20 9	883.5	-8.3	-11.9	75.2	ESE	11.1	2	0.6	30	02	9	03X	9 AC X X			
1 20 12	883.9	-6.8	-10.8	73.3	ESE	9.2		0.4								
1 20 15	884.2	-5.9	-10.3	71.1	E	9.5	0	0.3	30	02	8	03X	8 AC X X			
1 20 18	884.5	-7.4	-11.0	75.2	E	6.1		0.3								
1 20 21	885.3	-10.7	-12.9	83.8	SE	5.1	3	0.8								
1 20 24	886.6	-13.6	-14.9	90.2	ESE	6.1		1.3								

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1	21	3	887.9	-14.8	-17.0	83.5	ESE	6.7	3	1.3						
1	21	6	888.6	-11.7	-15.0	76.4	ESE	10.7		0.7						
1	21	9	889.8	-9.9	-13.0	77.9	ESE	12.2	2	1.2	50		02	1	041	1 AC X X 1 CI X X
1	21	12	890.4	-7.7	-10.8	78.4	ESE	12.2		0.6						
1	21	15	890.5	-6.3	-9.7	76.7	E	11.7	8	0.1	40		02	0+	101	0+ CU X X 0+ CI X X
1	21	18	889.2	-6.2	-9.4	77.9	ESE	10.4		-1.3						
1	21	21	888.5	-7.6	-10.6	79.1	ESE	11.9	6	-0.7						
1	21	24	888.4	-8.8	-11.8	78.7	ESE	12.4		-0.1						
1	22	3	888.1	-9.0	-12.4	76.1	ESE	12.4	8	-0.3						
1	22	6	887.5	-9.0	-11.5	81.9	ESE	14.9		-0.6						
1	22	9	888.3	-8.7	-11.2	82.0	ESE	15.2	1	0.8	10		02	10-	01X	10-AS X X
1	22	12	888.5	-7.6	-10.0	82.9	E	14.4		0.2						
1	22	15	887.9	-6.6	-8.8	84.5	E	14.6	8	-0.6	5.0		38	10	5XX	10 SC X X
1	22	18	886.6	-6.0	-8.3	83.6	E	14.6		-1.3						
1	22	21	884.8	-6.3	-8.2	86.4	E	15.1	7	-1.8						
1	22	24	885.2	-6.4	-8.5	85.0	E	14.3		0.4						
1	23	3	883.5	-7.1	-8.7	88.3	E	16.8	6	-1.7						
1	23	6	882.8	-7.2	-7.4	98.6	ESE	19.5		-0.7						
1	23	9	882.4	-7.0	-7.3	97.5	ESE	20.2	5	-0.4	0.05		71	10	XXX	10 XX X X
1	23	12	883.0	-5.9	-6.3	97.0	E	17.0		0.6						
1	23	15	882.8	-5.1	-5.5	97.1	ESE	16.3	5	-0.2	0.05		71	10	XXX	10 XX X X
1	23	18	882.8	-4.9	-5.5	95.5	E	12.3		0.0						
1	23	21	883.1	-5.2	-5.8	95.7	E	11.4	3	0.3						
1	23	24	883.4	-5.1	-5.8	95.0	E	10.6		0.3						
1	24	3	883.6	-5.2	-5.9	94.9	E	10.0	3	0.2						
1	24	6	883.7	-5.8	-6.6	94.0	E	10.7		0.1						
1	24	9	883.9	-6.4	-7.9	88.9	ESE	10.9	3	0.2	1.0		71	10	07X	10 AC X X
1	24	12	883.9	-6.0	-8.5	82.4	ESE	10.0		0.0						
1	24	15	883.7	-5.0	-8.2	78.4	E	6.6	6	-0.2	30		02	10-	57X	3 SC X X 10-AC X X
1	24	18	883.0	-4.5	-8.0	76.5	S	4.0		-0.7						
1	24	21	882.2	-6.4	-8.7	83.6	SSW	5.9	6	-0.8						
1	24	24	882.2	-10.9	-13.6	80.1	S	6.8		0.0						
1	25	3	882.5	-13.3	-15.9	80.5	SSE	6.6	3	0.3						
1	25	6	882.4	-12.2	-16.2	72.1	SE	7.1		-0.1						
1	25	9	882.5	-9.0	-13.2	71.6	SE	6.8	0	0.1	40		02	0+	030	0+ AC X X
1	25	12	882.1	-6.5	-10.3	74.5	SE	5.5		-0.4						
1	25	15	881.5	-4.4	-11.5	57.6	WSW	3.3	8	-0.6	50		02	0+	001	0+ CI X X
1	25	18	880.6	-4.6	-9.4	69.1	SW	3.7		-0.9						
1	25	21	880.2	-6.0	-10.8	68.8	SE	9.0	7	-0.4						
1	25	24	880.3	-7.7	-11.6	73.5	ESE	13.2		0.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1	26	3	880.2	-9.6	-13.4	73.9	SE	10.9	8	-0.1						
1	26	6	879.9	-9.7	-13.7	72.7	SE	11.1		-0.3						
1	26	9	880.2	-7.6	-11.0	76.5	SE	14.0	3	0.3	30	02	0+	500	0+ SC X X	
1	26	12	880.0	-6.8	-9.9	78.7	ESE	16.2		-0.2						
1	26	15	880.0	-5.8	-9.8	73.3	SE	14.7	0	0.0	30	02	0+	040	0+ AC X X	
1	26	18	879.7	-5.2	-9.1	74.0	ESE	12.4		-0.3						
1	26	21	879.9	-6.1	-9.6	76.0	ESE	11.6	3	0.2						
1	26	24	880.2	-8.3	-12.2	73.4	ESE	10.7		0.3						
1	27	3	880.1	-9.5	-13.3	73.8	ESE	11.7	8	-0.1						
1	27	6	879.9	-9.1	-12.2	78.2	ESE	12.2		-0.2						
1	27	9	880.6	-7.0	999.9	999.9	SE	12.3	1	0.7	30	02	10-	5XX	10-SC X X	
1	27	12	880.7	-5.9	-7.8	86.3	ESE	13.7		0.1						
1	27	15	880.8	-4.9	-6.9	85.9	ESE	13.8	3	0.1	30	01	1	500	1 SC X X	
1	27	18	880.8	-4.7	-7.3	81.9	ESE	10.8		0.0						
1	27	21	880.3	-6.0	-8.4	83.1	ESE	11.9	6	-0.5						
1	27	24	880.4	-7.6	-10.4	80.3	ESE	12.7		0.1						
1	28	3	880.1	-6.7	-9.0	83.8	SE	15.3	8	-0.3						
1	28	6	880.0	-6.9	-9.1	84.1	ESE	15.5		-0.1						
1	28	9	880.1	-6.7	-8.8	85.1	ESE	16.9	0	0.1	20	02	7	041	4 AC X X	6 CI X X
1	28	12	879.9	-6.2	-7.6	89.6	ESE	17.8		-0.2						
1	28	15	880.3	-5.0	-6.7	87.9	ESE	16.7	2	0.4	20	02	10-	037	0+ AC X X	10-CS X X
1	28	18	880.1	-4.4	-6.7	83.9	ESE	13.8		-0.2						
1	28	21	880.4	-4.4	-6.5	85.3	ESE	14.1	1	0.3						
1	28	24	880.8	-5.4	-7.4	85.8	ESE	13.7		0.4						
1	29	3	880.9	-6.0	-8.7	81.1	ESE	12.6	3	0.1						
1	29	6	880.5	-6.6	-9.8	78.0	ESE	14.1		-0.4						
1	29	9	880.1	-6.4	-9.3	79.7	ESE	14.0	5	-0.4	30	02	10-	010	10-AS X X	
1	29	12	879.6	-5.0	-8.2	78.4	ESE	14.5		-0.5						
1	29	15	878.7	-4.5	-8.4	74.2	ESE	14.3	8	-0.9	30	03	9	046	2 AC X X	9 CS X X
1	29	18	878.2	-4.1	-8.6	71.0	ESE	12.4		-0.5						
1	29	21	878.2	-5.5	-9.7	72.2	ESE	12.4	5	0.0						
1	29	24	878.1	-6.4	-10.8	71.0	ESE	13.4		-0.1						
1	30	3	878.4	-8.0	-13.0	67.2	ESE	14.2	2	0.3						
1	30	6	878.6	-8.9	-12.9	72.8	ESE	14.3		0.2						
1	30	9	878.5	-8.1	-11.2	78.3	ESE	16.4	8	-0.1	30	02	5	001	5 CI X X	
1	30	12	878.5	-6.8	-9.5	81.2	ESE	16.4		0.0						
1	30	15	878.7	-5.3	-8.7	76.9	E	13.7	1	0.2	30	02	1	031	1 AC X X	1 CI X X
1	30	18	878.6	-5.2	-8.8	75.9	E	12.7		-0.1						
1	30	21	878.8	-5.3	-10.0	69.4	ESE	14.0	3	0.2						
1	30	24	879.9	-8.3	-13.7	65.1	ESE	11.2		1.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
1	31	3	880.3	-10.7	-16.1	64.6	SE	10.2	1	0.4						
1	31	6	879.9	-9.6	-16.2	58.6	ESE	13.4		-0.4						
1	31	9	879.4	-8.8	-13.6	67.9	ESE	14.2	8	-0.5	40	02	6	001	6	CI X X
1	31	12	879.1	-7.2	-11.0	74.2	ESE	13.3		-0.3						
1	31	15	878.5	-5.3	-10.8	65.3	E	12.4	7	-0.6	30	02	3	001	3	CI X X
1	31	18	877.6	-5.4	-10.1	69.4	E	8.9		-0.9						
1	31	21	876.3	-7.3	-12.1	68.6	ESE	9.5	6	-1.3						
1	31	24	875.7	-9.4	-14.6	66.0	ESE	9.6		-0.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
2	1	3	874.7	-10.4	-16.0	63.5	ESE	12.3	7	-1.0						
2	1	6	873.7	-11.7	-16.6	66.8	ESE	11.7		-1.0						
2	1	9	872.8	-10.9	-14.2	76.4	ESE	12.2	6	-0.9	30	02	1	031	1 AC X X	0+ CI X X
2	1	12	871.7	-9.0	-11.8	80.0	ESE	14.2		-1.1						
2	1	15	871.3	-8.2	-11.6	76.4	E	14.0	5	-0.4	30	02	3	031	0+ AC X X	3 CI X X
2	1	18	870.8	-8.5	-12.0	75.8	E	13.8		-0.5						
2	1	21	871.2	-9.5	-13.4	73.2	ESE	11.9	3	0.4						
2	1	24	871.2	-11.4	-15.3	72.7	ESE	13.1		0.0						
2	2	3	871.1	-12.9	-16.7	73.1	ESE	14.9	8	-0.1						
2	2	6	871.1	-13.3	-16.8	75.0	ESE	15.7		0.0						
2	2	9	870.8	-12.5	-16.0	75.2	ESE	17.0	5	-0.3	30	02	5	001	5 CI X X	
2	2	12	871.5	-11.6	-14.1	81.7	ESE	17.2		0.7						
2	2	15	872.1	-10.2	-12.9	80.5	E	14.9	3	0.6	30	02	7	001	7 CI X X	
2	2	18	872.4	-11.0	-13.0	85.2	E	14.2		0.3						
2	2	21	873.5	-12.3	-14.3	84.9	E	12.8	2	1.1						
2	2	24	874.4	-11.6	-13.6	84.9	ESE	13.3		0.9						
2	3	3	874.5	-11.3	-13.5	83.7	ESE	15.1	0	0.1						
2	3	6	874.4	-11.6	-13.7	84.5	ESE	15.9		-0.1						
2	3	9	874.7	-11.2	-15.1	73.1	ESE	13.5	2	0.3	30	00	10-	5X1	9 SC X X	X CI X X
2	3	12	873.9	-11.1	-14.6	75.6	ESE	16.2		-0.8						
2	3	15	872.1	-9.7	-13.2	75.8	ESE	15.5	7	-1.8	30	02	9	001	9 CI X X	
2	3	18	870.9	-9.5	-12.4	79.2	E	12.5		-1.2						
2	3	21	871.1	-9.9	-12.7	79.9	E	12.7	3	0.2						
2	3	24	871.9	-10.8	-14.9	71.7	ESE	10.4		0.8						
2	4	3	872.7	-11.2	-15.1	73.1	ESE	13.9	3	0.8						
2	4	6	872.9	-11.5	-14.6	78.0	ESE	15.9		0.2						
2	4	9	873.6	-11.7	-14.4	80.4	ESE	14.2	3	0.7	30	02	10	077	5 AC X X	10 CS X X
2	4	12	873.5	-10.8	-13.7	79.2	ESE	14.8		-0.1						
2	4	15	873.1	-9.7	-11.7	85.3	E	12.6	8	-0.4	30	02	10	01X	10 AS X X	
2	4	18	872.0	-7.6	-11.6	73.0	E	9.5		-1.1						
2	4	21	871.6	-9.0	-12.5	75.5	E	10.9	6	-0.4						
2	4	24	871.3	-10.6	-14.9	70.7	ESE	11.0		-0.3						
2	5	3	870.7	-11.5	-15.2	74.0	ESE	15.6	8	-0.6						
2	5	6	869.6	-12.2	-15.0	79.6	ESE	15.7		-1.1						
2	5	9	868.6	-11.7	-13.6	85.6	ESE	17.4	7	-1.0	1.0	38	10-	002	10-CI X X	
2	5	12	867.9	-9.8	-12.6	80.1	ESE	16.8		-0.7						
2	5	15	867.4	-8.1	-11.2	78.3	ESE	15.0	7	-0.5	30	02	10-	007	10-CS X X	
2	5	18	867.1	-7.7	-11.8	72.3	E	11.8		-0.3						
2	5	21	866.7	-9.7	-13.0	76.8	ESE	12.7	6	-0.4						
2	5	24	866.5	-11.1	-14.5	76.0	ESE	15.1		-0.2						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
2	6	3	867.5	-11.9	-17.0	65.9	ESE	12.7	3	1.0						
2	6	6	867.2	-11.9	-17.7	62.2	ESE	16.2		-0.3						
2	6	9	867.4	-11.1	-15.8	68.3	ESE	16.5	1	0.2	40	02	0+	001	0+	CI X X
2	6	12	867.5	-10.0	-12.8	80.1	ESE	16.8		0.1						
2	6	15	868.0	-8.3	-11.3	78.9	ESE	14.3	0	0.5	30	02	0	000		
2	6	18	868.3	-8.0	-12.8	68.4	E	13.0		0.3						
2	6	21	869.6	-9.1	-14.3	65.8	ESE	12.4	2	1.3						
2	6	24	870.4	-11.4	-16.1	68.4	ESE	15.4		0.8						
2	7	3	871.9	-12.7	-18.1	64.1	ESE	16.0	1	1.5						
2	7	6	872.6	-13.5	-17.1	74.1	ESE	17.0		0.7						
2	7	9	873.9	-12.6	-15.9	76.0	ESE	15.5	2	1.3	30	02	0+	001	0+	CI X X
2	7	12	874.3	-11.3	-13.9	81.0	ESE	16.2		0.4						
2	7	15	875.0	-10.0	-12.2	83.9	ESE	16.1	1	0.7	20	02	0+	001	0+	CI X X
2	7	18	875.3	-9.7	-12.0	83.3	ESE	13.4		0.3						
2	7	21	875.9	-11.1	-13.9	79.8	ESE	10.3	3	0.6						
2	7	24	876.1	-13.3	-16.5	76.8	ESE	11.2		0.2						
2	8	3	875.8	-14.5	-17.7	76.9	ESE	11.7	8	-0.3						
2	8	6	875.2	-13.7	-18.8	65.3	ESE	14.9		-0.6						
2	8	9	874.9	-12.4	-17.8	64.0	ESE	15.9	7	-0.3	30	02	0+	001	0+	CI X X
2	8	12	874.0	-11.5	-15.1	74.8	ESE	17.1		-0.9						
2	8	15	873.5	-10.3	-13.2	79.3	ESE	14.8	8	-0.5	30	02	0+	001	0+	CI X X
2	8	18	872.9	-10.2	-12.9	80.5	E	12.5		-0.6						
2	8	21	872.0	-11.3	-15.5	70.9	E	11.8	6	-0.9						
2	8	24	870.9	-13.2	-17.1	72.1	SE	12.0		-1.1						
2	9	3	870.1	-13.8	-19.7	61.1	ESE	15.3	8	-0.8						
2	9	6	869.3	-14.1	-20.2	59.7	ESE	14.1		-0.8						
2	9	9	869.1	-13.0	-18.8	61.8	ESE	13.5	5	-0.2	30	03	8	001	8	CI X X
2	9	12	869.3	-11.2	-15.8	68.8	ESE	13.6		0.2						
2	9	15	869.1	-10.2	-15.0	67.7	ESE	12.2	8	-0.2	30	02	4	002	4	CI X X
2	9	18	868.9	-10.0	-15.0	66.8	E	10.9		-0.2						
2	9	21	869.6	-12.5	-15.9	75.6	E	8.4	3	0.7						
2	9	24	870.3	-14.0	-18.5	68.8	ESE	9.4		0.7						
2	10	3	870.7	-14.2	-19.7	63.2	ESE	11.3	3	0.4						
2	10	6	870.9	-13.7	-19.5	61.5	ESE	14.0		0.2						
2	10	9	871.5	-12.8	-16.8	72.1	ESE	13.4	2	0.6	30	02	10-	007	10-CS	X X
2	10	12	872.5	-12.2	-15.4	77.1	E	14.1		1.0						
2	10	15	873.2	-10.9	-14.3	75.7	E	12.9	2	0.7	30	02	10-	037	0+	AC X X 10-CS X X
2	10	18	873.2	-10.3	-13.5	77.1	E	9.1		0.0						
2	10	21	873.3	-11.4	-14.9	75.4	ESE	8.6	1	0.1						
2	10	24	872.9	-13.0	-15.9	78.7	ESE	10.3		-0.4						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
2	11	3	872.4	-13.3	-16.4	77.3	ESE	11.5	7	-0.5							
2	11	6	871.6	-13.4	-16.4	78.0	ESE	15.3		-0.8							
2	11	9	871.2	-13.0	-15.3	82.7	ESE	16.8	8	-0.4	10	03	10	01X	10 AS X X		
2	11	12	871.0	-12.4	-14.0	88.1	ESE	17.2		-0.2							
2	11	15	870.0	-11.2	-12.9	87.3	ESE	16.7	7	-1.0	1.0	71	10	72X	2 ST X X	10 AS X X	
2	11	18	869.3	-10.5	-12.3	86.5	ESE	14.4		-0.7							
2	11	21	868.9	-10.6	-11.8	90.8	ESE	14.0	6	-0.4							
2	11	24	868.6	-11.0	-12.7	87.5	ESE	13.8		-0.3							
2	12	3	867.9	-11.5	-14.4	79.1	ESE	12.4	8	-0.7							
2	12	6	866.5	-12.1	-15.8	74.0	ESE	14.6		-1.4							
2	12	9	865.6	-11.9	-15.3	75.6	ESE	15.8	7	-0.9	20	02	10-	507	2 SC X X	10-CS X X	
2	12	12	865.5	-11.0	-13.9	79.2	ESE	14.9		-0.1							
2	12	15	865.6	-10.2	-12.1	85.8	E	14.7	0	0.1	20	02	10-	007	10-CS X X		
2	12	18	865.4	-9.9	-11.6	87.2	E	11.5		-0.2							
2	12	21	865.8	-10.6	-11.5	93.0	E	11.8	3	0.4							
2	12	24	866.7	-11.6	-13.0	89.3	ESE	9.2		0.9							
2	13	3	867.3	-11.5	-14.7	77.2	ESE	10.0	3	0.6							
2	13	6	867.9	-11.9	-15.8	72.8	ESE	12.5		0.6							
2	13	9	868.4	-12.3	-16.9	68.5	ESE	13.5	1	0.5	30	02	10-	506	1 SC X X	10-CS X X	
2	13	12	869.4	-11.3	-15.3	72.1	E	11.9		1.0							
2	13	15	870.2	-10.7	-15.8	66.1	E	11.5	1	0.8	30	02	10-	507	1 SC X X	10-CS X X	
2	13	18	870.5	-11.1	-14.7	74.8	E	10.6		0.3							
2	13	21	871.5	-12.5	-15.5	78.2	E	8.3	2	1.0							
2	13	24	872.4	-13.4	-16.6	76.6	ESE	9.1		0.9							
2	14	3	873.1	-13.7	-16.7	77.9	ESE	11.2	2	0.7							
2	14	6	873.8	-14.3	-17.4	77.2	ESE	12.4		0.7							
2	14	9	874.3	-13.7	-15.8	84.0	ESE	15.0	3	0.5	5.0	38	10-	537	2 SC X X	5 AC X X	10-CS X X
2	14	12	875.2	-12.7	-15.4	80.1	E	13.1		0.9							
2	14	15	874.6	-11.7	-14.7	78.4	E	13.1	6	-0.6	20	02	10-	507	7 SC X X	10-CS X X	
2	14	18	874.6	-11.6	-15.5	72.6	E	8.1		0.0							
2	14	21	874.1	-13.8	-17.3	74.9	E	8.9	8	-0.5							
2	14	24	874.2	-16.8	-19.8	77.6	ESE	7.8		0.1							
2	15	3	873.7	-16.8	-20.3	73.9	ESE	9.6	8	-0.5							
2	15	6	872.9	-15.8	-20.2	68.7	ESE	11.6		-0.8							
2	15	9	872.6	-15.7	-21.0	63.9	ESE	12.1	8	-0.3	50	02	7	031	4 AC X X	6 CI X X	
2	15	12	872.1	-13.7	-18.5	67.1	E	11.0		-0.5							
2	15	15	871.0	-11.8	-17.6	62.1	E	8.6	7	-1.1	50	02	0+	030	0+ AC X X		
2	15	18	870.4	-12.3	-16.4	71.4	ESE	3.4		-0.6							
2	15	21	870.1	-16.1	-19.5	74.9	S	4.7	6	-0.3							
2	15	24	870.2	-20.1	-23.0	77.4	S	5.7		0.1							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
2	16	3	870.4	-23.3	999.9	999.9	SE	3.3	1	0.2							
2	16	6	870.4	-19.1	-24.5	62.2	SE	4.9		0.0							
2	16	9	870.6	-17.5	-23.8	58.1	E	2.8	3	0.2	50	02	5	031	1 AC X X	4 CI X X	
2	16	12	871.3	-14.3	-19.9	62.4	E	6.8		0.7							
2	16	15	871.5	-13.0	-18.5	63.6	E	6.7	3	0.2	30	02	10-	03X	10-AC X X		
2	16	18	871.7	-13.3	-16.4	77.3	ENE	5.6		0.2							
2	16	21	872.3	-14.6	-17.1	80.8	E	6.4	1	0.6							
2	16	24	873.2	-15.2	-17.1	85.1	ESE	8.0		0.9							
2	17	3	873.6	-15.2	-17.0	86.2	ESE	9.7	2	0.4							
2	17	6	874.1	-15.7	999.9	999.9	ESE	10.0		0.5							
2	17	9	874.5	-15.6	-17.4	85.7	ESE	10.7	1	0.4	1.0	71	9	531	6 SC X X	7 AC X X	X CI X X
2	17	12	875.3	-14.0	-15.7	86.5	ESE	10.9		0.8							
2	17	15	875.8	-13.5	-15.2	87.0	ESE	12.7	2	0.5	20	02	8	030	8 AC X X		
2	17	18	876.2	-13.1	-15.1	85.2	ESE	12.5		0.4							
2	17	21	877.1	-14.5	-16.4	85.4	ESE	12.8	2	0.9							
2	17	24	878.1	-14.0	-17.0	77.9	ESE	11.8		1.0							
2	18	3	878.8	-14.6	-15.5	92.4	ESE	11.7	1	0.7							
2	18	6	878.8	-15.1	-16.0	92.6	ESE	11.3		0.0							
2	18	9	878.9	-14.4	-16.2	86.1	ESE	9.2	0	0.1	5.0	71	10	02X	10 AS X X		
2	18	12	878.2	-13.3	-15.4	84.1	ESE	10.4		-0.7							
2	18	15	877.0	-13.1	-15.3	83.4	ESE	13.7	6	-1.2	10	02	10-	037	2 AC X X	10-CS X X	
2	18	18	875.2	-13.0	-15.7	80.0	ESE	15.7		-1.8							
2	18	21	874.4	-13.3	-15.8	81.4	ESE	16.6	8	-0.8							
2	18	24	873.3	-13.1	-15.2	84.3	ESE	16.9		-1.1							
2	19	3	872.0	-14.1	-15.2	91.3	ESE	20.3	7	-1.3							
2	19	6	870.6	-14.2	-14.4	98.5	ESE	22.7		-1.4							
2	19	9	871.0	-13.3	999.9	999.9	ESE	21.9	3	0.4	0.01	71	10	XXX	10 XX X X		
2	19	12	871.3	-11.7	-11.9	98.4	ESE	23.2		0.3							
2	19	15	870.5	-10.7	-11.0	97.4	ESE	24.6	6	-0.8	0.01	71	10	XXX	10 XX X X		
2	19	18	870.8	-9.6	-10.0	96.9	ESE	23.0		0.3							
2	19	21	871.5	-8.9	-9.2	97.8	ESE	21.2	3	0.7							
2	19	24	871.2	-8.8	-9.2	96.8	ESE	20.8		-0.3							
2	20	3	870.9	-8.6	-9.0	96.9	ESE	20.1	8	-0.3							
2	20	6	870.4	-8.5	-8.9	96.9	ESE	20.4		-0.5							
2	20	9	869.7	-8.3	-8.7	96.9	ESE	21.0	5	-0.7	0.01	71	10	XXX	10 XX X X		
2	20	12	869.0	-7.5	-7.8	97.7	ESE	20.3		-0.7							
2	20	15	868.4	-6.8	-6.9	99.5	E	22.4	5	-0.6	0.01	71	10	XXX	10 XX X X		
2	20	18	868.9	-6.2	-6.4	98.4	ESE	21.4		0.5							
2	20	21	870.2	-6.2	-6.6	96.9	ESE	25.8	3	1.3							
2	20	24	874.1	-6.3	-6.8	96.1	E	19.6		3.9							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
2	21	3	877.7	999.9	999.9	999.9	E	19.2	2	3.6						
2	21	6	880.3	999.9	999.9	999.9	E	16.8		2.6						
2	21	9	882.9	999.9	999.9	999.9	E	14.9	2	2.6	0.08	71	8	7XX	8	ST X X
2	21	12	884.0	999.9	999.9	999.9	ESE	13.4		1.1						
2	21	15	883.1	-6.5	-7.4	93.4	ESE	10.3	8	-0.9	30	01	5	030	5	AC X X
2	21	18	880.7	-9.8	-11.7	85.9	SE	5.1		-2.4						
2	21	21	879.1	-12.2	-14.7	81.7	ESE	8.2	7	-1.6						
2	21	24	878.8	-16.0	-18.0	84.7	SE	8.5		-0.3						
2	22	3	878.7	-14.5	-17.0	81.4	ESE	8.3	8	-0.1						
2	22	6	877.4	-13.1	-15.5	82.1	ESE	11.8		-1.3						
2	22	9	876.6	-12.0	-14.0	85.2	ESE	13.5	7	-0.8	30	02	7	045	0+	AC X X 7 CS X X
2	22	12	876.4	-10.7	-13.2	81.9	ESE	11.2		-0.2						
2	22	15	875.8	-10.2	-12.9	80.5	ESE	11.5	6	-0.6	30	02	2	042	1	AC X X 1 CI X X
2	22	18	875.4	-10.8	-13.2	82.5	E	9.9		-0.4						
2	22	21	875.5	-11.2	-13.4	83.8	ESE	9.2	5	0.1						
2	22	24	875.6	-11.1	-13.4	83.2	ESE	11.6		0.1						
2	23	3	875.9	-12.1	-14.0	86.0	ESE	13.5	3	0.3						
2	23	6	876.0	-13.3	-15.1	86.4	ESE	14.6		0.1						
2	23	9	876.1	-13.6	-15.7	84.1	ESE	15.0	3	0.1	20	02	4	070	4	AC X X
2	23	12	876.5	-12.7	-14.8	84.0	ESE	14.4		0.4						
2	23	15	876.2	-11.7	-14.0	83.2	ESE	13.2	6	-0.3	20	03	9	05X	9	AC X X
2	23	18	876.3	-11.8	-14.1	83.1	ESE	13.2		0.1						
2	23	21	876.8	-13.1	-15.3	83.4	ESE	14.9	1	0.5						
2	23	24	877.9	-14.7	-16.6	85.2	ESE	15.7		1.1						
2	24	3	878.8	-15.9	-17.7	86.4	ESE	16.1	1	0.9						
2	24	6	878.2	-16.6	-18.1	88.6	ESE	18.4		-0.6						
2	24	9	877.9	-15.7	-17.6	85.6	ESE	16.9	6	-0.3	0.3	39	1	001	1	CI X X
2	24	12	877.7	-14.6	-16.7	83.8	ESE	15.8		-0.2						
2	24	15	877.1	-13.2	-16.0	79.3	ESE	14.0	5	-0.6	20	02	0+	001	0+	CI X X
2	24	18	875.9	-13.4	-16.4	78.0	ESE	12.0		-1.2						
2	24	21	875.6	-16.1	-19.6	74.3	ESE	9.4	8	-0.3						
2	24	24	875.1	-18.4	999.9	999.9	ESE	9.0		-0.5						
2	25	3	874.5	-18.2	-23.1	65.8	ESE	10.2	8	-0.6						
2	25	6	873.8	-17.9	-23.6	60.7	ESE	11.3		-0.7						
2	25	9	873.6	-17.4	-22.7	63.5	ESE	10.5	5	-0.2	50	02	6	001	6	CI X X
2	25	12	872.9	-15.6	-20.1	68.1	ESE	11.0		-0.7						
2	25	15	872.0	-14.5	-18.7	70.4	ESE	13.6	8	-0.9	30	02	7	006	7	CS X X
2	25	18	870.9	-14.7	-18.7	71.4	ESE	13.0		-1.1						
2	25	21	871.1	-16.6	-21.3	67.1	ESE	10.9	1	0.2						
2	25	24	870.9	-17.7	-22.4	66.7	ESE	12.0		-0.2						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
2	26	3	871.0	-18.4	-22.7	68.8	ESE	13.2	0	0.1						
2	26	6	871.1	-18.7	-22.8	70.0	ESE	14.1		0.1						
2	26	9	870.4	-17.5	-21.4	71.6	ESE	16.1	6	-0.7	1.0	38	3	002	3	CI X X
2	26	12	871.0	-15.6	-19.3	73.1	ESE	14.4		0.6						
2	26	15	870.6	-14.8	-19.1	69.6	ESE	14.0	8	-0.4	20	03	10-	02X	10-AS	X X
2	26	18	870.3	-14.3	-18.2	72.3	E	13.8		-0.3						
2	26	21	870.1	-15.3	-19.9	67.7	ESE	12.8	6	-0.2						
2	26	24	870.0	-17.2	-21.8	67.3	ESE	12.0		-0.1						
2	27	3	869.2	-17.8	-21.6	72.2	ESE	15.3	8	-0.8						
2	27	6	868.3	-18.2	-21.5	75.3	ESE	16.6		-0.9						
2	27	9	868.2	-17.3	-20.6	75.3	ESE	16.8	8	-0.1	0.5	38	10-	037	1	AC X X 10-CS X X
2	27	12	868.2	-16.4	-18.7	82.4	ESE	18.1		0.0						
2	27	15	867.2	-14.7	-16.8	84.2	SE	17.5	6	-1.0	0.3	39	10-	037	1	AC X X 10-CS X X
2	27	18	866.5	-13.4	-15.4	84.9	ESE	16.6		-0.7						
2	27	21	865.5	-13.3	-14.1	93.6	ESE	19.2	6	-1.0						
2	27	24	865.3	-13.9	-15.5	87.6	ESE	18.9		-0.2						
2	28	3	863.5	-12.8	-13.2	96.9	ESE	20.0	6	-1.8						
2	28	6	862.0	-13.0	-13.6	95.1	ESE	20.3		-1.5						
2	28	9	860.8	-13.3	-14.0	94.5	SE	21.1	8	-1.2	0.05	71	10	XXX	10	XX X X
2	28	12	859.1	-12.4	-12.2	999.9	SE	23.4		-1.7						
2	28	15	857.4	-11.7	-12.2	96.0	SE	22.7	7	-1.7	0.05	71	10	XXX	10	XX X X
2	28	18	856.0	-11.9	-12.5	95.1	SE	22.2		-1.4						
2	28	21	855.0	-11.9	-12.6	94.7	SE	22.6	2	-1.0						
2	28	24	853.2	-12.6	-13.4	93.6	SE	22.7		-1.8						
2	29	3	853.9	-12.5	-13.2	94.9	ESE	21.9	2	0.7						
2	29	6	854.6	-12.6	-13.0	96.6	SE	22.3		0.7						
2	29	9	855.2	-12.7	-13.3	95.2	SE	22.4	3	0.6	0.01	71	10	XXX	10	XX X X
2	29	12	856.0	-12.2	-12.7	96.3	SE	21.2		0.8						
2	29	15	856.8	-11.5	-11.8	97.6	SE	21.1	1	0.8	0.08	71	10	XXX	10	XX X X
2	29	18	857.6	-11.2	-12.0	93.8	SE	18.2		0.8						
2	29	21	859.1	-11.2	-12.1	93.1	SE	16.7	2	1.5						
2	29	24	860.6	-11.1	-11.6	96.2	SE	16.7		1.5						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
3	1	3	861.9	-11.5	-11.9	96.9	SE	19.0	3	1.3						
3	1	6	863.4	-12.3	-12.6	97.9	SE	19.5		1.5						
3	1	9	864.8	-12.8	-13.6	93.4	SE	18.3	1	1.4	0.01	71	10	XXX	10 XX X X	
3	1	12	864.2	-13.3	-13.3	999.9	ESE	19.6		-0.6						
3	1	15	865.0	-12.9	-13.2	97.8	ESE	20.3	1	0.8	0.1	39	7	001	7 CI X X	
3	1	18	865.7	-13.1	-13.5	96.9	ESE	17.2		0.7						
3	1	21	866.4	-14.0	-14.5	95.7	ESE	17.6	3	0.7	1.0	38	1	031	1 AC X X	0+ CI X X
3	1	24	867.7	-13.8	-14.5	94.3	ESE	16.5		1.3						
3	2	3	868.7	-13.5	-14.3	93.5	ESE	13.6	3	1.0						
3	2	6	868.9	-13.5	-15.0	88.4	ESE	14.1		0.2						
3	2	9	869.6	-15.7	-17.0	90.0	SE	11.6	2	0.7	30	02	3	501	2 SC X X	1 CI X X
3	2	12	870.0	-12.4	-14.7	83.1	ESE	10.0		0.4						
3	2	15	870.3	-12.2	-15.0	79.6	ESE	8.9	3	0.3	30	02	7	031	7 AC X X	0+ CI X X
3	2	18	870.4	-13.4	-16.6	76.6	E	9.5		0.1						
3	2	21	871.1	-15.6	-20.5	65.9	ESE	10.6	1	0.7	30	02	7	500	7 SC X X	
3	2	24	871.6	-17.3	-21.9	67.1	E	9.4		0.5						
3	3	3	872.0	-18.7	-23.9	63.6	SE	6.0	1	0.4						
3	3	6	871.9	-19.8	-24.6	65.6	E	7.5		-0.1						
3	3	9	872.3	-19.8	-25.1	62.5	ESE	6.9	3	0.4	40	02	4	030	4 AC X X	
3	3	12	872.5	-17.5	-21.7	69.7	ESE	12.9		0.2						
3	3	15	872.1	-16.7	-20.6	71.7	ESE	14.4	5	-0.4	10	02	0+	030	0+ AC X X	
3	3	18	871.7	-17.1	-20.8	73.1	ESE	15.8		-0.4						
3	3	21	872.2	-18.4	-22.9	67.4	ESE	14.7	2	0.5	20	02	0+	031	0+ AC X X	0+ CI X X
3	3	24	872.6	-19.0	-23.3	68.6	ESE	14.6		0.4						
3	4	3	872.9	-19.6	-23.8	69.2	ESE	15.2	1	0.3						
3	4	6	872.4	-18.8	-23.3	67.6	ESE	13.9		-0.5						
3	4	9	872.4	-18.3	-23.0	66.2	ESE	13.6	0	0.0	20	03	8	531	2 SC X X	8 AC X X X CI X X
3	4	12	872.4	-16.5	-21.0	68.0	ESE	14.3		0.0						
3	4	15	871.8	-16.1	-20.6	68.0	ESE	13.4	6	-0.6	30	01	3	531	1 SC X X	0+ AC X X 2 CI X X
3	4	18	870.6	-16.6	-20.9	69.5	ESE	14.4		-1.2						
3	4	21	871.1	-17.9	-22.9	64.7	ESE	12.8	3	0.5	30	02	0+	031	0+ AC X X	0+ CI X X
3	4	24	871.0	-20.0	-26.0	59.2	ESE	8.6		-0.1						
3	5	3	869.8	-24.3	-30.4	57.0	SSE	6.3	7	-1.2						
3	5	6	868.9	-25.1	-31.4	56.3	SE	5.1		-0.9						
3	5	9	868.3	-22.9	-29.7	53.6	SE	4.0	7	-0.6	50	02	0+	001	0+ CI X X	
3	5	12	867.8	-20.4	-25.7	62.8	SE	3.3		-0.5						
3	5	15	867.0	-17.2	-23.3	59.1	SSE	2.6	7	-0.8	50	02	0+	030	0+ AC X X	
3	5	18	866.3	-18.7	-25.0	57.9	SW	3.2		-0.7						
3	5	21	866.1	-26.1	-31.1	63.0	SSE	4.1	6	-0.2	50	02	0	000		
3	5	24	865.8	-24.1	-31.4	51.7	SE	7.7		-0.3						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
3	6	3	865.6	-20.7	-28.9	47.5	ESE	12.2	6	-0.2						
3	6	6	865.1	-21.0	-27.4	56.5	ESE	15.8		-0.5						
3	6	9	865.7	-20.8	-24.7	70.9	ESE	17.7	3	0.6	0.5	38	0+	030	0+	AC X X
3	6	12	866.6	-19.9	-22.9	77.0	ESE	19.2		0.9						
3	6	15	867.5	-18.8	-21.6	78.4	ESE	19.8	3	0.9	0.3	39	10-	537	3	SC X X 5 AC X X 10-CS X X
3	6	18	867.9	-17.6	-20.1	80.5	ESE	20.1		0.4						
3	6	21	869.3	-17.0	-19.2	82.7	ESE	20.9	3	1.4	0.05	71	10	XXX	10	XX X X
3	6	24	871.1	-16.3	-18.6	82.0	ESE	19.9		1.8						
3	7	3	873.8	-16.7	-19.7	77.7	ESE	15.5	1	2.7						
3	7	6	875.4	-18.1	-22.8	66.2	ESE	10.3		1.6						
3	7	9	876.0	-18.1	-23.5	62.2	SE	7.3	1	0.6	50	01	2	001	2	CI X X
3	7	12	876.2	-15.6	-21.8	58.8	SE	7.6		0.2						
3	7	15	876.0	-13.8	-19.4	62.6	SE	9.0	8	-0.2	50	02	0+	030	0+	AC X X
3	7	18	876.7	-14.2	-19.8	62.7	SE	8.1		0.7						
3	7	21	877.4	-16.8	-24.0	53.3	SE	9.7	3	0.7	50	02	1	001	1	CI X X
3	7	24	877.8	-21.0	-28.4	51.3	SE	5.2		0.4						
3	8	3	876.8	-21.2	-28.6	51.3	SE	7.2	6	-1.0						
3	8	6	875.1	-23.9	-30.5	55.1	SW	2.0		-1.7						
3	8	9	874.2	-25.3	-31.0	58.2	SSE	2.9	8	-0.9	50	03	9	004	9	CI X X
3	8	12	873.6	-19.8	-25.8	58.6	SSE	3.9		-0.6						
3	8	15	872.4	-16.2	-23.1	55.5	WSW	3.7	7	-1.2	50	02	10-	007	10-CS	X X
3	8	18	871.8	-18.7	-24.5	60.0	SW	1.0		-0.6						
3	8	21	871.3	-24.6	-30.9	56.0	E	1.9	5	-0.5	50	02	9	007	9	CS X X
3	8	24	870.5	-23.9	-30.2	56.2	SE	4.1		-0.8						
3	9	3	869.8	-25.7	-32.7	51.3	S	4.2	8	-0.7						
3	9	6	867.9	-21.0	-30.4	42.6	W	3.9		-1.9						
3	9	9	866.9	-24.5	-34.7	38.1	N	2.0	8	-1.0	50	02	1	001	1	CI X X
3	9	12	866.2	-21.3	-27.9	55.4	SW	3.6		-0.7						
3	9	15	866.1	-19.8	-26.4	55.5	NE	1.3	5	-0.1	50	02	1	030	1	AC X X
3	9	18	864.7	-23.2	-27.6	67.4	S	3.6		-1.4						
3	9	21	864.1	-23.4	-30.3	52.7	SE	7.9	8	-0.6	50	02	0	000		
3	9	24	863.7	-23.8	-30.5	54.4	SE	10.6		-0.4						
3	10	3	863.4	-22.2	-27.8	59.6	ESE	12.2	8	-0.3						
3	10	6	863.3	-22.1	-28.2	57.7	ESE	10.9		-0.1						
3	10	9	862.4	-19.2	-22.1	77.6	SE	14.9	6	-0.9	20	03	10-	5XX	10-SC	X X
3	10	12	862.1	-16.7	-18.4	86.7	ESE	14.2		-0.3						
3	10	15	862.2	-15.3	-15.9	95.2	E	14.0	3	0.1	0.1	71	10	XXX	10	XX X X
3	10	18	862.2	-15.3	-16.3	92.5	E	14.0		0.0						
3	10	21	863.9	-16.2	-17.9	86.7	ENE	11.5	2	1.7	0.1	71	10	XXX	10	XX X X
3	10	24	865.9	-15.1	-16.5	88.9	E	11.1		2.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
3	11	3	866.1	-15.8	-16.7	92.7	ESE	14.3	0	0.2						
3	11	6	865.9	-15.6	-16.3	94.5	ESE	15.8		-0.2						
3	11	9	866.3	-15.2	-15.7	95.7	ESE	18.7	3	0.4	0.08	71	10	XXX	10 XX X X	
3	11	12	867.0	-14.7	-15.2	95.9	ESE	19.3		0.7						
3	11	15	867.6	-14.4	-14.6	98.5	ESE	20.2	2	0.6	0.03	71	10	XXX	10 XX X X	
3	11	18	868.6	-15.1	999.9	999.9	ESE	20.3		1.0						
3	11	21	870.3	-17.8	999.9	999.9	E	15.1	3	1.7	0.3	39	3	030	3 AC X X	
3	11	24	871.9	-18.5	-20.7	82.5	ESE	11.2		1.6						
3	12	3	873.8	-20.9	-23.7	78.4	ESE	9.7	1	1.9						
3	12	6	875.5	-22.8	-27.6	65.3	SE	6.8		1.7						
3	12	9	877.5	-20.4	-24.3	71.1	ESE	4.8	2	2.0	50	02	10-	01X	10-AS X X	
3	12	12	878.9	-17.8	-21.5	72.8	E	4.1		1.4						
3	12	15	879.7	-16.2	-18.6	81.5	E	10.7	1	0.8	30	02	10-	007	10-CS X X	
3	12	18	880.5	-16.2	-18.2	84.4	E	14.9		0.8						
3	12	21	880.7	-15.8	-17.9	83.8	E	16.8	8	0.2	20	02	10	5XX	10 SC X X	
3	12	24	881.3	-15.2	-17.5	82.4	ESE	15.5		0.6						
3	13	3	881.3	-14.7	-16.6	85.2	E	15.3	5	0.0						
3	13	6	880.4	-14.5	-16.0	88.4	ESE	15.4		-0.9						
3	13	9	879.7	-14.0	-15.7	86.5	ESE	16.8	5	-0.7	10	02	10-	007	10-CS X X	
3	13	12	879.1	-13.2	-14.3	91.0	ESE	18.6		-0.6						
3	13	15	876.5	-11.6	-13.1	88.5	ESE	19.2	7	-2.6	10	02	10-	01X	10-AS X X	
3	13	18	876.2	-11.1	-12.3	90.8	ESE	19.7		-0.3						
3	13	21	876.1	-11.4	-13.0	87.9	ESE	20.9	6	-0.1	1.0	38	10	6XX	10 ST X X	
3	13	24	877.3	-11.5	-14.5	78.3	ESE	19.1		1.2						
3	14	3	877.1	-11.7	-14.8	77.6	ESE	17.8	6	-0.2						
3	14	6	876.2	-12.2	-14.2	85.0	ESE	20.0		-0.9						
3	14	9	875.9	-11.8	-12.4	95.2	ESE	20.9	6	-0.3	0.08	71	10	XXX	10 XX X X	
3	14	12	875.4	-11.8	-12.0	98.4	ESE	21.1		-0.5						
3	14	15	875.1	-11.4	-11.7	97.7	ESE	22.2	8	-0.3	0.05	71	10	XXX	10 XX X X	
3	14	18	875.2	-11.5	-11.8	97.6	ESE	19.9		0.1						
3	14	21	876.4	-11.7	-12.1	96.8	ESE	19.5	3	1.2	0.07	71	10	XXX	10 XX X X	
3	14	24	877.2	-12.2	-12.6	97.1	ESE	20.1		0.8						
3	15	3	878.1	-12.4	-12.9	96.2	ESE	18.4	1	0.9						
3	15	6	877.9	-12.6	-13.2	95.3	ESE	18.3		-0.2						
3	15	9	878.6	-12.5	-13.2	94.9	ESE	17.2	3	0.7	0.1	71	10	XXX	10 XX X X	
3	15	12	879.4	-12.1	-13.0	93.0	ESE	15.9		0.8						
3	15	15	879.7	-11.8	-12.6	94.0	ESE	14.8	2	0.3	0.5	38	10	01X	10 AS X X	
3	15	18	878.6	-12.2	-13.3	91.7	ESE	16.0		-1.1						
3	15	21	877.2	-14.0	-15.3	89.4	ESE	14.5	6	-1.4	30	01	1	032	0+ AC X X	1 CI X X
3	15	24	875.1	-12.5	-13.7	91.0	ESE	16.6		-2.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
3	16	3	873.8	-11.4	-12.2	93.8	ESE	19.0	8	-1.3						
3	16	6	871.8	-10.9	-11.5	95.1	ESE	24.2		-2.0						
3	16	9	871.7	-10.0	999.9	999.9	ESE	25.0	8	-0.1	0.01	71	10	XXX	10 XX X X	
3	16	12	872.0	-9.5	999.9	999.9	ESE	24.5		0.3						
3	16	15	872.3	-8.2	999.9	999.9	ESE	24.4	0	0.3	0.02	71	10	XXX	10 XX X X	
3	16	18	872.0	-7.3	999.9	999.9	ESE	23.0		-0.3						
3	16	21	871.6	-7.1	-7.3	98.3	ESE	23.8	8	-0.4	0.1	71	10	XXX	10 XX X X	
3	16	24	870.3	-6.7	999.9	999.9	ESE	24.5		-1.3						
3	17	3	868.7	-7.3	-7.4	99.4	ESE	26.6	7	-1.6						
3	17	6	868.9	-6.9	-7.0	99.2	ESE	25.9		0.2						
3	17	9	870.3	-7.3	-7.5	98.6	ESE	24.7	3	1.4	0.02	71	10	XXX	10 XX X X	
3	17	12	872.4	-7.7	-8.0	97.7	ESE	25.0		2.1						
3	17	15	875.3	-7.4	-8.1	94.6	ESE	22.8	1	2.9	0.02	71	10	XXX	10 XX X X	
3	17	18	879.1	-7.4	999.9	999.9	E	21.7		3.8						
3	17	21	882.5	-7.7	-7.9	98.3	E	19.5	2	3.4	0.05	71	10	XXX	10 XX X X	
3	17	24	885.1	-7.7	-8.0	97.7	E	16.7		2.6						
3	18	3	886.0	-6.9	999.9	999.9	ESE	15.7	1	0.9						
3	18	6	885.9	-5.6	999.9	999.9	ESE	17.6		-0.1						
3	18	9	885.2	-6.6	-7.1	96.2	ESE	18.5	6	-0.7	0.07	71	10	XXX	10 XX X X	
3	18	12	883.0	-7.7	-8.2	96.2	ESE	20.1		-2.2						
3	18	15	880.4	-7.6	-8.1	96.2	ESE	22.8	6	-2.6	0.1	71	10	XXX	10 XX X X	
3	18	18	878.2	-8.4	-9.0	95.4	ESE	25.8		-2.2						
3	18	21	876.6	-7.9	-8.3	97.0	ESE	25.6	6	-1.6	0.02	71	10	XXX	10 XX X X	
3	18	24	876.9	-6.6	-7.1	96.2	ESE	22.1		0.3						
3	19	3	875.9	-5.6	-6.1	96.3	ESE	19.4	7	-1.0						
3	19	6	874.3	-7.5	-8.3	94.0	E	20.9		-1.6						
3	19	9	873.8	-5.9	-6.3	97.0	ESE	21.8	5	-0.5	0.05	71	10	XXX	10 XX X X	
3	19	12	873.2	-3.6	-4.0	97.2	ESE	21.5		-0.6						
3	19	15	873.0	-4.0	-4.2	98.5	E	18.7	5	-0.2	0.1	71	10	XXX	10 XX X X	
3	19	18	873.7	-4.2	999.9	999.9	E	20.3		0.7						
3	19	21	876.6	999.9	999.9	999.9	ENE	16.4	3	2.9	0.1	71	10	XXX	10 XX X X	
3	19	24	877.5	999.9	999.9	999.9	E	15.3		0.9						
3	20	3	878.5	999.9	999.9	999.9	E	14.6	1	1.0						
3	20	6	878.9	999.9	999.9	999.9	E	18.4		0.4						
3	20	9	880.8	999.9	999.9	999.9	E	16.3	1	1.9	0.1	71	10-	73X	2 ST X X	10-AC X X
3	20	12	882.6	-4.5	-4.8	97.7	E	14.5		1.8						
3	20	15	883.2	-5.0	-5.6	95.7	E	12.3	1	0.6	20	22	9	07X	9 AC X X	
3	20	18	883.7	-8.1	-9.2	91.9	ENE	7.0		0.5						
3	20	21	882.9	-10.7	-12.1	89.3	SE	9.1	8	-0.8	30	01	7	071	4 AC X X	5 CI X X
3	20	24	881.0	-10.0	-11.4	89.5	SE	5.3		-1.9						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
3 21	3	878.5	-6.5	-8.0	89.1	SE	8.2	7	-2.5							
3 21	6	877.0	-2.9	-4.1	91.5	SE	11.3		-1.5							
3 21	9	874.9	-3.9	-5.6	88.0	SE	9.4	6	-2.1	30	02	8	031	5 AC X X	6 CI X X	
3 21	12	873.5	-3.1	-4.5	90.1	SE	10.0		-1.4							
3 21	15	871.5	-2.3	-3.9	88.8	SE	13.2	7	-2.0	30	02	8	006	8 CS X X		
3 21	18	873.2	-3.8	-4.9	92.2	ESE	13.4		1.7							
3 21	21	873.4	-6.2	-8.1	86.2	SE	10.3	3	0.2	40	02	5	002	5 CI X X		
3 21	24	872.5	-5.5	-7.8	83.7	SE	15.6		-0.9							
3 22	3	872.3	-7.8	-9.8	85.6	SE	11.7	8	-0.2							
3 22	6	872.0	-9.2	-11.1	85.9	SE	11.2		-0.3							
3 22	9	872.7	-10.6	-12.6	85.3	SE	14.1	3	0.7	20	02	1	101	0+ CU X X	1 CI X X	
3 22	12	873.8	-11.3	-12.1	93.8	ESE	24.0		1.1							
3 22	15	874.8	-12.3	-13.3	92.4	SE	21.3	3	1.0	0.1	39	0+	001	0+ CI X X		
3 22	18	876.2	-12.4	-13.5	91.5	ESE	18.4		1.4							
3 22	21	876.6	-12.9	-14.2	89.9	SE	16.3	3	0.4	1.0	38	0+	001	0+ CI X X		
3 22	24	876.3	-13.0	-13.9	92.9	ESE	21.6		-0.3							
3 23	3	876.2	-12.4	-13.6	90.7	SE	17.5	8	-0.1							
3 23	6	876.0	-12.4	-13.1	94.5	SE	21.2		-0.2							
3 23	9	878.8	-12.8	-14.3	88.2	SE	17.5	2	2.8	0.7	38	0	000			
3 23	12	880.0	-12.3	-13.6	89.9	ESE	17.3		1.2							
3 23	15	881.2	-12.0	-13.2	91.0	ESE	15.3	0	1.2	10	02	0+	030	0+ AC X X		
3 23	18	881.4	-12.7	-14.2	88.3	ESE	15.5		0.2							
3 23	21	881.4	-14.0	-15.0	91.8	ESE	15.5	0	0.0	30	02	0+	001	0+ CI X X		
3 23	24	881.2	-14.7	-15.9	90.3	ESE	13.4		-0.2							
3 24	3	881.1	-15.4	-17.2	85.9	ESE	9.1	5	-0.1							
3 24	6	881.4	-16.2	-18.1	85.5	ENE	9.9		0.3							
3 24	9	880.5	-16.5	-19.6	76.9	E	10.4	6	-0.9	50	02	0	000			
3 24	12	880.2	-15.9	-20.1	70.1	SE	7.1		-0.3							
3 24	15	879.5	-15.9	-20.5	67.8	SE	4.0	8	-0.7	50	02	0+	001	0+ CI X X		
3 24	18	879.4	-17.1	-21.3	70.0	SSE	5.8		-0.1							
3 24	21	878.9	-17.4	-21.5	70.5	SE	10.0	8	-0.5	50	02	0+	001	0+ CI X X		
3 24	24	878.6	-16.3	-19.8	74.4	SE	11.6		-0.3							
3 25	3	879.1	-16.7	-20.9	69.9	SE	9.8	0	0.5							
3 25	6	878.3	-17.8	-22.9	64.2	SSE	6.9		-0.8							
3 25	9	878.8	-19.0	-24.3	62.8	SE	6.6	3	0.5	50	02	0	000			
3 25	12	878.9	-16.5	-21.6	64.5	SE	7.2		0.1							
3 25	15	879.2	-16.2	-21.5	63.6	S	4.0	1	0.3	50	02	0+	002	0+ CI X X		
3 25	18	878.9	-18.4	-24.0	61.1	SSE	4.2		-0.3							
3 25	21	878.8	-22.1	-27.6	61.5	SE	7.8	6	-0.1	50	02	0+	001	0+ CI X X		
3 25	24	878.8	-21.3	-27.1	59.8	SSE	7.9		0.0							



DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
3 31	3	876.0	-14.9	-17.5	80.3	ESE	13.8	2	1.0							
3 31	6	877.3	-15.1	-17.9	78.9	ESE	13.6		1.3							
3 31	9	878.6	-15.8	-18.7	78.2	ESE	13.4	2	1.3	30	02	10-	502	3	SC X X	10-CI X X
3 31	12	879.8	-15.9	-18.8	78.5	E	13.0		1.2							
3 31	15	880.6	-15.3	-18.4	77.4	ESE	14.0	1	0.8	20	02	10-	507	3	SC X X	10-CS X X
3 31	18	881.2	-15.9	-19.1	76.3	ESE	14.8		0.6							
3 31	21	882.0	-16.4	-20.0	73.5	ESE	12.9	2	0.8	30	02	10-	502	1	SC X X	10-CI X X
3 31	24	882.0	-16.1	-19.8	73.1	ESE	13.0		0.0							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
4	1	3	881.8	-17.0	-21.4	68.5	ESE	11.1	8	-0.2						
4	1	6	881.4	-18.9	-23.3	68.1	SE	9.6		-0.4						
4	1	9	880.9	-18.9	-23.7	65.9	ESE	7.3	6	-0.5	50	02	10-	032	1 AC X X	10-CI X X
4	1	12	880.0	-19.4	-24.2	65.9	SE	6.8		-0.9						
4	1	15	878.6	-18.4	-23.4	64.6	SE	8.5	6	-1.4	50	01	0+	001	0+ CI X X	
4	1	18	877.7	-20.4	-25.9	61.2	SE	6.2		-0.9						
4	1	21	876.6	-23.1	-28.5	61.5	SE	6.3	6	-1.1	50	02	0+	001	0+ CI X X	
4	1	24	875.3	-24.6	-30.1	59.5	SE	6.9		-1.3						
4	2	3	874.4	-26.3	-31.9	58.3	SSE	5.8	6	-0.9						
4	2	6	873.0	-29.9	-35.2	60.8	SSE	5.5		-1.4						
4	2	9	872.1	-30.8	-35.6	63.8	SSE	5.9	6	-0.9	50	02	0+	001	0+ CI X X	
4	2	12	871.5	-27.0	-32.0	62.7	SE	2.8		-0.6						
4	2	15	871.7	-25.4	-30.5	62.8	SSW	2.6	3	0.2	50	02	0+	001	0+ CI X X	
4	2	18	870.9	-27.8	-33.1	61.3	SSE	3.3		-0.8						
4	2	21	870.5	-27.8	-32.8	62.9	SE	8.1	6	-0.4	50	02	0+	001	0+ CI X X	
4	2	24	870.0	-25.9	-30.7	64.9	SE	8.8		-0.5						
4	3	3	869.8	-22.7	-27.5	64.6	ESE	11.6	8	-0.2						
4	3	6	869.0	-22.4	-26.5	68.6	ESE	14.6		-0.8						
4	3	9	868.0	-22.3	-26.2	69.9	ESE	16.1	6	-1.0	0.5	38	1	500	1 SC X X	
4	3	12	868.4	-21.7	-25.6	70.4	ESE	15.8		0.4						
4	3	15	868.0	-20.2	-24.1	70.7	ESE	13.9	7	-0.4	10	03	9	5XX	9 SC X X	
4	3	18	867.4	-19.1	-23.2	70.4	ESE	13.6		-0.6						
4	3	21	867.1	-19.9	-24.3	68.3	SE	12.1	8	-0.3	30	02	10-	5XX	10-SC X X	
4	3	24	866.8	-24.4	-30.1	58.8	SE	6.5		-0.3						
4	4	3	867.1	-26.4	-32.0	59.2	SE	7.1	3	0.3						
4	4	6	867.3	-25.4	-30.8	60.3	SE	7.5		0.2						
4	4	9	867.7	-27.3	-32.8	60.0	SE	6.6	3	0.4	50	02	0+	031	0+ AC X X	0+ CI X X
4	4	12	867.8	-25.4	-30.9	60.3	SE	6.2		0.1						
4	4	15	868.2	-24.0	-29.5	60.2	SE	5.9	2	0.4	50	02	0+	002	0+ CI X X	
4	4	18	868.5	-25.5	-31.3	58.4	SE	6.2		0.3						
4	4	21	869.6	-27.1	-32.5	59.7	SE	7.6	1	1.1	50	02	0	000		
4	4	24	870.2	-23.7	-28.3	65.9	SE	11.8		0.6						
4	5	3	871.5	-21.8	-26.4	66.4	ESE	12.9	2	1.3						
4	5	6	872.8	-21.0	-25.1	69.6	ESE	14.1		1.3						
4	5	9	874.1	-18.9	-22.1	75.4	SE	13.7	3	1.3	0.6	71	10	02X	10 AS X X	
4	5	12	875.0	-18.2	-22.4	69.9	SE	9.8		0.9						
4	5	15	875.6	-17.7	-21.9	69.3	ESE	9.2	1	0.6	10	02	10	5XX	10 SC X X	
4	5	18	876.0	-17.9	-22.7	66.0	SE	8.2		0.4						
4	5	21	876.4	-18.4	-23.5	63.9	SE	9.4	1	0.4	10	02	10-	5XX	10-SC X X	
4	5	24	876.9	-22.8	-29.2	56.1	SE	6.3		0.5						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
4	6	3	877.4	-24.5	-30.7	57.1	SSE	7.4	1	0.5						
4	6	6	877.5	-27.6	-33.5	56.3	SSE	5.6		0.1						
4	6	9	877.8	-29.8	-35.2	59.6	SSE	4.8	3	0.3	50	02	0+	001	0+ CI X X	
4	6	12	878.6	-27.5	-33.4	57.8	SE	4.6		0.8						
4	6	15	878.8	-26.8	-32.3	59.4	S	3.5	3	0.2	50	02	0+	001	0+ CI X X	
4	6	18	879.0	-29.5	-35.5	56.6	SSW	1.8		0.2						
4	6	21	879.6	-31.7	-37.1	58.1	SE	1.8	0	0.6	50	02	0	000		
4	6	24	881.0	-34.1	-39.6	58.8	SW	2.7		1.4						
4	7	3	882.2	-31.1	-36.6	58.7	SSE	1.7	3	1.2						
4	7	6	882.8	-31.4	-37.4	55.6	S	4.9		0.6						
4	7	9	884.1	-30.0	-36.4	52.9	S	6.3	2	1.3	50	02	3	001	3 CI X X	
4	7	12	884.7	-27.1	-32.9	58.2	SSE	6.1		0.6						
4	7	15	884.6	-25.8	-31.6	58.7	SSE	4.9	8	-0.1	50	03	8	006	8 CS X X	
4	7	18	884.0	-27.7	-33.4	58.7	SSE	5.8		-0.6						
4	7	21	882.2	-27.0	-33.2	55.2	SE	7.5	6	-1.8	50	01	1	001	1 CI X X	
4	7	24	881.1	-24.8	-31.1	56.1	SE	6.8		-1.1						
4	8	3	879.0	-20.3	-25.9	60.7	ESE	12.7	8	-2.1						
4	8	6	876.3	-16.6	-22.1	62.3	ESE	18.7		-2.7						
4	8	9	874.4	-16.8	-19.9	76.4	ESE	19.9	8	-1.9	0.3	39	10	02X	10 AS X X	
4	8	12	871.2	-16.9	-19.5	80.4	ESE	22.0		-3.2						
4	8	15	868.2	-16.8	-19.1	81.8	ESE	22.7	6	-3.0	0.1	71	10	XXX	10 XX X X	
4	8	18	866.8	-16.8	-19.4	80.0	ESE	21.5		-1.4						
4	8	21	865.6	-16.3	-18.9	83.6	ESE	22.3	8	-1.2	0.1	71	10	XXX	10 XX X X	
4	8	24	865.8	-16.5	-18.6	83.4	ESE	19.0		0.2						
4	9	3	865.6	-16.3	-18.5	83.1	ESE	19.4	8	-0.2						
4	9	6	864.6	-16.4	-18.6	82.9	ESE	22.2		-1.0						
4	9	9	865.7	-16.4	-18.8	81.8	ESE	20.3	3	1.1	0.05	71	10	XXX	10 XX X X	
4	9	12	866.4	-16.9	-19.4	81.0	SE	19.5		0.7						
4	9	15	866.8	-17.5	-20.1	80.0	ESE	19.1	3	0.4	0.1	39	9	046	3 AC X X	9 CS X X
4	9	18	868.2	-17.1	-19.9	78.8	ESE	16.4		1.4						
4	9	21	869.6	-17.4	-20.4	77.6	SE	10.2	2	1.4	10	01	4	030	4 AC X X	
4	9	24	869.9	-20.3	-24.0	72.1	ESE	10.1		0.3						
4	10	3	869.9	-21.6	-25.7	69.7	SSE	7.0	5	0.0						
4	10	6	869.1	-23.8	-28.0	67.8	SW	3.7		-0.8						
4	10	9	867.7	-29.1	-33.3	67.3	S	2.5	7	-1.4	50	02	1	001	1 CI X X	
4	10	12	866.8	-28.2	-32.7	65.0	SE	1.3		-0.9						
4	10	15	865.5	-22.9	-27.1	69.1	SW	7.0	7	-1.3	50	02	1	001	1 CI X X	
4	10	18	864.4	-27.7	-31.7	68.3	SSE	3.7		-1.1						
4	10	21	863.1	-25.3	-29.9	64.6	SE	7.7	6	-1.3	50	02	2	001	2 CI X X	
4	10	24	862.1	-22.1	-26.1	70.2	ESE	14.1		-1.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
4	11	3	861.5	-21.0	-24.5	73.0	ESE	18.9	5	-0.6						
4	11	6	860.8	-21.2	-24.8	72.6	ESE	18.2		-0.7						
4	11	9	861.4	-21.3	-25.1	71.4	ESE	17.0	3	0.6	0.5	38	4	031	2 AC X X	4 CI X X
4	11	12	862.1	-21.2	-24.9	71.7	ESE	17.5		0.7						
4	11	15	862.9	-20.8	-24.3	73.5	ESE	17.1	3	0.8	1.0	38	8	001	8 CI X X	
4	11	18	864.4	-21.7	-25.6	70.4	ESE	16.4		1.5						
4	11	21	865.1	-22.4	-26.5	68.6	ESE	15.7	3	0.7	30	01	2	001	2 CI X X	
4	11	24	865.2	-22.9	-26.8	71.1	ESE	16.7		0.1						
4	12	3	865.2	-23.1	-26.9	70.8	E	18.4	4	0.0						
4	12	6	865.1	-23.6	-27.1	73.6	E	20.2		-0.1						
4	12	9	865.3	-23.4	-27.3	69.9	ESE	18.0	3	0.2	0.3	39	7	031	2 AC X X	7 CI X X
4	12	12	865.4	-22.1	-25.7	73.1	ESE	18.9		0.1						
4	12	15	865.6	-21.2	-24.8	72.6	ESE	20.6	0	0.2	0.07	39	10-	007	10-CS X X	
4	12	18	866.0	-20.9	-24.6	72.4	ESE	15.2		0.4						
4	12	21	867.8	-21.3	-25.1	71.4	ESE	15.8	1	1.8	0.1	39	10-	007	10-CS X X	
4	12	24	869.2	-21.6	-25.5	70.6	ESE	11.7		1.4						
4	13	3	870.5	-21.8	-25.9	69.2	SE	11.0	2	1.3						
4	13	6	871.2	-24.0	-28.2	68.2	SE	8.9		0.7						
4	13	9	871.7	-25.2	-29.6	67.1	SE	8.2	2	0.5	50	02	1	002	1 CI X X	
4	13	12	871.4	-23.4	-27.7	67.7	ESE	11.5		-0.3						
4	13	15	870.2	-22.7	-27.0	67.7	ESE	9.6	8	-1.2	50	02	1	002	1 CI X X	
4	13	18	868.6	-24.8	-29.1	67.1	SE	7.6		-1.6						
4	13	21	867.4	-25.0	-29.2	67.9	ESE	12.5	7	-1.2	30	02	1	001	1 CI X X	
4	13	24	865.9	-24.2	-28.5	67.8	SE	13.8		-1.5						
4	14	3	864.8	-24.6	-28.8	67.9	SE	14.0	7	-1.1						
4	14	6	863.5	-25.0	-29.3	66.7	SE	11.3		-1.3						
4	14	9	863.0	-23.4	-27.9	66.7	SE	15.7	5	-0.5	30	02	2	002	2 CI X X	
4	14	12	862.6	-21.5	-25.5	70.0	ESE	17.0		-0.4						
4	14	15	862.7	-20.6	-24.5	70.6	ESE	15.4	8	0.1	30	02	1	031	0+ AC X X	1 CI X X
4	14	18	862.3	-20.8	-25.6	65.0	ESE	13.6		-0.4						
4	14	21	862.1	-21.9	-26.2	67.9	ESE	13.2	8	-0.2	30	02	1	001	1 CI X X	
4	14	24	862.7	-22.4	-26.4	69.6	SE	10.7		0.6						
4	15	3	862.9	-25.0	-29.9	63.0	SE	6.0	1	0.2						
4	15	6	862.5	-24.9	-30.0	63.0	SE	7.8		-0.4						
4	15	9	862.1	-27.1	-32.1	62.7	ESE	7.0	8	-0.4	50	02	0+	001	0+ CI X X	
4	15	12	861.9	-27.3	-32.5	61.5	SE	4.8		-0.2						
4	15	15	861.1	-26.7	-31.7	62.3	SE	5.6	6	-0.8	50	02	2	002	2 CI X X	
4	15	18	860.7	-28.3	-33.4	61.7	SE	6.4		-0.4						
4	15	21	860.5	-28.0	-32.9	63.9	SE	7.3	5	-0.2	50	02	2	002	2 CI X X	
4	15	24	860.5	-29.1	-34.0	63.6	SE	6.4		0.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
4	16	3	860.5	-26.3	-31.3	62.5	SE	6.1	5	0.0							
4	16	6	860.3	-26.6	-31.8	61.4	SE	6.1		-0.2							
4	16	9	859.9	-27.4	-32.6	61.5	SE	6.2	7	-0.4	50	02	7	532	1 SC X X	4 AC X X	5 CI X X
4	16	12	860.0	-27.1	-32.2	61.2	SE	5.9		0.1							
4	16	15	860.3	-24.9	-30.1	61.7	SE	4.8	2	0.3	50	03	10-	020	10-AS X X		
4	16	18	860.0	-24.3	-29.8	60.5	ESE	6.5		-0.3							
4	16	21	859.8	-24.4	-28.5	69.4	ESE	9.3	8	-0.2	30	02	10-	001	10-CI X X		
4	16	24	860.0	-22.7	-26.1	73.7	ESE	14.4		0.2							
4	17	3	859.8	-21.4	-24.5	75.7	ESE	9.7	7	-0.2							
4	17	6	860.3	-21.0	-24.1	75.7	ESE	12.2		0.5							
4	17	9	860.5	-21.1	-24.2	76.3	ESE	13.0	2	0.2	0.07	71	10	XXX	10 XX X X		
4	17	12	861.8	-20.8	-23.9	76.1	ESE	11.7		1.3							
4	17	15	864.1	-20.8	-23.8	76.9	WSW	4.0	2	2.3	2.0	71	10	05X	10 AC X X		
4	17	18	866.4	-24.4	-28.3	70.6	SW	7.0		2.3							
4	17	21	869.1	-30.1	-34.0	70.0	SE	1.7	2	2.7	30	02	2	001	2 CI X X		
4	17	24	871.1	-28.2	-32.5	66.7	SE	2.6		2.0							
4	18	3	872.2	-25.6	-29.8	68.4	SE	5.2	2	1.1							
4	18	6	872.4	-25.6	-29.8	68.4	SE	6.7		0.2							
4	18	9	872.3	-25.2	-29.4	68.4	ESE	8.0	8	-0.1	2.0	71	10	05X	10 AC X X		
4	18	12	872.2	-24.6	-28.5	70.2	ESE	12.2		-0.1							
4	18	15	871.2	-24.2	-27.8	71.3	ESE	13.8	7	-1.0	0.07	71	10	034	4 AC X X	10 CI X X	
4	18	18	869.3	-23.8	-27.4	72.2	ESE	12.9		-1.9							
4	18	21	868.0	-22.8	-26.1	74.5	ESE	12.6	7	-1.3	0.05	71	10	07X	10 AC X X		
4	18	24	866.7	-22.0	-25.3	75.2	ESE	14.3		-1.3							
4	19	3	865.6	-21.3	-24.5	75.0	ESE	14.3	7	-1.1							
4	19	6	864.5	-21.0	-24.2	75.7	ESE	13.4		-1.1							
4	19	9	863.6	-20.9	-24.1	75.0	SE	12.4	7	-0.9	7.0	38	9	05X	9 AC X X		
4	19	12	862.5	-21.7	-24.9	75.0	SE	11.7		-1.1							
4	19	15	861.3	-21.2	-24.5	74.3	SE	12.6	7	-1.2	50	01	3	001	3 CI X X		
4	19	18	859.9	-21.1	-24.5	73.7	SE	12.7		-1.4							
4	19	21	859.2	-20.3	-23.4	76.2	SE	11.0	7	-0.7	0	71	10	XXX	10 XX X X		
4	19	24	858.0	-20.2	-23.4	75.6	ESE	16.8		-1.2							
4	20	3	857.1	-21.1	-24.3	75.4	ESE	22.4	8	-0.9							
4	20	6	858.3	-20.8	-23.9	76.1	ESE	22.5		1.2							
4	20	9	860.1	-20.4	-23.6	75.2	SE	18.1	2	1.8	0.07	39	4	002	4 CI X X		
4	20	12	861.0	-18.7	-21.6	77.9	SE	17.4		0.9							
4	20	15	862.8	-18.1	-20.8	79.1	ESE	17.7	2	1.8	0.06	71	10	XXX	10 XX X X		
4	20	18	863.3	-17.6	-20.2	79.9	ESE	18.3		0.5							
4	20	21	864.2	-17.5	-20.1	80.0	ESE	19.2	2	0.9	0.06	71	10	XXX	10 XX X X		
4	20	24	865.7	-18.2	-20.8	80.1	ESE	16.2		1.5							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
4	21	3	866.6	-18.8	-21.6	78.4	ESE	14.3	2	0.9						
4	21	6	867.4	-19.8	-22.9	75.8	ESE	13.1		0.8						
4	21	9	867.9	-20.8	-24.1	74.4	ESE	10.9	2	0.5	50	01	1	002	1	CI X X
4	21	12	869.3	-22.1	-25.4	75.0	SE	6.9		1.4						
4	21	15	870.4	-21.6	-25.0	74.3	ESE	12.5	2	1.1	50	02	2	001	2	CI X X
4	21	18	871.8	-21.3	-24.9	72.3	SE	14.0		1.4						
4	21	21	873.2	-22.8	-26.3	73.5	ESE	11.7	1	1.4	10	02	1	001	1	CI X X
4	21	24	872.8	-23.3	-27.1	71.3	SE	10.3		-0.4						
4	22	3	872.1	-24.6	-28.2	71.4	SE	9.3	6	-0.7						
4	22	6	870.9	-25.1	-29.3	67.5	SE	7.6		-1.2						
4	22	9	870.0	-27.8	-32.0	67.7	SSE	6.8	8	-0.9	50	02	0	000		
4	22	12	869.5	-31.1	-35.5	65.2	SE	5.7		-0.5						
4	22	15	868.7	-29.5	-34.2	64.2	SSW	2.9	6	-0.8	50	02	0+	001	0+	CI X X
4	22	18	867.7	-32.4	-37.6	60.0	SSW	2.9		-1.0						
4	22	21	868.3	-34.2	-39.0	61.8	ESE	3.0	3	0.6	50	02	0+	001	0+	CI X X
4	22	24	868.5	-33.9	-38.8	60.0	SSE	6.6		0.2						
4	23	3	869.8	-31.2	-36.3	62.2	SE	6.0	2	1.3						
4	23	6	871.7	-33.0	-38.1	60.5	SE	5.3		1.9						
4	23	9	874.1	-31.2	-36.2	62.2	SE	7.5	2	2.4	50	02	0	000		
4	23	12	876.2	-29.8	-34.8	61.5	SE	11.8		2.1						
4	23	15	878.9	-26.3	-30.3	68.1	ESE	16.4	2	2.7	50	02	0	000		
4	23	18	880.9	-26.5	-31.2	64.3	SE	13.8		2.0						
4	23	21	883.2	-26.8	-31.1	66.7	ESE	15.4	3	2.3	50	02	0	000		
4	23	24	885.0	-30.6	-35.9	60.4	SE	6.6		1.8						
4	24	3	886.1	-32.1	-37.6	57.1	SE	7.6	2	1.1						
4	24	6	886.8	-33.8	-39.0	60.0	SSE	5.9		0.7						
4	24	9	887.2	-33.4	-38.9	56.8	SE	5.1	1	0.4	50	02	0	000		
4	24	12	887.4	-33.7	-38.8	58.3	SE	6.0		0.2						
4	24	15	887.0	-29.7	-34.9	61.5	SSW	6.2	8	-0.4	50	02	0	000		
4	24	18	888.2	-31.7	-37.4	58.1	ESE	2.0		1.2						
4	24	21	888.4	-35.3	-40.5	60.0	SSE	6.0	0	0.2	50	02	0	000		
4	24	24	888.2	-31.4	-36.6	60.0	SSE	4.4		-0.2						
4	25	3	887.9	-28.5	-33.6	61.0	SE	5.6	5	-0.3						
4	25	6	886.9	-25.4	-30.5	62.8	SE	5.4		-1.0						
4	25	9	885.6	-20.7	-25.7	64.4	ENE	3.1	6	-1.3	30	02	10-	07X	10-AC	X X
4	25	12	884.0	-16.5	-21.4	65.7	ESE	15.6		-1.6						
4	25	15	884.2	-15.4	-20.7	63.8	ESE	14.6	0	0.2	30	02	10-	02X	10-AS	X X
4	25	18	884.1	-16.1	-20.1	70.9	ESE	18.0		-0.1						
4	25	21	885.4	-16.1	-20.4	69.1	ESE	17.5	1	1.3	10	02	10-	007	10-CS	X X
4	25	24	886.2	-16.1	-19.6	74.3	ESE	18.9		0.8						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
4 26 3	887.1	-16.4	-19.9	74.1	ESE	19.1	2	0.9								
4 26 6	888.3	-16.5	-19.3	78.7	ESE	17.6		1.2								
4 26 9	889.0	-16.1	-19.2	76.6	ESE	17.8	2	0.7	1.0	38	10	07X	10 AC X X			
4 26 12	889.0	-15.6	-19.6	71.4	ESE	15.7		0.0								
4 26 15	888.7	-15.2	-19.6	69.1	ESE	15.1	8	-0.3	30	02	10-	03X	10-AC X X			
4 26 18	888.5	-15.7	-20.9	64.4	ESE	12.9		-0.2								
4 26 21	887.3	-17.6	-22.8	63.6	SE	8.9	6	-1.2	30	01	4	030	4 AC X X			
4 26 24	886.2	-20.7	-26.2	61.0	SE	8.5		-1.1								
4 27 3	884.9	-23.3	-29.0	59.6	SE	7.9	6	-1.3								
4 27 6	882.9	-24.1	-29.7	59.8	SE	7.5		-2.0								
4 27 9	881.1	-24.5	-30.1	59.5	SE	6.4	6	-1.8	50	02	3	002	3 CI X X			
4 27 12	879.2	-24.1	-29.0	64.4	ESE	6.7		-1.9								
4 27 15	876.9	-19.7	-24.9	62.8	ESE	13.0	6	-2.3	50	02	8	007	8 CS X X			
4 27 18	874.2	-17.7	-22.8	64.1	E	14.9		-2.7								
4 27 21	872.5	-16.9	-21.8	65.6	ESE	16.3	7	-1.7	10	02	10	02X	10 AS X X			
4 27 24	871.0	-17.1	-21.1	71.3	ESE	17.5		-1.5								
4 28 3	869.4	-17.2	-20.3	76.7	ESE	19.2	6	-1.6								
4 28 6	867.7	-17.4	-20.5	76.9	ESE	19.3		-1.7								
4 28 9	866.6	-17.5	-20.2	79.4	ESE	21.4	6	-1.1	0.08	71	10	XXX	10 XX X X			
4 28 12	866.3	-17.4	-20.0	80.1	ESE	20.5		-0.3								
4 28 15	866.6	-16.9	-19.7	79.1	ESE	19.4	1	0.3	0.08	71	10	XXX	10 XX X X			
4 28 18	867.1	-16.6	-19.4	79.0	ESE	18.8		0.5								
4 28 21	867.7	-17.0	-19.7	79.6	ESE	18.2	3	0.6	0.3	71	8	002	8 CI X X			
4 28 24	868.7	-17.0	-19.8	79.0	ESE	16.8		1.0								
4 29 3	869.8	-17.2	-20.2	77.4	ESE	14.8	2	1.1								
4 29 6	870.3	-18.2	-21.7	74.0	ESE	12.4		0.5								
4 29 9	871.1	-18.6	-22.1	73.8	ESE	12.6	2	0.8	50	01	3	002	3 CI X X			
4 29 12	871.5	-18.8	-22.6	71.9	ESE	13.0		0.4								
4 29 15	872.0	-18.8	-22.9	69.8	ESE	11.3	1	0.5	40	02	4	031	2 AC X X	3 CI X X		
4 29 18	872.0	-19.6	-23.9	68.5	ESE	13.5		0.0								
4 29 21	872.6	-20.7	-25.4	66.1	SE	10.2	3	0.6	50	02	1	001	1 CI X X			
4 29 24	872.5	-20.7	-25.2	66.9	ESE	12.3		-0.1								
4 30 3	872.5	-19.3	-24.0	66.2	SE	14.3	0	0.0								
4 30 6	872.9	-19.3	-23.8	67.7	ESE	14.3		0.4								
4 30 9	873.2	-20.1	-25.2	63.7	SE	11.2	3	0.3	50	02	7	030	7 AC X X			
4 30 12	873.8	-19.5	-24.2	66.4	ESE	15.9		0.6								
4 30 15	873.9	-18.9	-24.0	63.8	ESE	15.8	3	0.1	50	02	6	036	3 AC X X	6 CS X X		
4 30 18	874.0	-19.3	-24.2	65.4	ESE	13.7		0.1								
4 30 21	873.9	-19.6	-24.5	64.6	ESE	12.0	8	-0.1	50	01	3	001	3 CI X X			
4 30 24	873.3	-21.7	-26.7	63.9	SE	5.9		-0.6								

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5	1	3	871.9	-23.7	-28.9	61.5	SE	6.7	7	-1.4						
5	1	6	870.7	-25.1	-30.7	60.0	SSE	5.8		-1.2						
5	1	9	869.4	-27.1	-32.5	59.7	SSE	3.8	7	-1.3	50	02	6	030	6	AC X X
5	1	12	868.4	-29.4	-34.7	59.3	SE	3.5		-1.0						
5	1	15	867.0	-27.0	-32.0	62.7	SW	9.6	8	-1.4	50	02	0+	030	0+	AC X X
5	1	18	865.4	-30.4	-35.7	59.2	SE	1.4		-1.6						
5	1	21	864.4	-33.7	-38.2	63.9	ENE	3.1	8	-1.0	50	02	0+	001	0+	CI X X
5	1	24	863.4	-35.7	-40.4	62.1	SSW	1.1		-1.0						
5	2	3	862.1	-37.4	-42.0	60.0	S	2.3	7	-1.3						
5	2	6	860.6	-38.7	-42.7	63.6	SSE	2.6		-1.5						
5	2	9	860.4	-38.4	-43.6	59.1	SE	4.4	5	-0.2	50	02	0+	030	0+	AC X X
5	2	12	860.5	-37.4	-41.7	64.0	SE	4.4		0.1						
5	2	15	860.3	-31.0	-35.8	63.0	SE	10.6	5	-0.2	50	02	1	030	1	AC X X
5	2	18	860.0	-27.7	-32.8	61.9	SE	16.1		-0.3						
5	2	21	860.5	-28.1	-32.7	63.9	SE	15.8	2	0.5	50	02	0+	030	0+	AC X X
5	2	24	860.9	-24.4	-29.2	64.7	SE	15.1		0.4						
5	3	3	861.9	-25.5	-31.1	59.7	SE	12.6	1	1.0						
5	3	6	862.2	-24.6	-30.3	58.3	ESE	14.5		0.3						
5	3	9	863.2	-26.6	-32.4	57.1	SE	8.1	3	1.0	30	02	0+	030	0+	AC X X
5	3	12	863.5	-26.7	-32.7	56.5	SE	9.3		0.3						
5	3	15	863.1	-24.5	-30.4	58.3	ESE	14.7	8	-0.4	50	02	0+	030	0+	AC X X
5	3	18	863.1	-26.6	-32.8	55.7	SE	10.5		0.0						
5	3	21	862.2	-25.8	-31.8	57.3	SE	10.5	7	-0.9	50	02	0+	030	0+	AC X X
5	3	24	861.3	-25.5	-31.4	58.4	SE	11.8		-0.9						
5	4	3	860.8	-25.1	-30.9	58.8	SE	12.3	7	-0.5						
5	4	6	860.5	-24.0	-29.9	58.0	SE	11.1		-0.3						
5	4	9	860.4	-23.1	-29.1	57.3	SE	12.2	5	-0.1	30	03	8	030	8	AC X X
5	4	12	859.8	-21.8	-28.8	53.3	SE	14.7		-0.6						
5	4	15	860.1	-20.9	-26.0	63.8	SE	13.0	3	0.3	30	02	10-	531	3	SC X X 6 AC X X X CI X X
5	4	18	860.3	-20.7	-25.0	68.6	SE	12.6		0.2						
5	4	21	861.0	-20.3	-23.8	73.8	SE	15.6	3	0.7	10	02	4	530	1	SC X X 3 AC X X
5	4	24	862.0	-18.9	-21.5	79.7	ESE	17.1		1.0						
5	5	3	862.9	-18.6	-21.0	81.6	ESE	16.1	2	0.9						
5	5	6	863.8	-18.6	-20.6	84.4	ESE	14.8		0.9						
5	5	9	865.2	-18.6	-20.3	86.5	ESE	15.3	2	1.4	1.0	38	10-	53X	5	SC X X 10-AC X X
5	5	12	866.3	-18.8	-20.7	84.9	ESE	16.2		1.1						
5	5	15	867.0	-19.0	-20.8	85.4	ESE	17.6	1	0.7	0.03	71	10	XXX	10	XX X X
5	5	18	868.3	-19.0	-20.9	84.7	ESE	16.9		1.3						
5	5	21	869.9	-18.8	-20.7	84.9	ESE	17.1	2	1.6	0.03	71	10	XXX	10	XX X X
5	5	24	871.0	-19.3	-21.2	85.0	ESE	15.7		1.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5	6	3	871.7	-18.9	-21.0	83.3	ESE	13.9	2	0.7						
5	6	6	871.9	-18.4	-20.4	84.0	ESE	14.1		0.2						
5	6	9	872.0	-18.4	-20.2	85.4	ESE	16.5	0	0.1	10	01	4	030	4	AC X X
5	6	12	872.6	-19.0	-21.4	81.0	ESE	16.1		0.6						
5	6	15	873.1	-18.5	-20.8	81.8	ESE	16.4	2	0.5	10	02	7	531	2	SC X X
5	6	18	873.3	-18.7	-20.9	82.9	ESE	16.3		0.2					3	AC X X
5	6	21	874.0	-18.6	-21.0	81.6	ESE	15.6	3	0.7	10	02	3	001	3	CI X X
5	6	24	874.1	-17.3	-19.5	82.9	ESE	18.3		0.1						
5	7	3	875.2	-17.1	-19.0	85.6	ESE	15.7	3	1.1						
5	7	6	876.2	-17.5	-19.6	83.9	ESE	12.7		1.0						
5	7	9	876.5	-18.1	-20.5	81.1	ESE	11.9	0	0.3	30	02	5	001	5	CI X X
5	7	12	876.4	-18.7	-21.5	78.6	ESE	11.1		-0.1						
5	7	15	876.6	-18.2	-20.8	80.1	SE	10.2	3	0.2	30	03	10-	007	10-CS	X X
5	7	18	875.8	-18.9	-21.7	78.3	ESE	10.5		-0.8						
5	7	21	876.3	-20.6	-23.7	76.5	SE	9.5	1	0.5	40	01	2	001	2	CI X X
5	7	24	875.7	-20.8	-23.9	76.1	SE	11.0		-0.6						
5	8	3	874.8	-20.1	-23.3	75.8	SE	13.1	6	-0.9						
5	8	6	873.2	-20.3	-23.6	74.6	SE	14.0		-1.6						
5	8	9	873.0	-23.0	-26.5	72.9	ESE	13.2	5	-0.2	50	02	0+	001	0+	CI X X
5	8	12	872.4	-23.2	-26.9	71.6	ESE	12.4		-0.6						
5	8	15	872.4	-21.8	-25.2	73.8	ESE	18.2	3	0.0	0.3	39	0+	001	0+	CI X X
5	8	18	872.1	-20.9	-24.5	72.4	ESE	19.9		-0.3						
5	8	21	872.0	-20.8	-24.4	72.6	ESE	15.7	8	-0.1	10	02	1	030	1	AC X X
5	8	24	869.9	-21.6	-25.4	71.6	SE	12.1		-2.1						
5	9	3	868.3	-23.4	-27.5	68.8	SE	6.7	7	-1.6						
5	9	6	865.0	-22.1	-26.0	71.2	SE	13.7		-3.3						
5	9	9	863.9	-23.4	-27.6	68.8	SE	7.2	6	-1.1	50	02	0	000		
5	9	12	861.8	-24.1	-28.6	66.7	SE	7.4		-2.1						
5	9	15	861.3	-25.6	-30.4	64.5	SE	3.3	8	-0.5	50	02	0	000		
5	9	18	860.9	-25.9	-30.8	63.5	SE	6.2		-0.4						
5	9	21	861.4	-30.7	-35.5	62.5	SE	5.7	2	0.5	50	02	0	000		
5	9	24	861.8	-29.3	-34.4	61.1	SE	8.3		0.4						
5	10	3	863.5	-31.6	-36.3	63.6	SE	1.5	2	1.7						
5	10	6	864.5	-34.4	-39.0	63.6	SE	5.8		1.0						
5	10	9	866.2	-37.4	-41.8	64.0	SSW	2.1	2	1.7	50	02	0	000		
5	10	12	867.5	-39.8	-44.1	63.2	SE	3.7		1.3						
5	10	15	869.6	-40.3	-44.5	66.7	SSW	5.4	1	2.1	50	02	0+	001	0+	CI X X
5	10	18	871.4	-41.9	-45.7	66.7	S	2.8		1.8						
5	10	21	873.2	-39.6	-43.7	65.0	SSE	2.0	3	1.8	50	02	0+	001	0+	CI X X
5	10	24	874.4	-39.8	-44.2	63.2	SE	6.6		1.2						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5	11	3	875.5	-33.8	-38.1	65.7	ESE	6.3	1	1.1						
5	11	6	875.9	-26.7	-31.1	66.7	ESE	13.2		0.4						
5	11	9	876.7	-23.2	-28.3	63.2	ESE	13.8	3	0.8	50	02	6	001	6	CI X X
5	11	12	876.5	-21.6	-26.3	66.1	ESE	17.2		-0.2						
5	11	15	877.7	-21.1	-26.1	64.0	ESE	15.3	1	1.2	30	03	10-	03X	10-AC	X X
5	11	18	877.9	-21.3	-25.9	66.1	ESE	16.0		0.2						
5	11	21	878.3	-20.4	-25.3	65.3	ESE	17.1	1	0.4	30	02	5	031	3	AC X X 4 CI X X
5	11	24	879.4	-20.4	-25.5	63.6	ESE	16.6		1.1						
5	12	3	880.4	-21.4	-26.9	61.3	ESE	11.7	3	1.0						
5	12	6	880.6	-22.7	-28.5	59.6	ESE	10.6		0.2						
5	12	9	880.2	-23.4	-29.0	60.2	ESE	10.9	6	-0.4	50	02	0+	001	0+	CI X X
5	12	12	880.5	-24.1	-29.8	59.8	SE	8.1		0.3						
5	12	15	880.5	-24.3	-30.0	59.3	SE	7.7	0	0.0	50	02	1	001	1	CI X X
5	12	18	880.3	-25.8	-31.3	60.0	SE	7.3		-0.2						
5	12	21	880.3	-24.2	-29.7	59.8	SE	8.9	0	0.0	50	02	0+	001	0+	CI X X
5	12	24	881.3	-21.0	-26.8	60.0	ESE	12.8		1.0						
5	13	3	882.4	-20.2	-26.6	56.9	SE	11.8	3	1.1						
5	13	6	882.6	-21.5	-27.7	57.3	SE	11.0		0.2						
5	13	9	882.9	-21.7	-27.9	57.4	SE	11.6	3	0.3	50	02	0+	001	0+	CI X X
5	13	12	882.7	-21.5	-28.0	55.5	SE	13.6		-0.2						
5	13	15	882.9	-21.8	-28.4	55.1	SE	10.9	0	0.2	50	02	3	001	3	CI X X
5	13	18	881.7	-21.4	-28.4	53.2	SE	12.6		-1.2						
5	13	21	879.8	-21.9	-28.4	55.7	SE	9.7	6	-1.9	50	02	0+	001	0+	CI X X
5	13	24	878.4	-22.9	-29.5	54.6	SE	10.8		-1.4						
5	14	3	876.5	-24.2	-30.2	57.5	E	9.0	6	-1.9						
5	14	6	875.6	-25.1	-30.5	61.3	ESE	10.1		-0.9						
5	14	9	874.2	-24.0	-28.4	67.0	SE	18.3	8	-1.4	1.0	38	2	001	2	CI X X
5	14	12	873.8	-25.1	-29.1	68.8	SE	18.1		-0.4						
5	14	15	871.7	-24.6	-28.4	70.2	ESE	20.0	6	-2.1	0.1	39	3	050	3	SC X X
5	14	18	870.4	-23.8	-27.5	71.1	ESE	20.5		-1.3						
5	14	21	870.3	-22.6	-26.2	72.0	ESE	17.1	5	-0.1	0.1	39	2	050	2	SC X X
5	14	24	871.3	-22.0	-25.2	75.2	ESE	17.1		1.0						
5	15	3	873.1	-19.7	-22.1	80.6	E	15.0	2	1.8						
5	15	6	874.7	-16.3	-18.0	86.6	E	13.5		1.6						
5	15	9	876.7	-15.7	-17.0	90.0	ESE	14.9	2	2.0	0.1	39	10	07X	10	AC X X
5	15	12	879.1	-15.4	-16.7	89.7	ESE	14.5		2.4						
5	15	15	880.3	-15.0	-16.0	92.1	ESE	14.1	1	1.2	0.2	39	3	030	3	AC X X
5	15	18	880.3	-14.7	-15.7	91.8	ESE	16.2		0.0						
5	15	21	880.3	-14.2	-15.0	93.6	ESE	16.6	4	0.0	0.2	39	5	001	5	CI X X
5	15	24	879.2	-14.1	-14.9	93.7	ESE	16.4		-1.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5	16	3	877.1	-13.8	-14.6	93.8	ESE	18.4	7	-2.1						
5	16	6	875.1	-13.7	-14.4	94.4	ESE	20.3		-2.0						
5	16	9	873.8	-13.8	-14.5	94.3	ESE	21.2	6	-1.3	0.07	71	10	XXX	10 XX X X	
5	16	12	872.8	-13.7	-14.6	93.0	ESE	24.4		-1.0						
5	16	15	874.3	-12.9	-13.4	96.0	ESE	21.6	1	1.5	0.02	71	10	XXX	10 XX X X	
5	16	18	875.1	-12.7	999.9	999.9	ESE	21.8		0.8						
5	16	21	876.6	-12.5	-12.6	99.6	ESE	19.7	1	1.5	0.02	71	10	XXX	10 XX X X	
5	16	24	878.3	-12.8	999.9	999.9	ESE	22.1		1.7						
5	17	3	879.9	-12.9	-13.0	99.1	ESE	21.4	1	1.6						
5	17	6	882.7	-12.9	-13.2	97.8	ESE	19.8		2.8						
5	17	9	885.3	-13.4	-13.6	98.2	ESE	19.8	2	2.6	0.02	71	10	XXX	10 XX X X	
5	17	12	887.4	-13.4	999.9	999.9	ESE	20.6		2.1						
5	17	15	889.5	-13.8	999.9	999.9	ESE	19.6	2	2.1	0.01	71	10	XXX	10 XX X X	
5	17	18	891.3	-14.1	-14.2	99.0	ESE	18.0		1.8						
5	17	21	892.6	-14.7	-15.0	97.4	ESE	13.4	1	1.3	5.0	38	3	001		
5	17	24	892.8	-17.1	-17.5	96.9	ESE	12.5		0.2						
5	18	3	891.9	-20.1	-22.5	81.5	SE	7.0	6	-0.9						
5	18	6	890.4	-19.5	-21.7	82.4	SE	9.0		-1.5						
5	18	9	889.0	-20.5	-22.7	82.5	SE	8.1	6	-1.4	30	02	0+	001	0+ CI X X	
5	18	12	887.5	-20.9	-23.4	80.2	SE	7.0		-1.5						
5	18	15	886.8	-18.9	-22.1	75.4	ESE	11.9	8	-0.7	50	03	9	007	9 CS X X	
5	18	18	886.3	-18.0	-20.6	79.9	ESE	13.4		-0.5						
5	18	21	886.9	-18.3	-20.8	80.7	ESE	14.1	3	0.6	50	02	10-	007	10-CS X X	
5	18	24	885.2	-17.7	-20.1	81.0	ESE	18.0		-1.7						
5	19	3	885.4	-17.8	-20.1	82.1	ESE	16.7	3	0.2						
5	19	6	885.2	-17.3	-19.5	82.9	ESE	14.2		-0.2						
5	19	9	885.0	-15.5	-17.1	87.4	ESE	18.8	6	-0.2	0.2	39	8	001	8 CI X X	
5	19	12	885.3	-15.9	-17.7	86.4	ESE	18.8		0.3						
5	19	15	885.0	-16.0	-17.9	85.2	ESE	20.1	8	-0.3	0.1	39	4	030	4 AC X X	
5	19	18	885.2	-17.0	-18.9	85.2	ESE	20.8		0.2						
5	19	21	886.4	-17.2	-19.5	82.4	ESE	16.7	3	1.2	0.2	39	6	030	6 AC X X	
5	19	24	885.9	-17.3	-19.6	82.3	ESE	16.8		-0.5						
5	20	3	886.0	-17.4	-19.8	82.1	ESE	16.7	0	0.1						
5	20	6	885.8	-18.0	-20.9	77.9	ESE	13.0		-0.2						
5	20	9	885.5	-18.3	-21.1	78.6	ESE	14.3	5	-0.3	10	01	3	001	3 CI X X	
5	20	12	885.8	-17.6	-20.4	78.6	ESE	14.1		0.3						
5	20	15	886.0	-17.5	-20.3	78.7	ESE	13.7	3	0.2	10	02	10	02X	10 AS X X	
5	20	18	885.4	-17.3	-20.0	79.1	ESE	13.5		-0.6						
5	20	21	884.7	-18.4	-21.8	74.3	ESE	11.0	5	-0.7	20	01	3	001	3 CI X X	
5	20	24	883.8	-20.3	-24.2	71.3	ESE	9.8		-0.9						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5	21	3	883.0	-24.2	-28.0	70.1	SE	6.1	6	-0.8						
5	21	6	881.3	-27.4	-31.7	66.2	S	5.6		-1.7						
5	21	9	880.0	-27.8	-32.4	64.5	SSE	6.7	6	-1.3	50	02	0+	001	0+	CI X X
5	21	12	879.2	-28.3	-33.0	63.3	SSE	5.2		-0.8						
5	21	15	879.2	-28.8	-33.3	64.9	SE	6.7	4	0.0	50	02	1	001	1	CI X X
5	21	18	879.4	-30.1	-34.5	66.0	SSE	6.3		0.2						
5	21	21	880.4	-29.8	-34.3	65.4	SE	4.7	1	1.0	50	02	1	001	1	CI X X
5	21	24	881.8	-28.2	-33.2	61.7	SE	6.1		1.4						
5	22	3	883.1	-27.0	-31.8	64.2	SE	6.7	3	1.3						
5	22	6	883.9	-22.6	-27.7	63.0	E	10.3		0.8						
5	22	9	884.8	-22.2	-27.1	64.4	E	8.4	2	0.9	50	02	1	001	1	CI X X
5	22	12	885.6	-21.7	-26.5	64.8	ESE	6.9		0.8						
5	22	15	885.6	-21.9	-26.4	67.0	SE	5.9	0	0.0	40	03	10-	057	3	SC X X 10-CS X X
5	22	18	885.4	-22.9	-27.6	66.0	SE	5.4		-0.2						
5	22	21	884.8	-21.5	-26.3	65.5	SE	6.9	8	-0.6	40	02	5	001	5	CI X X
5	22	24	884.5	-21.9	-26.3	67.9	SE	6.1		-0.3						
5	23	3	883.9	-22.6	-27.0	67.0	SE	6.1	8	-0.6						
5	23	6	882.8	-23.9	-28.4	66.3	SSE	5.4		-1.1						
5	23	9	882.0	-27.2	-31.9	63.6	SSE	4.9	8	-0.8	50	02	1	001	1	CI X X
5	23	12	880.8	-28.8	-33.0	66.7	SSE	4.3		-1.2						
5	23	15	879.6	-30.6	-34.9	66.7	S	4.2	8	-1.2	50	02	1	031	0+	AC X X 1 CI X X
5	23	18	878.0	-29.7	-34.4	63.5	SSE	5.8		-1.6						
5	23	21	876.9	-30.8	-35.3	63.8	SSE	4.1	8	-1.1	50	02	0+	001	0+	CI X X
5	23	24	875.9	-31.5	-35.7	65.9	SE	1.8		-1.0						
5	24	3	875.1	-32.6	-37.2	62.5	SSE	3.4	7	-0.8						
5	24	6	874.2	-33.2	-37.6	64.9	SSE	5.3		-0.9						
5	24	9	873.2	-33.2	-37.5	64.9	S	5.3	6	-1.0	50	02	0+	030	0+	AC X X
5	24	12	872.7	-32.3	-37.2	61.0	SSE	5.3		-0.5						
5	24	15	872.3	-33.5	-38.1	63.9	SSE	5.7	7	-0.4	50	02	1	030	1	AC X X
5	24	18	872.7	-31.4	-36.2	62.2	SE	1.3		0.4						
5	24	21	873.3	-27.2	-32.0	63.6	SE	8.6	2	0.6	50	02	4	030	4	AC X X
5	24	24	873.9	-25.1	-29.8	65.0	SE	8.2		0.6						
5	25	3	875.0	-27.4	-32.8	60.0	SE	6.8	1	1.1						
5	25	6	875.0	-30.2	-35.1	62.0	SE	6.4		0.0						
5	25	9	875.1	-31.0	-36.1	60.9	SSE	6.3	1	0.1	50	02	0+	001	0+	CI X X
5	25	12	874.8	-32.7	-37.5	61.5	SSE	5.6		-0.3						
5	25	15	874.9	-30.6	-36.1	58.3	SE	7.1	0	0.1	50	03	6	051	3	AC X X 5 CI X X
5	25	18	875.1	-28.8	-33.8	61.4	SE	9.4		0.2						
5	25	21	875.3	-25.1	-29.8	65.0	ESE	12.9	3	0.2	50	02	3	031	1	AC X X 3 CI X X
5	25	24	875.9	-23.5	-28.0	66.3	ESE	14.6		0.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5	26	3	876.6	-23.3	-26.7	73.4	ESE	18.4	3	0.7						
5	26	6	876.8	-23.0	-26.0	77.1	ESE	19.3		0.2						
5	26	9	877.5	-21.7	-24.7	76.9	ESE	20.0	3	0.7	0.2	39	6	001	6	CI X X
5	26	12	878.0	-20.5	-23.4	77.5	ESE	18.6		0.5						
5	26	15	879.1	-20.6	-23.2	79.8	ESE	18.6	3	1.1	0.2	39	4	001	4	CI X X
5	26	18	879.4	-20.9	-23.6	78.4	ESE	17.5		0.3						
5	26	21	879.0	-20.7	-23.4	78.8	ESE	17.3	7	-0.4	0.3	39	8	001	8	CI X X
5	26	24	878.2	-20.0	-22.9	77.6	ESE	18.8		-0.8						
5	27	3	877.4	-20.0	-22.8	78.4	ESE	18.5	6	-0.8						
5	27	6	876.2	-19.6	-22.3	79.2	ESE	15.9		-1.2						
5	27	9	875.7	-19.2	-21.9	79.1	ESE	17.2	6	-0.5	0.5	39	4	001	4	CI X X
5	27	12	875.7	-18.3	-21.0	79.3	ESE	17.3		0.0						
5	27	15	875.3	-18.2	-20.7	80.8	ESE	16.9	6	-0.4	0.5	38	5	031	3	AC X X 4 CI X X
5	27	18	875.1	-17.7	-19.7	84.3	ESE	17.5		-0.2						
5	27	21	875.8	-17.5	-19.5	84.5	ESE	17.3	1	0.7	0.5	38	5	031	3	AC X X 4 CI X X
5	27	24	876.1	-16.9	-18.8	85.3	ESE	17.1		0.3						
5	28	3	876.7	-17.0	-18.9	85.2	ESE	15.2	1	0.6						
5	28	6	877.1	-16.5	-18.5	84.6	ESE	14.3		0.4						
5	28	9	877.7	-16.7	-18.7	84.3	ESE	14.0	1	0.6	1.0	38	6	031	2	AC X X 6 CI X X
5	28	12	877.9	-18.4	-20.5	83.3	ESE	13.3		0.2						
5	28	15	877.9	-18.8	-21.0	82.7	ESE	16.9	0	0.0	20	02	4	501	1	SC X X 4 CI X X
5	28	18	877.9	-18.8	-21.3	80.6	ESE	17.4		0.0						
5	28	21	878.4	-18.3	-20.6	82.1	ESE	17.8	1	0.5	20	02	3	501	1	SC X X 3 CI X X
5	28	24	878.9	-17.2	-19.8	80.5	ESE	18.0		0.5						
5	29	3	878.7	-16.6	-18.8	83.2	ESE	15.8	8	-0.2						
5	29	6	878.0	-17.1	-19.5	81.9	ESE	17.6		-0.7						
5	29	9	877.7	-16.9	-19.4	81.0	ESE	17.1	6	-0.3	20	02	3	501	1	SC X X 3 CI X X
5	29	12	877.1	-17.6	-20.1	80.5	ESE	15.9		-0.6						
5	29	15	876.7	-17.5	-20.6	76.8	SE	13.0	7	-0.4	30	03	8	03X	8	AC X X
5	29	18	875.4	-17.6	-20.5	77.9	ESE	16.3		-1.3						
5	29	21	874.6	-17.0	-19.2	82.7	ESE	15.0	8	-0.8	30	01	4	030	4	AC X X
5	29	24	872.4	-16.7	-19.6	78.3	SE	13.5		-2.2						
5	30	3	868.4	-18.5	-22.4	71.3	SE	16.8	8	-4.0						
5	30	6	864.3	-18.5	-21.8	74.8	SE	18.9		-4.1						
5	30	9	858.3	-17.5	-20.4	78.1	SE	20.8	7	-6.0	1.0	38	4	001	4	CI X X
5	30	12	853.2	-15.2	-16.9	86.7	SE	24.0		-5.1						
5	30	15	848.3	-14.0	-14.9	92.8	SE	29.2	7	-4.9	0.01	71	10	XXX	10	XX X X
5	30	18	848.1	-13.0	-16.5	75.1	SE	27.5		-0.2						
5	30	21	851.7	-11.9	-12.1	98.4	ESE	17.9	2	3.6	0.5	71	10	53X	6	SC X X 10 AC X X
5	30	24	855.8	-12.8	999.9	999.9	ESE	20.3		4.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
5 31	3	857.7	-12.3	999.9	999.9	ESE	18.8	1	1.9							
5 31	6	859.7	-12.5	999.9	999.9	ESE	20.6		2.0							
5 31	9	862.3	-12.5	999.9	999.9	ESE	18.4	3	2.6	0.5	71	10	72X	6 ST X X	10 AS X X	
5 31	12	866.6	-12.6	999.9	999.9	ESE	18.7		4.3							
5 31	15	869.9	-11.7	-12.2	96.0	ESE	15.0	2	3.3	0.05	71	10	XXX	10 XX X X		
5 31	18	874.3	-11.0	-11.8	93.9	ESE	14.1		4.4							
5 31	21	877.9	-12.4	-13.8	89.4	SE	9.1	2	3.6	30	01	5	030	5 AC X X		
5 31	24	881.3	-13.5	-14.2	94.4	ESE	15.4		3.4							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
6	1	3	884.1	-13.6	-15.1	88.8	ESE	12.2	2	2.8						
6	1	6	886.1	-16.0	-17.5	88.1	SE	7.3		2.0						
6	1	9	887.3	-16.9	-18.0	91.4	SSE	5.8	1	1.2	50	02	3	001	3	CI X X
6	1	12	888.3	-17.8	-21.3	74.2	S	6.1		1.0						
6	1	15	888.8	-24.1	-28.2	69.0	SSE	7.7	1	0.5	50	02	3	001	3	CI X X
6	1	18	888.0	-26.0	-30.5	66.2	SSE	7.7		-0.8						
6	1	21	886.3	-26.4	-30.9	66.2	SSE	5.6	7	-1.7	50	02	2	001	2	CI X X
6	1	24	884.9	-24.3	-28.7	66.3	SE	7.6		-1.4						
6	2	3	882.9	-20.8	-24.8	70.1	SE	11.1	7	-2.0						
6	2	6	881.1	-18.7	-22.5	72.1	SSE	8.7		-1.8						
6	2	9	878.7	-19.8	-23.5	71.9	SE	8.2	6	-2.4	50	02	1	001	1	CI X X
6	2	12	877.4	-19.2	-23.3	70.1	SE	9.6		-1.3						
6	2	15	876.1	-19.1	-23.2	70.4	SE	10.7	7	-1.3	50	02	1	001	1	CI X X
6	2	18	875.2	-22.4	-26.0	72.5	SE	10.1		-0.9						
6	2	21	874.3	-20.3	-23.7	74.6	SE	16.6	8	-0.9	1.0	38	1	001	1	CI X X
6	2	24	873.1	-21.5	-25.6	69.1	SE	14.1		-1.2						
6	3	3	873.7	-21.8	-25.4	72.9	ESE	17.1	2	0.6						
6	3	6	873.1	-21.6	-25.0	74.3	ESE	20.7		-0.6						
6	3	9	873.0	-21.8	-25.4	72.9	ESE	19.2	0	-0.1	0.5	38	3	001	3	CI X X
6	3	12	872.8	-22.4	-26.1	71.6	ESE	16.6		-0.2						
6	3	15	873.2	-23.0	-26.6	72.9	ESE	20.4	3	0.4	0.1	39	10	XXX	10	XX X X
6	3	18	872.3	-23.5	-27.1	72.8	ESE	23.4		-0.9						
6	3	21	871.5	-24.1	-28.1	70.1	SE	16.9	8	-0.8	0.2	39	10	XXX	10	XX X X
6	3	24	870.8	-25.3	-29.0	70.9	SE	23.4		-0.7						
6	4	3	871.8	-23.0	-26.5	72.9	ESE	22.2	2	1.0						
6	4	6	872.9	-21.8	-25.2	73.8	ESE	22.3		1.1						
6	4	9	874.0	-20.5	-23.8	75.0	SE	19.9	1	1.1	0.05	71	10	XXX	10	XX X X
6	4	12	874.3	-19.2	-22.1	77.6	ESE	20.3		0.3						
6	4	15	875.3	-18.2	-21.0	78.8	ESE	19.6	2	1.0	0.03	71	10	XXX	10	XX X X
6	4	18	876.1	-17.9	-20.8	78.0	SE	16.1		0.8						
6	4	21	876.7	-18.6	-21.7	76.6	SE	13.1	3	0.6	1.0	71	10-	03X	10-AC	X X
6	4	24	876.7	-20.8	-24.5	71.8	SE	13.1		0.0						
6	5	3	875.9	-21.5	-25.4	70.9	SE	13.1	6	-0.8						
6	5	6	876.3	-21.3	-25.1	71.4	SE	13.6		0.4						
6	5	9	877.0	-20.3	-23.8	73.8	ESE	13.8	1	0.7	10	02	10	070	10	AC X X
6	5	12	877.4	-18.2	-21.2	77.4	ESE	19.1		0.4						
6	5	15	878.5	-16.3	-18.6	82.0	ESE	21.2	3	1.1	0.05	71	10	XXX	10	XX X X
6	5	18	879.7	-15.9	-17.8	85.3	ESE	21.1		1.2						
6	5	21	882.0	-16.3	-18.5	83.1	ESE	21.7	1	2.3	0.05	71	10	XXX	10	XX X X
6	5	24	883.3	-16.7	-19.0	82.5	ESE	19.5		1.3						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
6	6	3	884.0	-17.1	-19.4	82.5	ESE	17.3	3	0.7						
6	6	6	884.5	-16.9	-19.6	79.8	ESE	14.4		0.5						
6	6	9	884.3	-16.3	-18.6	82.0	ESE	15.8	8	-0.2	0.3	39	4	001	4	CI X X
6	6	12	883.9	-16.3	-18.9	80.2	ESE	17.4		-0.4						
6	6	15	883.9	-16.2	-18.9	79.8	ESE	15.2	5	0.0	0.3	39	10	5XX	10	SC X X
6	6	18	883.5	-16.4	-19.0	80.6	ESE	17.0		-0.4						
6	6	21	883.5	-17.1	-19.7	80.6	ESE	16.5	5	0.0	0.5	39	5	500	5	SC X X
6	6	24	883.8	-17.6	-20.2	79.9	ESE	15.3		0.3						
6	7	3	884.6	-18.8	-21.4	79.9	ESE	16.2	1	0.8						
6	7	6	885.3	-19.4	-22.1	78.8	ESE	15.2		0.7						
6	7	9	886.4	-20.3	-23.3	77.0	ESE	15.0	1	1.1	10	02	3	001	3	CI X X
6	7	12	887.4	-21.3	-24.6	75.0	E	13.6		1.0						
6	7	15	888.5	-21.9	-25.3	74.5	ESE	15.3	1	1.1	10	02	3	030	3	AC X X
6	7	18	890.0	-22.3	-25.7	73.8	E	13.1		1.5						
6	7	21	891.3	-22.8	-25.9	75.5	ESE	10.3	1	1.3	20	02	1	030	1	AC X X
6	7	24	892.5	-24.8	-28.1	74.4	ENE	6.0		1.2						
6	8	3	893.3	-24.8	-28.4	72.0	ESE	10.5	3	0.8						
6	8	6	894.4	-23.1	-26.9	70.8	ESE	13.8		1.1						
6	8	9	895.0	-22.9	-26.2	74.2	ESE	11.0	3	0.6	30	02	1	030	1	AC X X
6	8	12	895.6	-19.2	-22.6	74.6	ESE	15.0		0.6						
6	8	15	896.2	-17.6	-19.5	85.1	ESE	19.9	3	0.6	2.0	38	6	002	6	CI X X
6	8	18	897.6	-17.0	-19.1	83.3	ESE	20.1		1.4						
6	8	21	899.0	-16.4	-18.3	85.3	ESE	19.0	1	1.4	5.0	38	5	002	5	CI X X
6	8	24	901.2	-15.9	-18.0	84.2	ESE	18.3		2.2						
6	9	3	902.7	-16.0	-18.2	83.0	ESE	17.3	2	1.5						
6	9	6	902.8	-16.1	-18.3	82.9	ESE	16.4		0.1						
6	9	9	902.9	-15.4	-17.5	83.8	ESE	16.4	0	0.1	30	02	1	001	1	CI X X
6	9	12	902.7	-14.5	-16.5	84.9	ESE	18.8		-0.2						
6	9	15	902.9	-14.8	-16.7	85.6	ESE	21.6	0	0.2	0.3	39	2	001	2	CI X X
6	9	18	902.9	-15.0	-17.0	84.8	ESE	22.5		0.0						
6	9	21	902.4	-15.2	-17.5	82.4	ESE	22.1	5	-0.5	0.2	39	3	001	3	CI X X
6	9	24	903.3	-15.7	-18.0	82.8	ESE	19.6		0.9						
6	10	3	903.1	-15.9	-18.7	79.1	ESE	17.6	5	-0.2						
6	10	6	901.6	-16.7	-19.7	77.7	ESE	18.5		-1.5						
6	10	9	899.6	-16.1	-18.7	80.0	ESE	20.1	7	-2.0	0.5	38	3	030	3	AC X X
6	10	12	896.9	-15.5	-18.2	79.8	ESE	21.0		-2.7						
6	10	15	895.1	-15.9	-18.7	79.1	ESE	20.6	8	-1.8	0.5	38	7	031	3	AC X X 6 CI X X
6	10	18	893.5	-16.0	-18.9	78.4	ESE	19.8		-1.6						
6	10	21	892.0	-15.5	-18.5	78.1	ESE	21.3	6	-1.5	0.5	38	8	031	4	AC X X 7 CI X X
6	10	24	890.6	-15.0	-18.1	77.5	ESE	20.0		-1.4						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
6 11 3		888.6	-14.9	-17.7	79.3	ESE	19.1	7	-2.0							
6 11 6		887.1	-14.7	-17.5	79.1	ESE	17.1		-1.5							
6 11 9		884.6	-14.5	-17.6	77.4	ESE	17.7	6	-2.5	0.5	38	5	001	5 CI X X		
6 11 12		882.2	-14.4	-17.3	78.6	ESE	18.8		-2.4							
6 11 15		880.2	-14.6	-17.6	77.8	ESE	19.0	6	-2.0	30	03	10-	007	10-CS X X		
6 11 18		878.4	-15.2	-18.1	78.7	SE	19.3		-1.8							
6 11 21		877.2	-15.6	-19.0	75.3	SE	18.7	6	-1.2	30	02	4	001	4 CI X X		
6 11 24		876.6	-16.0	-20.0	71.0	ESE	18.4		-0.6							
6 12 3		876.4	-16.5	-21.0	68.0	ESE	21.1	5	-0.2							
6 12 6		877.3	-16.7	-21.6	65.7	ESE	18.7		0.9							
6 12 9		878.5	-17.0	-21.8	66.0	ESE	16.4	3	1.2	30	02	1	001	1 CI X X		
6 12 12		879.3	-17.3	-22.8	62.0	ESE	17.3		0.8							
6 12 15		881.6	-17.5	-23.0	61.9	SE	11.3	3	2.3	50	02	0+	001	0+ CI X X		
6 12 18		883.0	-18.3	-23.6	62.8	ESE	14.0		1.4							
6 12 21		883.9	-17.8	-23.2	62.9	ESE	14.9	3	0.9	50	02	0+	001	0+ CI X X		
6 12 24		885.1	-17.6	-23.1	62.3	ESE	13.3		1.2							
6 13 3		885.9	-19.2	-25.0	60.4	SE	11.0	3	0.8							
6 13 6		886.2	-23.2	-29.0	58.9	SE	7.0		0.3							
6 13 9		885.4	-24.8	-30.9	57.3	SE	8.6	7	-0.8	50	02	0	000			
6 13 12		885.3	-25.1	-31.0	57.5	SE	7.4		-0.1							
6 13 15		884.7	-24.7	-30.6	57.8	SE	7.1	5	-0.6	50	03	8	001	8 CI X X		
6 13 18		883.8	-20.7	-26.5	59.3	SE	10.5		-0.9							
6 13 21		883.4	-18.8	-24.1	62.6	ESE	11.2	7	-0.4	50	02	4	001	4 CI X X		
6 13 24		883.6	-16.8	-21.8	64.8	ESE	14.1		0.2							
6 14 3		883.2	-14.7	-19.2	68.4	ESE	18.2	7	-0.4							
6 14 6		882.9	-13.8	-19.4	62.6	ESE	17.4		-0.3							
6 14 9		881.5	-13.6	-19.0	64.0	ESE	16.6	6	-1.4	30	02	4	001	4 CI X X		
6 14 12		880.3	-12.8	-17.6	67.2	ESE	20.6		-1.2							
6 14 15		879.4	-12.5	-18.1	63.2	ESE	19.6	7	-0.9	30	03	10-	077	2 AC X X	10-CS X X	
6 14 18		878.4	-13.4	-17.0	74.3	ESE	21.7		-1.0							
6 14 21		877.9	-14.5	-16.8	82.9	ESE	22.3	6	-0.5	10	02	10-	077	3 AC X X	10-CS X X	
6 14 24		878.3	-15.3	-18.4	77.4	ESE	23.9		0.4							
6 15 3		879.6	-15.4	-20.3	65.9	E	21.5	1	1.3							
6 15 6		880.7	-15.8	-20.4	67.6	E	19.0		1.1							
6 15 9		882.6	-16.5	-21.8	63.3	E	18.2	1	1.9	20	02	7	002	7 CI X X		
6 15 12		882.9	-16.4	-18.1	87.1	E	20.0		0.3							
6 15 15		881.8	-15.8	-17.3	88.3	E	21.0	8	-1.1	0.15	71	10	XXX	10 XX X X		
6 15 18		881.6	-15.8	-17.4	87.2	ESE	20.1		-0.2							
6 15 21		880.8	-15.9	-17.2	89.8	ESE	21.7	7	-0.8	0.1	71	10	XXX	10 XX X X		
6 15 24		879.4	-16.2	-17.7	88.4	ESE	24.3		-1.4							



DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
6 21 3	880.0	-12.1	-12.4	97.5	ESE	18.3	5	-1.8								
6 21 6	879.4	-12.4	-13.2	94.1	ESE	18.1		-0.6								
6 21 9	879.6	-13.2	-14.1	92.8	ESE	17.8	0	0.2	0.4	39	10-	002	10-CI X X			
6 21 12	880.7	-14.2	-15.5	89.7	ESE	17.4		1.1								
6 21 15	882.5	-15.2	-16.6	88.8	ESE	16.5	2	1.8	0.4	39	10-	002	10-CI X X			
6 21 18	883.5	-16.3	-18.9	80.2	ESE	16.6		1.0								
6 21 21	884.8	-17.2	-20.0	78.6	ESE	17.1	1	1.3	0.4	39	10-	002	10-CI X X			
6 21 24	885.8	-18.1	-21.3	75.7	ESE	15.8		1.0								
6 22 3	886.2	-19.6	-22.9	74.6	ESE	16.7	0	0.4								
6 22 6	886.3	-20.5	-24.0	73.3	ESE	15.9		0.1								
6 22 9	886.3	-21.0	-24.4	73.9	ESE	15.9	0	0.0	0.5	38	6	002	6 CI X X			
6 22 12	887.1	-22.1	-26.0	71.2	ESE	15.2		0.8								
6 22 15	887.2	-23.3	-27.3	69.1	E	14.3	3	0.1	0.5	38	7	002	7 CI X X			
6 22 18	887.1	-23.7	-27.9	68.1	ESE	15.4		-0.1								
6 22 21	887.2	-24.4	-28.5	69.4	E	16.2	5	0.1	0.5	38	7	002	7 CI X X			
6 22 24	887.1	-24.4	-28.7	67.1	E	15.1		-0.1								
6 23 3	887.8	-23.8	-27.9	68.9	ESE	12.6	1	0.7								
6 23 6	887.5	-23.0	-27.0	69.8	E	12.7		-0.3								
6 23 9	887.4	-22.4	-26.1	71.6	ESE	13.1	5	-0.1	10	02	5	001	5 CI X X			
6 23 12	886.9	-21.9	-25.7	71.7	ESE	9.7		-0.5								
6 23 15	886.3	-21.5	-25.1	72.7	ESE	12.3	8	-0.6	20	02	10	5XX	10 SC X X			
6 23 18	885.3	-20.1	-23.0	77.4	ESE	14.1		-1.0								
6 23 21	885.0	-19.8	-22.9	75.8	E	14.1	8	-0.3	20	02	10	5XX	10 SC X X			
6 23 24	884.0	-19.5	-22.6	76.3	ESE	14.4		-1.0								
6 24 3	883.4	-19.6	-22.8	75.4	E	16.6	7	-0.6								
6 24 6	882.7	-19.6	-22.8	75.4	ESE	15.4		-0.7								
6 24 9	881.7	-19.6	-22.6	76.9	ESE	15.3	6	-1.0	20	02	10-	501	5 SC X X	10-CI X X		
6 24 12	881.6	-19.6	-22.7	76.2	ESE	16.5		-0.1								
6 24 15	881.0	-19.9	-23.1	76.2	E	15.4	8	-0.6	10	02	10-	507	5 SC X X	10-CS X X		
6 24 18	880.4	-20.2	-23.8	73.2	E	13.5		-0.6								
6 24 21	879.7	-20.3	-23.5	75.4	E	16.2	7	-0.7	10	02	10-	507	2 SC X X	10-CS X X		
6 24 24	879.5	-20.6	-23.9	74.8	ESE	16.9		-0.2								
6 25 3	879.5	-21.0	-24.5	73.0	E	16.6	0	0.0								
6 25 6	878.8	-21.5	-25.3	71.8	E	16.0		-0.7								
6 25 9	878.2	-21.7	-25.2	73.1	E	16.5	5	-0.6	10	02	10-	007	10-CS X X			
6 25 12	877.9	-21.9	-25.6	71.7	E	14.5		-0.3								
6 25 15	877.1	-22.2	-25.9	71.2	E	17.6	7	-0.8	10	02	10-	007	10-CS X X			
6 25 18	876.7	-22.9	-26.8	71.1	E	14.8		-0.4								
6 25 21	877.2	-23.4	-27.1	72.0	ESE	15.7	3	0.5	10	02	10-	507	5 SC X X	10-CS X X		
6 25 24	877.5	-23.2	-26.9	71.6	ESE	16.7		0.3								

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
6	26	3	879.0	-23.8	-27.7	70.0	ESE	15.1	2	1.5						
6	26	6	879.6	-24.2	-28.3	69.0	ESE	15.9		0.6						
6	26	9	882.0	-25.8	-30.0	68.0	SE	7.6	2	2.4	30	02	3	001	3	CI X X
6	26	12	883.9	-26.6	-31.3	64.3	SE	7.5		1.9						
6	26	15	884.9	-34.2	-39.2	61.8	SSE	3.9	1	1.0	50	02	1	001	1	CI X X
6	26	18	885.5	-35.8	-40.2	65.5	SE	4.3		0.6						
6	26	21	886.9	-36.8	-41.9	57.7	SSW	4.5	1	1.4	50	02	0+	001	0+	CI X X
6	26	24	887.2	-31.7	-37.1	58.1	SW	4.6		0.3						
6	27	3	887.6	-37.1	-41.6	64.0	SSE	4.7	1	0.4						
6	27	6	887.3	-36.8	-41.7	61.5	SSE	4.7		-0.3						
6	27	9	887.2	-37.3	-42.3	60.0	SE	3.7	8	-0.1	50	02	1	001	1	CI X X
6	27	12	887.3	-37.2	-41.7	64.0	SSE	4.6		0.1						
6	27	15	887.1	-35.4	-40.4	60.0	SSE	5.7	5	-0.2	50	02	5	001	5	CI X X
6	27	18	886.5	-32.5	-37.5	60.0	SE	6.0		-0.6						
6	27	21	886.2	-30.9	-36.2	59.6	ESE	8.1	8	-0.3	50	02	10-	007	10-CS	X X
6	27	24	886.1	-28.5	-33.2	62.7	ESE	8.9		-0.1						
6	28	3	885.5	-26.1	-30.5	67.1	ESE	7.8	7	-0.6						
6	28	6	884.1	-24.8	-29.1	67.1	E	10.7		-1.4						
6	28	9	883.2	-23.9	-27.9	69.7	ESE	12.5	7	-0.9	40	02	10-	007	10-CS	X X
6	28	12	882.6	-23.3	-27.9	66.0	ESE	10.7		-0.6						
6	28	15	881.2	-22.9	-27.2	68.0	ESE	10.4	6	-1.4	20	02	10-	037	5	AC X X 10-CS X X
6	28	18	879.6	-23.1	-27.4	67.7	ESE	11.2		-1.6						
6	28	21	878.8	-22.3	-26.6	68.0	ESE	12.8	7	-0.8	20	02	10-	037	3	AC X X 10-CS X X
6	28	24	878.0	-21.7	-25.5	71.3	ESE	15.0		-0.8						
6	29	3	877.9	-22.1	-25.5	74.0	E	19.0	8	-0.1						
6	29	6	878.1	-21.9	-25.3	74.5	E	19.3		0.2						
6	29	9	878.2	-21.7	-25.1	74.1	ESE	19.2	3	0.1	0.4	71	10	57X	3	SC X X 10 AC X X
6	29	12	878.5	-21.4	-24.7	74.8	ESE	18.0		0.3						
6	29	15	878.8	-21.2	-24.4	75.2	E	17.9	0	0.3	0.4	71	10	520	3	SC X X 10 AC X X
6	29	18	877.5	-20.9	-24.0	75.9	ESE	19.1		-1.3						
6	29	21	876.5	-20.5	-23.4	77.5	ESE	19.3	7	-1.0	0.3	71	10	510	2	SC X X 10 AC X X
6	29	24	875.2	-21.1	-24.1	76.3	ESE	19.1		-1.3						
6	30	3	874.6	-21.3	-24.4	75.9	ESE	20.0	6	-0.6						
6	30	6	873.9	-20.8	-23.7	77.8	ESE	19.4		-0.7						
6	30	9	873.7	-20.9	-24.0	75.9	ESE	17.3	5	-0.2	10	02	6	031	4	AC X X 5 CI X X
6	30	12	873.6	-20.2	-23.2	77.2	ESE	18.8		-0.1						
6	30	15	873.6	-20.7	-23.7	77.1	ESE	16.5	0	0.0	10	02	10-	031	2	AC X X 10-CI X X
6	30	18	873.6	-22.3	-26.0	71.8	ESE	13.0		0.0						
6	30	21	873.2	-23.3	-27.7	67.0	ESE	10.0	8	-0.4	20	02	10-	007	10-CS	X X
6	30	24	872.7	-24.9	-29.3	66.7	SE	7.5		-0.5						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
7	1	3	872.6	-23.7	-28.3	65.9	SE	8.8	5	-0.1						
7	1	6	872.6	-24.9	-29.1	67.9	SE	10.1		0.0						
7	1	9	872.3	-24.6	-28.5	70.2	SE	11.0	5	-0.3	30	02	4	001	4	CI X X
7	1	12	872.9	-24.4	-29.4	63.5	SE	6.6		0.6						
7	1	15	872.4	-24.6	-28.3	71.4	ESE	9.7	7	-0.5	40	02	3	001	3	CI X X
7	1	18	872.8	-24.9	-29.1	67.9	SE	8.9		0.4						
7	1	21	873.0	-25.2	-29.4	68.4	ESE	6.3	1	0.2	40	02	2	001	2	CI X X
7	1	24	872.5	-25.8	-30.2	66.7	SE	9.9		-0.5						
7	2	3	872.5	-25.8	-30.2	66.7	SE	8.5	0	0.0						
7	2	6	872.5	-26.0	-30.8	63.5	SE	7.9		0.0						
7	2	9	872.1	-24.7	-28.8	68.7	ESE	13.8	6	-0.4	30	02	2	001	2	CI X X
7	2	12	872.3	-24.7	-29.0	67.5	E	12.2		0.2						
7	2	15	872.1	-25.4	-29.8	66.7	E	12.3	7	-0.2	50	02	1	001	1	CI X X
7	2	18	871.0	-25.1	-29.4	67.5	ESE	14.6		-1.1						
7	2	21	870.7	-24.5	-28.4	70.2	ESE	17.8	8	-0.3	10	02	3	001	3	CI X X
7	2	24	871.2	-25.0	-29.1	67.9	ENE	14.2		0.5						
7	3	3	871.3	-25.1	-29.3	67.5	ESE	17.4	2	0.1						
7	3	6	871.0	-25.4	-29.6	67.9	E	16.4		-0.3						
7	3	9	870.3	-26.0	-30.1	67.6	ESE	17.5	7	-0.7	0.5	38	3	001	3	CI X X
7	3	12	870.3	-24.8	-28.9	68.3	ESE	19.1		0.0						
7	3	15	870.4	-25.5	-30.0	66.2	SE	9.4	1	0.1	50	02	0+	001	0+	CI X X
7	3	18	870.1	-25.5	-29.7	67.5	ESE	19.0		-0.3						
7	3	21	869.8	-25.8	-29.9	68.0	ESE	17.1	5	-0.3	30	02	1	001	1	CI X X
7	3	24	870.1	-25.9	-30.1	67.6	ESE	14.3		0.3						
7	4	3	870.3	-26.3	-30.6	66.7	ESE	13.9	1	0.2						
7	4	6	869.3	-26.5	-30.8	67.1	ESE	16.3		-1.0						
7	4	9	868.8	-26.7	-31.1	66.7	ESE	14.3	7	-0.5	30	02	2	001	2	CI X X
7	4	12	868.4	-26.5	-30.9	67.1	ESE	15.5		-0.4						
7	4	15	867.3	-27.0	-31.4	67.2	ESE	11.7	7	-1.1	30	02	1	001	1	CI X X
7	4	18	866.0	-29.2	-33.9	63.6	SE	8.4		-1.3						
7	4	21	864.5	-29.5	-34.2	64.2	SE	7.3	6	-1.5	30	02	1	001	1	CI X X
7	4	24	862.6	-32.2	-36.7	63.4	SE	5.1		-1.9						
7	5	3	860.7	-32.7	-37.2	64.1	SE	5.1	7	-1.9						
7	5	6	858.4	-33.5	-38.0	63.9	SSE	5.6		-2.3						
7	5	9	856.9	-35.4	-39.9	63.3	S	5.3	7	-1.5	30	02	3	001	3	CI X X
7	5	12	855.6	-34.8	-39.2	65.6	SSE	3.9		-1.3						
7	5	15	855.0	-33.5	-38.0	63.9	SSE	5.3	5	-0.6	50	02	3	001	3	CI X X
7	5	18	854.6	-30.7	-35.4	62.5	SE	9.0		-0.4						
7	5	21	855.5	-28.0	-32.6	65.6	SE	11.3	2	0.9	50	02	3	001	3	CI X X
7	5	24	857.6	-26.3	-30.9	65.3	SE	9.5		2.1						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
7	6	3	859.8	-24.2	-28.4	67.8	ESE	14.4	2	2.2						
7	6	6	861.3	-23.0	-27.3	67.7	ESE	15.4		1.5						
7	6	9	862.8	-23.2	-27.5	67.4	SE	12.1	2	1.5	30		02	3	001	3 CI X X
7	6	12	864.1	-25.2	-29.9	64.6	SE	10.3		1.3						
7	6	15	864.4	-27.7	-32.6	63.5	SE	8.2	2	0.3	50		02	2	001	2 CI X X
7	6	18	864.5	-24.4	-28.6	68.2	ESE	15.6		0.1						
7	6	21	865.6	-22.4	-26.4	69.6	ESE	14.8	3	1.1	10		02	5	001	5 CI X X
7	6	24	867.4	-21.8	-26.0	69.2	ESE	15.1		1.8						
7	7	3	868.1	-22.8	-27.3	66.3	ESE	13.1	3	0.7						
7	7	6	868.6	-22.6	-26.9	68.0	ESE	11.8		0.5						
7	7	9	869.0	-23.5	-28.0	66.3	ESE	10.7	1	0.4	50		02	1	001	1 CI X X
7	7	12	869.6	-25.2	-29.9	64.6	ESE	11.0		0.6						
7	7	15	869.6	-25.5	-30.0	66.2	ESE	10.8	0	0.0	30		02	4	001	4 CI X X
7	7	18	869.5	-26.9	-31.6	64.7	ESE	10.2		-0.1						
7	7	21	869.7	-28.3	-33.1	63.3	SE	8.4	3	0.2	30		02	3	001	3 CI X X
7	7	24	869.7	-30.4	-35.8	59.2	SE	6.6		0.0						
7	8	3	869.3	-32.4	-37.6	60.0	SE	5.7	7	-0.4						
7	8	6	869.1	-34.1	-39.2	61.8	SSE	5.3		-0.2						
7	8	9	869.2	-34.1	-39.2	61.8	SSE	6.4	3	0.1	50		02	1	001	1 CI X X
7	8	12	869.4	-33.9	-39.1	60.0	SSE	6.5		0.2						
7	8	15	869.0	-34.0	-39.1	60.0	S	5.6	7	-0.4	50		02	1	001	1 CI X X
7	8	18	868.6	-34.0	-39.0	60.0	S	5.9		-0.4						
7	8	21	868.4	-34.2	-39.1	61.8	N	1.6	8	-0.2	50		02	1	001	1 CI X X
7	8	24	868.1	-38.5	-43.2	59.1	S	2.3		-0.3						
7	9	3	868.0	-39.1	-43.5	61.9	S	3.1	6	-0.1						
7	9	6	867.9	-39.9	-44.3	63.2	SE	3.4		-0.1						
7	9	9	868.7	-37.2	-41.9	60.0	NW	4.0	1	0.8	50		02	1	001	1 CI X X
7	9	12	870.1	-39.9	-44.6	63.2	SSE	5.2		1.4						
7	9	15	871.0	-39.9	-44.3	63.2	S	5.8	2	0.9	50		02	0+	001	0+ CI X X
7	9	18	871.7	-40.8	-45.2	64.7	SE	4.4		0.7						
7	9	21	873.1	-39.0	-43.3	61.9	SE	5.4	2	1.4	50		02	0+	001	0+ CI X X
7	9	24	874.2	-34.9	-39.8	59.4	SE	8.5		1.1						
7	10	3	874.9	-33.7	-38.8	58.3	SE	6.2	3	0.7						
7	10	6	874.7	-35.9	-40.8	58.6	SSE	4.1		-0.2						
7	10	9	873.8	-39.2	-44.0	57.1	S	3.8	7	-0.9	50		02	1	001	1 CI X X
7	10	12	872.7	-40.8	-45.2	64.7	SSW	3.5		-1.1						
7	10	15	871.3	-41.3	-45.9	58.8	SSE	5.3	6	-1.4	50		02	1	001	1 CI X X
7	10	18	871.0	-41.4	-45.9	62.5	SSE	3.4		-0.3						
7	10	21	870.8	-41.1	-45.4	64.7	S	4.4	5	-0.2	50		02	0+	001	0+ CI X X
7	10	24	871.4	-39.3	-43.3	65.0	SSE	5.4		0.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
7 11 3		872.7	-39.0	-43.5	61.9	SSE	5.0	3	1.3							
7 11 6		873.3	-36.0	-40.5	64.3	SE	7.8		0.6							
7 11 9		873.6	-32.8	-37.6	61.5	SE	9.3	2	0.3	50	02	1	001	1 CI X X		
7 11 12		874.7	-32.6	-37.9	57.5	SE	8.1		1.1							
7 11 15		875.1	-31.6	-36.8	59.1	SE	9.0	1	0.4	50	02	1	001	1 CI X X		
7 11 18		874.7	-29.8	-35.1	59.6	SE	10.0		-0.4							
7 11 21		875.3	-30.6	-36.1	58.3	ESE	9.9	1	0.6	50	02	0+	001	0+ CI X X		
7 11 24		876.0	-26.1	-30.7	65.8	ESE	11.0		0.7							
7 12 3		876.4	-24.3	-29.1	64.0	ESE	10.7	3	0.4							
7 12 6		876.4	-22.9	-28.0	62.9	E	13.0		0.0							
7 12 9		876.0	-22.0	-27.2	62.9	E	13.7	7	-0.4	40	02	3	001	3 CI X X		
7 12 12		875.8	-21.1	-26.4	62.3	E	13.2		-0.2							
7 12 15		875.4	-20.3	-25.5	63.1	E	15.3	8	-0.4	20	03	10-	007	10-CS X X		
7 12 18		874.5	-19.0	-24.4	62.0	E	14.2		-0.9							
7 12 21		873.9	-19.6	-24.9	62.3	E	12.6	5	-0.6	20	02	10-	007	10-CS X X		
7 12 24		872.6	-19.8	-25.6	59.4	E	13.1		-1.3							
7 13 3		871.5	-19.5	-25.3	60.3	E	13.3	7	-1.1							
7 13 6		870.2	-20.7	-26.7	58.5	E	10.8		-1.3							
7 13 9		868.9	-22.5	-28.6	57.4	ESE	8.3	7	-1.3	20	02	5	001	5 CI X X		
7 13 12		867.5	-23.4	-29.2	59.1	E	7.9		-1.4							
7 13 15		865.9	-21.8	-27.8	57.9	ESE	11.6	7	-1.6	20	03	10-	07X	10-AC X X		
7 13 18		864.3	-22.5	-28.8	56.4	ESE	10.5		-1.6							
7 13 21		863.0	-25.2	-31.2	57.0	ESE	8.5	7	-1.3	20	02	10-	07X	10-AC X X		
7 13 24		861.8	-24.9	-31.4	55.6	E	13.3		-1.2							
7 14 3		861.0	-24.9	-31.4	55.6	ESE	11.3	7	-0.8							
7 14 6		860.9	-24.6	-30.8	56.0	ESE	13.5		-0.1							
7 14 9		860.6	-26.6	-32.9	55.7	ESE	12.6	5	-0.3	20	02	3	001	3 CI X X		
7 14 12		861.0	-26.1	-32.9	53.4	E	15.3		0.4							
7 14 15		861.3	-26.9	-33.5	52.9	ESE	14.8	1	0.3	30	02	3	031	1 AC X X	3 CI X X	
7 14 18		861.1	-27.7	-34.6	52.4	ESE	14.9		-0.2							
7 14 21		860.7	-29.6	-36.1	52.8	ESE	13.2	6	-0.4	30	02	4	031	1 AC X X	4 CI X X	
7 14 24		859.9	-29.3	-35.6	55.6	ESE	13.9		-0.8							
7 15 3		858.4	-30.3	-36.5	55.1	ESE	11.4	8	-1.5							
7 15 6		857.0	-26.0	-32.6	54.1	ESE	14.6		-1.4							
7 15 9		856.0	-25.2	-31.9	53.2	SE	13.0	7	-1.0	30	02	3	001	3 CI X X		
7 15 12		854.7	-23.0	-29.3	56.3	SE	16.2		-1.3							
7 15 15		853.3	-20.9	-28.0	52.6	SE	16.7	7	-1.4	30	03	9	037	3 AC X X	9 CS X X	
7 15 18		852.5	-18.9	-25.8	54.3	SE	14.4		-0.8							
7 15 21		850.3	-19.4	-26.2	54.5	SE	13.3	7	-2.2	30	02	10-	037	3 AC X X	10-CS X X	
7 15 24		848.9	-17.8	-24.5	55.6	ESE	19.2		-1.4							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
7	16	3	849.0	-17.6	-22.1	67.5	ESE	19.2	3	0.1						
7	16	6	849.1	-17.9	-22.3	68.7	ESE	18.0		0.1						
7	16	9	848.5	-17.9	-24.1	58.0	ESE	19.2	7	-0.6	5.0	38	10	07X	10 AC X X	
7	16	12	848.8	-18.5	-24.8	57.3	ESE	16.8		0.3						
7	16	15	847.1	-18.4	-25.0	56.3	ESE	17.5	8	-1.7	30	02	7	041	2 AC X X	7 CI X X
7	16	18	845.4	-18.2	-25.5	52.7	ESE	17.9		-1.7						
7	16	21	844.1	-17.9	-24.6	56.0	ESE	21.4	8	-1.3	30	02	6	041	1 AC X X	6 CI X X
7	16	24	844.4	-19.3	-23.7	68.4	SE	19.5		0.3						
7	17	3	843.5	-18.8	-23.1	69.1	ESE	18.0	8	-0.9						
7	17	6	842.5	-17.3	-21.4	70.3	ESE	18.0		-1.0						
7	17	9	840.0	-17.1	-20.5	75.0	ESE	23.0	7	-2.5	0.3	39	5	031	3 AC X X	5 CI X X
7	17	12	840.5	-16.5	-18.8	82.2	ESE	23.7		0.5						
7	17	15	842.4	-16.3	-18.4	83.7	ESE	16.5	2	1.9	0.01	71	10	XXX	10 XX X X	
7	17	18	844.3	-16.7	-19.0	82.5	ESE	12.8		1.9						
7	17	21	845.2	-17.2	-19.5	82.4	ESE	14.9	2	0.9	0.2	71	10	XXX	10 XX X X	
7	17	24	847.6	-18.9	-21.5	79.7	ESE	14.9		2.4						
7	18	3	849.0	-18.2	-20.9	79.5	ESE	14.2	2	1.4						
7	18	6	850.1	-20.0	-22.9	77.6	ESE	13.1		1.1						
7	18	9	850.2	-19.1	-22.1	77.0	ESE	17.9	3	0.1	2.0	38	7	031	3 AC X X	7 CI X X
7	18	12	850.4	-19.2	-22.3	76.9	SE	16.5		0.2						
7	18	15	849.5	-19.1	-22.5	74.8	SE	18.5	7	-0.9	0.3	39	5	031	2 AC X X	5 CI X X
7	18	18	848.9	-18.9	-22.1	75.4	ESE	16.1		-0.6						
7	18	21	848.4	-18.9	-22.1	75.4	ESE	16.8	8	-0.5	0.5	38	6	031	2 AC X X	6 CI X X
7	18	24	848.4	-19.9	-23.3	74.6	ESE	14.6		0.0						
7	19	3	848.7	-20.5	-24.0	73.3	ESE	14.8	3	0.3						
7	19	6	849.7	-20.0	-23.3	75.2	ESE	16.4		1.0						
7	19	9	851.6	-19.8	-23.3	73.4	ESE	15.0	2	1.9	1.0	38	10-	037	2 AC X X	10-CS X X
7	19	12	853.6	-18.8	-22.2	74.8	ESE	18.2		2.0						
7	19	15	856.1	-19.5	-23.2	72.5	ESE	16.0	1	2.5	10	02	6	031	3 AC X X	6 CI X X
7	19	18	857.8	-19.2	-22.6	74.6	ESE	17.2		1.7						
7	19	21	859.5	-19.5	-22.9	74.0	ESE	17.4	2	1.7	10	02	5	031	2 AC X X	5 CI X X
7	19	24	861.8	-20.3	-23.9	73.0	ESE	13.0		2.3						
7	20	3	864.2	-21.0	-24.9	70.4	ESE	10.5	2	2.4						
7	20	6	866.1	-21.2	-25.3	69.9	ESE	10.4		1.9						
7	20	9	868.5	-21.8	-26.0	69.2	E	13.0	2	2.4	20	02	5	031	2 AC X X	5 CI X X
7	20	12	870.1	-21.3	-25.6	67.9	ESE	15.1		1.6						
7	20	15	870.9	-21.7	-26.3	66.7	ESE	13.6	3	0.8	30	02	7	031	4 AC X X	5 CI X X
7	20	18	871.5	-20.6	-24.9	68.1	ESE	15.4		0.6						
7	20	21	871.3	-20.6	-23.7	76.5	ESE	16.5	7	-0.2	30	02	7	031	4 AC X X	6 CI X X
7	20	24	870.7	-21.0	-24.9	70.4	ESE	17.2		-0.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
7 21	3	869.1	-20.6	-24.2	73.1	ESE	19.3	7	-1.6							
7 21	6	866.4	-20.9	-26.7	59.5	SE	12.6		-2.7							
7 21	9	863.7	-21.3	-27.2	58.9	SE	13.9	7	-2.7	10	02	5	031	2 AC X X	4 CI X X	
7 21	12	859.0	-20.0	-26.3	57.6	SE	15.2		-4.7							
7 21	15	854.1	-17.7	-21.2	73.9	SE	22.5	7	-4.9	0.5	38	10-	037	5 AC X X	10-CS X X	
7 21	18	850.9	-16.8	-18.6	85.5	ESE	25.9		-3.2							
7 21	21	850.0	-15.1	-16.1	92.1	ESE	24.8	8	-0.9	0.01	71	10	XXX	10 XX X X		
7 21	24	850.4	-15.5	-16.6	91.3	ESE	24.0		0.4							
7 22	3	850.3	-16.1	-17.8	86.3	ESE	21.2	5	-0.1							
7 22	6	849.0	-17.2	-19.6	81.8	ESE	23.3		-1.3							
7 22	9	849.9	-16.8	-19.0	83.0	ESE	22.2	3	0.9	0.5	38	10-	037	4 AC X X	10-CS X X	
7 22	12	851.8	-17.0	-19.3	82.1	ESE	20.5		1.9							
7 22	15	853.8	-17.4	-20.0	80.1	ESE	17.5	2	2.0	10	01	5	031	3 AC X X	5 CI X X	
7 22	18	855.5	-17.3	-20.2	77.8	ESE	14.8		1.7							
7 22	21	857.4	-15.6	-17.6	84.6	ESE	15.2	2	1.9	10	02	8	031	3 AC X X	7 CI X X	
7 22	24	859.4	-15.8	-18.0	83.2	ESE	15.1		2.0							
7 23	3	861.1	-15.9	-18.1	83.6	ESE	15.7	2	1.7							
7 23	6	862.3	-17.5	-20.1	80.0	ESE	16.7		1.2							
7 23	9	863.3	-18.6	-21.4	78.7	ESE	16.2	1	1.0	30	02	5	031	1 AC X X	5 CI X X	
7 23	12	863.4	-18.7	-21.9	75.7	ESE	16.1		0.1							
7 23	15	864.4	-19.2	-22.7	73.9	ESE	15.7	2	1.0	30	02	9	431	1 SC X X	5 AC X X	9 CI X X
7 23	18	864.7	-19.8	-24.4	66.4	ESE	14.4		0.3							
7 23	21	865.0	-19.9	-25.3	62.7	ESE	16.3	1	0.3	30	02	5	031	2 AC X X	5 CI X X	
7 23	24	865.6	-19.9	-25.2	62.7	ESE	18.4		0.6							
7 24	3	867.3	-20.3	-26.0	60.7	ESE	17.1	2	1.7							
7 24	6	868.5	-20.8	-26.0	63.2	ESE	16.8		1.2							
7 24	9	868.2	-20.9	-27.0	57.8	ESE	16.9	6	-0.3	30	02	3	031	1 AC X X	3 CI X X	
7 24	12	868.3	-20.9	-26.9	58.6	ESE	18.1		0.1							
7 24	15	867.6	-20.8	-27.7	53.8	ESE	17.8	7	-0.7	50	02	3	031	1 AC X X	3 CI X X	
7 24	18	866.4	-20.9	-28.0	52.6	ESE	17.9		-1.2							
7 24	21	865.0	-21.2	-28.1	54.0	ESE	19.6	8	-1.4	50	02	3	031	1 AC X X	3 CI X X	
7 24	24	863.2	-21.2	-28.1	54.0	ESE	20.8		-1.8							
7 25	3	862.4	-22.0	-26.7	65.7	ESE	20.0	8	-0.8							
7 25	6	860.2	-22.2	-25.6	73.1	ESE	23.3		-2.2							
7 25	9	860.5	-22.8	-26.1	74.5	SE	21.0	2	0.3	0.3	39	5	031	3 AC X X	3 CI X X	
7 25	12	859.3	-22.7	-26.6	70.7	ESE	18.1		-1.2							
7 25	15	858.1	-21.5	-25.9	67.3	ESE	20.0	7	-1.2	20	02	6	431	2 SC X X	2 AC X X	4 CI X X
7 25	18	857.4	-22.0	-26.8	65.7	SE	16.8		-0.7							
7 25	21	855.9	-21.5	-25.7	69.1	ESE	18.5	8	-1.5	30	02	5	031	4 AC X X	3 CI X X	
7 25	24	854.2	-21.0	-27.3	56.5	ESE	20.1		-1.7							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
7	26	3	853.6	-21.1	-27.5	56.1	ESE	17.9	7	-0.6							
7	26	6	853.7	-21.9	-28.9	52.8	ESE	16.4		0.1							
7	26	9	854.5	-22.4	-29.8	51.0	ESE	16.6	3	0.8	50	02	2	031	1 AC X X	2 CI X X	
7	26	12	855.3	-23.2	-28.3	63.2	ESE	16.7		0.8							
7	26	15	856.1	-24.5	-30.3	58.3	ESE	19.5	2	0.8	50	02	2	031	1 AC X X	1 CI X X	
7	26	18	857.2	-26.1	-31.4	61.6	ESE	18.2		1.1							
7	26	21	858.4	-26.0	-32.1	56.8	ESE	15.5	2	1.2	50	02	1	030	1 AC X X		
7	26	24	859.8	-26.2	-32.9	54.2	ESE	14.3		1.4							
7	27	3	860.5	-25.0	-31.5	54.3	ESE	12.8	1	0.7							
7	27	6	861.0	-24.7	-31.0	55.4	ESE	12.9		0.5							
7	27	9	861.8	-26.9	-33.1	55.9	ESE	10.2	2	0.8	50	02	4	030	4 AC X X		
7	27	12	862.2	-27.2	-33.3	56.1	ESE	10.6		0.4							
7	27	15	862.2	-29.2	-35.3	54.5	ESE	10.2	1	0.0	50	02	1	031	1 AC X X	0+ CI X X	
7	27	18	862.1	-28.3	-34.6	55.0	ESE	12.5		-0.1							
7	27	21	861.8	-27.9	-34.0	56.5	ESE	11.2	8	-0.3	50	02	2	030	2 AC X X		
7	27	24	861.4	-28.6	-34.8	55.2	ESE	11.2		-0.4							
7	28	3	861.5	-29.1	-35.2	56.4	ESE	8.8	0	0.1							
7	28	6	860.4	-28.8	-34.6	57.9	ESE	11.6		-1.1							
7	28	9	860.2	-28.8	-35.0	54.4	ESE	12.2	5	-0.2	50	02	4	030	4 AC X X		
7	28	12	860.4	-28.8	-34.7	56.1	E	12.7		0.2							
7	28	15	860.3	-28.7	-34.8	56.1	ESE	13.9	5	-0.1	30	02	5	431	1 SC X X	2 AC X X	3 CI X X
7	28	18	859.8	-28.9	-35.2	55.4	ESE	13.9		-0.5							
7	28	21	860.1	-29.0	-35.6	53.6	ESE	12.9	3	0.3	30	02	3	431	1 SC X X	1 AC X X	2 CI X X
7	28	24	859.9	-29.7	-36.1	53.8	ESE	12.8		-0.2							
7	29	3	860.2	-29.6	-35.7	54.7	ESE	13.7	0	0.3							
7	29	6	860.5	-29.5	-35.8	54.7	E	12.2		0.3							
7	29	9	860.6	-29.8	-36.4	51.9	ESE	13.4	3	0.1	50	02	4	031	3 AC X X	2 CI X X	
7	29	12	861.4	-29.5	-35.9	54.7	ESE	13.8		0.8							
7	29	15	862.2	-29.0	-35.3	53.6	ESE	15.3	2	0.8	40	02	4	030	2 AC X X	3 CI X X	
7	29	18	862.7	-29.7	-36.0	53.8	ESE	14.3		0.5							
7	29	21	863.7	-28.6	-34.9	55.2	ESE	16.0	2	1.0	40	02	7	431	2 SC X X	3 AC X X	3 CI X X
7	29	24	864.4	-28.8	-35.0	54.4	ESE	15.1		0.7							
7	30	3	865.5	-28.4	-34.9	54.2	ESE	14.9	3	1.1							
7	30	6	865.9	-29.0	-35.2	55.4	ESE	12.8		0.4							
7	30	9	866.5	-28.2	-34.6	55.0	ESE	15.0	3	0.6	40	02	3	031	1 AC X X	2 CI X X	
7	30	12	868.3	-28.1	-34.4	54.1	E	13.3		1.8							
7	30	15	868.9	-27.9	-34.0	56.5	E	12.3	1	0.6	40	03	10-	507	4 SC X X	10-CS X X	
7	30	18	869.6	-28.4	-34.5	55.9	ESE	8.6		0.7							
7	30	21	869.8	-29.9	-36.1	54.9	ESE	7.2	1	0.2	40	02	10-	507	4 SC X X	10-CS X X	
7	30	24	870.1	-33.2	-39.3	54.1	SE	6.2		0.3							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
7 31	3	870.7	-35.3	-41.0	56.7	SE	3.7	2	0.6							
7 31	6	870.9	-36.1	-41.8	57.1	SE	6.8		0.2							
7 31	9	871.9	-38.4	-43.6	59.1	SE	4.7	3	1.0	50	02	4	001	4	CI X X	
7 31	12	872.4	-37.9	-42.9	60.9	SSE	5.0		0.5							
7 31	15	872.5	-39.0	-43.8	61.9	SE	4.7	0	0.1	50	02	3	001	3	CI X X	
7 31	18	872.9	-41.6	-45.8	62.5	SE	4.2		0.4							
7 31	21	872.7	-40.4	-45.6	55.6	SE	6.1	5	-0.2	50	02	1	001	1	CI X X	
7 31	24	872.7	-40.7	-45.3	61.1	SE	5.1		0.0							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8	1	3	872.0	-39.5	-43.5	65.0	SSE	5.8	7	-0.7						
8	1	6	870.7	-41.3	-46.0	58.8	SSE	5.6		-1.3						
8	1	9	869.1	-41.2	-46.0	58.8	SSE	5.7	6	-1.6	50	02	1	001	1	CI X X
8	1	12	867.6	-40.7	-46.2	55.6	SE	3.7		-1.5						
8	1	15	865.7	-37.7	-43.2	54.2	SSE	7.7	7	-1.9	50	02	1	001	1	CI X X
8	1	18	863.5	-34.5	-40.7	54.5	S	7.4		-2.2						
8	1	21	860.9	-31.4	-38.0	51.1	SE	9.3	6	-2.6	50	02	1	001	1	CI X X
8	1	24	859.2	-30.4	-36.6	55.1	SE	4.8		-1.7						
8	2	3	858.4	-30.5	-37.0	53.1	SE	10.2	8	-0.8						
8	2	6	859.0	-28.2	-34.1	56.7	ESE	13.5		0.6						
8	2	9	860.2	-27.7	-33.3	58.7	ESE	17.7	3	1.2	40	02	2	001	2	CI X X
8	2	12	863.4	-26.7	-31.6	63.8	ESE	19.5		3.2						
8	2	15	866.5	-26.1	-31.1	63.0	ESE	19.1	2	3.1	30	02	1	001	1	CI X X
8	2	18	869.8	-25.4	-31.5	56.4	ESE	17.7		3.3						
8	2	21	872.4	-24.6	-31.6	52.4	SE	15.0	2	2.6	30	02	1	001	1	CI X X
8	2	24	873.8	-27.2	-34.0	53.0	SE	10.0		1.4						
8	3	3	874.2	-28.3	-35.1	51.7	SE	9.2	1	0.4						
8	3	6	873.7	-26.3	-32.3	56.9	SE	11.6		-0.5						
8	3	9	873.4	-21.1	-26.5	61.4	ESE	18.3	5	-0.3	30	02	3	001	3	CI X X
8	3	12	873.5	-20.3	-25.7	62.3	ESE	17.2		0.1						
8	3	15	872.7	-19.4	-25.6	57.6	ESE	17.6	8	-0.8	30	03	10-	037	2	AC X X 10-CS X X
8	3	18	872.4	-20.3	-26.9	55.7	ESE	16.3		-0.3						
8	3	21	870.8	-20.8	-26.6	59.8	ESE	20.4	7	-1.6	30	02	10-	037	2	AC X X 10-CS X X
8	3	24	871.3	-21.1	-28.5	51.8	ESE	16.6		0.5						
8	4	3	870.7	-21.4	-29.4	48.6	ESE	17.3	5	-0.6						
8	4	6	869.5	-21.8	-28.4	55.1	ESE	16.6		-1.2						
8	4	9	868.8	-21.3	-28.2	53.6	ESE	18.9	6	-0.7	30	02	10-	037	2	AC X X 10-CS X X
8	4	12	869.0	-21.9	-28.5	55.7	ESE	15.6		0.2						
8	4	15	867.1	-22.7	-29.4	54.5	ESE	15.5	7	-1.9	40	02	10-	047	4	AC X X 10-CS X X
8	4	18	865.8	-22.2	-29.1	52.9	ESE	18.1		-1.3						
8	4	21	864.6	-22.1	-29.4	51.9	ESE	17.3	6	-1.2	40	02	6	041	2	AC X X 5 CI X X
8	4	24	862.7	-21.3	-29.8	46.4	ESE	18.3		-1.9						
8	5	3	862.1	-21.6	-28.8	52.3	ESE	20.3	8	-0.6						
8	5	6	861.5	-21.5	-28.4	53.6	ESE	18.3		-0.6						
8	5	9	860.9	-21.4	-27.6	57.7	ESE	17.3	6	-0.6	30	02	4	031	1	AC X X 4 CI X X
8	5	12	860.8	-20.6	-28.6	48.7	ESE	18.4		-0.1						
8	5	15	859.9	-20.6	-28.3	50.4	ESE	15.6	8	-0.9	40	03	10-	037	1	AC X X 10-CS X X
8	5	18	859.5	-19.7	-27.0	51.9	ESE	15.1		-0.4						
8	5	21	859.3	-19.5	-26.3	55.0	ESE	17.6	7	-0.2	40	02	10-	037	1	AC X X 10-CS X X
8	5	24	859.6	-19.2	-25.3	59.0	ESE	17.5		0.3						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8	6	3	860.3	-19.9	-25.4	61.9	ESE	17.6	2	0.7						
8	6	6	860.0	-20.0	-25.5	61.6	ESE	17.8		-0.3						
8	6	9	860.3	-20.9	-27.7	54.3	ESE	19.6	3	0.3	40	02	8	031	4	AC X X 6 CI X X
8	6	12	860.4	-21.6	-28.9	51.4	ESE	19.0		0.1						
8	6	15	860.3	-21.7	-29.0	51.9	ESE	17.6	5	-0.1	40	02	8	031	2	AC X X 7 CI X X
8	6	18	859.5	-21.1	-28.4	51.8	ESE	19.6		-0.8						
8	6	21	859.4	-20.7	-26.5	59.3	ESE	21.1	5	-0.1	40	02	6	031	1	AC X X 6 CI X X
8	6	24	859.6	-20.4	-26.3	59.5	ESE	18.4		0.2						
8	7	3	859.2	-19.1	-21.6	80.7	ESE	19.3	7	-0.4						
8	7	6	858.8	-19.5	-23.6	69.5	ESE	20.1		-0.4						
8	7	9	858.2	-20.0	-25.6	60.8	ESE	22.7	7	-0.6	40	02	4	031	1	AC X X 4 CI X X
8	7	12	857.8	-19.5	-26.9	51.9	ESE	22.5		-0.4						
8	7	15	857.7	-19.2	-26.5	52.2	ESE	21.0	5	-0.1	40	03	10-	037	3	AC X X 10-CS X X
8	7	18	857.1	-19.8	-27.2	51.6	ESE	19.5		-0.6						
8	7	21	856.2	-19.8	-27.3	50.8	ESE	21.2	6	-0.9	30	02	10	037	7	AC X X X CS X X
8	7	24	856.3	-19.8	-27.6	50.0	ESE	20.6		0.1						
8	8	3	856.6	-20.0	-28.5	47.2	ESE	18.4	3	0.3						
8	8	6	856.3	-21.6	-29.5	48.6	ESE	13.7		-0.3						
8	8	9	856.2	-22.3	-30.6	46.6	ESE	16.8	5	-0.1	40	02	3	001	3	CI X X
8	8	12	857.1	-23.0	-31.5	45.8	ESE	17.0		0.9						
8	8	15	858.4	-24.3	-32.4	46.5	ESE	21.0	1	1.3	40	02	5	001	5	CI X X
8	8	18	859.9	-26.2	-32.7	54.2	ESE	20.6		1.5						
8	8	21	861.2	-27.1	-33.5	53.7	ESE	16.7	2	1.3	40	02	4	001	4	CI X X
8	8	24	860.9	-27.5	-34.1	53.1	ESE	15.1		-0.3						
8	9	3	861.0	-28.0	-34.4	54.1	SE	10.3	0	0.1						
8	9	6	859.8	-25.3	-33.3	46.8	SE	18.5		-1.2						
8	9	9	860.8	-24.2	-32.2	47.1	ESE	20.1	1	1.0	40	02	2	001	2	CI X X
8	9	12	862.2	-23.5	-31.6	47.8	ESE	20.0		1.4						
8	9	15	865.3	-23.4	-29.2	59.1	ESE	14.3	2	3.1	30	03	3	550	1	SC X X 2 AC X X
8	9	18	867.6	-21.4	-28.3	54.1	ESE	14.4		2.3						
8	9	21	868.8	-21.9	-29.1	51.9	ESE	16.1	1	1.2	20	02	10-	53X	2	SC X X 10-AC X X
8	9	24	870.1	-23.3	-30.8	50.0	E	13.6		1.3						
8	10	3	869.7	-23.8	-31.5	48.9	E	13.6	8	-0.4						
8	10	6	869.0	-25.5	-32.8	50.6	ESE	10.9		-0.7						
8	10	9	868.7	-28.9	-35.8	51.8	SSE	5.9	8	-0.3	50	02	0+	001	0+	CI X X
8	10	12	868.1	-30.1	-36.3	56.0	SSE	4.1		-0.6						
8	10	15	867.4	-34.6	-40.5	54.5	S	3.4	8	-0.7	50	02	0+	500	0+	SC X X
8	10	18	866.3	-31.1	-37.6	52.2	SE	7.4		-1.1						
8	10	21	865.1	-28.0	-35.4	49.2	SE	7.5	7	-1.2	50	02	0+	500	0+	SC X X
8	10	24	863.3	-25.6	-33.3	48.7	SE	9.4		-1.8						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8 11 3		862.0	-29.8	-36.5	51.9	SE	7.9	7	-1.3							
8 11 6		860.8	-27.9	-35.1	50.0	ESE	8.7		-1.2							
8 11 9		859.1	-26.5	-34.6	47.1	SE	12.7	8	-1.7	50	02	0	000			
8 11 12		857.8	-24.6	-32.7	46.4	ESE	15.8		-1.3							
8 11 15		856.4	-23.8	-32.3	45.6	ESE	16.2	5	-1.4	50	02	0+	040	0+ AC X X		
8 11 18		855.7	-25.0	-33.0	46.9	E	14.9		-0.7							
8 11 21		854.1	-25.2	-32.2	51.9	ESE	17.9	6	-1.6	50	02	1	040	1 AC X X		
8 11 24		853.4	-25.5	-30.9	61.0	ESE	19.8		-0.7							
8 12 3		853.3	-24.3	-31.6	51.2	SE	20.9	5	-0.1							
8 12 6		854.0	-24.1	-30.4	56.3	ESE	18.6		0.7							
8 12 9		853.8	-23.1	-30.4	51.0	ESE	17.6	5	-0.2	50	02	1	030	1 AC X X		
8 12 12		854.2	-22.2	-29.9	49.0	ESE	20.7		0.4							
8 12 15		855.5	-22.0	-29.6	50.5	SE	18.9	2	1.3	40	03	7	041	3 AC X X	5 CI X X	
8 12 18		856.3	-21.8	-29.0	52.3	ESE	15.1		0.8							
8 12 21		856.3	-21.7	-29.4	50.0	ESE	17.4	5	0.0	30	02	9	041	3 AC X X	8 CI X X	
8 12 24		856.7	-22.3	-30.2	48.5	ESE	18.4		0.4							
8 13 3		857.3	-22.7	-30.1	50.5	ESE	14.4	3	0.6							
8 13 6		857.2	-22.9	-31.0	47.4	ESE	14.2		-0.1							
8 13 9		856.6	-22.9	-31.6	45.4	ESE	16.6	6	-0.6	40	02	7	031	4 AC X X	5 CI X X	
8 13 12		855.9	-23.1	-32.2	42.7	ESE	18.9		-0.7							
8 13 15		855.1	-22.8	-32.4	40.8	ESE	18.3	7	-0.8	50	02	8	045	1 AC X X	8 CS X X	
8 13 18		855.2	-24.5	-33.3	44.0	ESE	17.8		0.1							
8 13 21		855.1	-27.0	-34.1	50.7	E	22.5	8	-0.1	50	02	2	001	2 CI X X		
8 13 24		857.1	-29.6	-32.5	75.5	ESE	23.5		2.0							
8 14 3		859.5	-30.8	-33.8	74.5	ESE	23.0	2	2.4							
8 14 6		862.3	-31.5	-35.0	70.5	ESE	19.6		2.8							
8 14 9		864.1	-31.4	-34.9	71.1	ESE	17.0	2	1.8	0.5	38	4	001	4 CI X X		
8 14 12		865.3	-30.3	-34.3	69.4	ESE	16.3		1.2							
8 14 15		865.9	-29.6	-33.5	67.9	ESE	17.0	0	0.6	1.0	02	8	045	4 AC X X	6 CI X X	
8 14 18		866.5	-29.5	-33.4	69.8	ESE	18.3		0.6							
8 14 21		866.4	-28.3	-32.0	70.0	ESE	19.5	5	-0.1	1.0	02	7	045	3 AC X X	5 CI X X	
8 14 24		865.7	-28.8	-32.7	68.4	ESE	19.9		-0.7							
8 15 3		865.2	-28.9	-32.5	71.4	ESE	18.9	8	-0.5							
8 15 6		864.5	-29.1	-32.9	70.9	ESE	17.9		-0.7							
8 15 9		862.7	-29.1	-32.9	70.9	ESE	19.6	5	-1.8	0.3	39	4	031	1 AC X X	4 CI X X	
8 15 12		861.1	-29.2	-33.0	69.1	ESE	22.3		-1.6							
8 15 15		860.3	-29.2	-32.4	72.7	ESE	19.5	5	-0.8	0.5	38	2	001	2 CI X X		
8 15 18		860.0	-28.0	-31.3	73.8	ESE	18.5		-0.3							
8 15 21		858.6	-26.8	-29.8	75.4	ESE	12.9	7	-1.4	1.0	02	4	001	4 CI X X		
8 15 24		857.6	-26.5	-29.9	72.9	ESE	16.5		-1.0							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8 16	3	857.4	-25.9	-29.4	73.0	ESE	17.1	6	-0.2							
8 16	6	857.6	-25.7	-29.0	73.7	ESE	19.8		0.2							
8 16	9	858.8	-25.5	-29.1	71.4	ESE	17.7	1	1.2	1.0	02	4	001	4 CI X X		
8 16	12	859.2	-25.1	-28.0	76.3	ESE	16.4		0.4							
8 16	15	858.9	-24.2	-27.5	73.6	ESE	15.9	8	-0.3	10	02	6	041	3 AC X X	5 CI X X	
8 16	18	859.5	-25.4	-29.0	71.8	SE	11.7		0.6							
8 16	21	860.4	-25.2	-28.8	72.2	SE	11.6	1	0.9	30	02	2	001	2 CI X X		
8 16	24	863.3	-24.8	-28.4	72.0	SE	13.6		2.9							
8 17	3	868.7	-23.2	-26.3	75.8	ESE	18.9	2	5.4							
8 17	6	873.4	-23.9	-27.5	71.9	ESE	19.2		4.7							
8 17	9	877.2	-24.5	-28.1	72.6	ESE	17.6	2	3.8	50	02	1	030	1 AC X X		
8 17	12	880.8	-25.0	-28.9	69.1	ESE	17.0		3.6							
8 17	15	883.5	-25.7	-29.7	68.4	ESE	13.9	2	2.7	30	02	1	400	1 SC X X		
8 17	18	885.5	-27.5	-31.7	67.2	ESE	11.3		2.0							
8 17	21	886.1	-28.4	-32.7	66.1	ESE	12.0	1	0.6	30	02	1	400	1 SC X X		
8 17	24	887.0	-29.9	-34.4	64.7	ESE	9.0		0.9							
8 18	3	887.2	-30.9	-35.4	63.8	SE	8.9	3	0.2							
8 18	6	886.6	-32.1	-36.8	61.9	SE	9.2		-0.6							
8 18	9	885.8	-33.1	-37.5	63.2	SE	7.9	6	-0.8	50	02	0	000			
8 18	12	885.6	-30.9	-35.5	63.8	ESE	7.7		-0.2							
8 18	15	884.7	-28.7	-33.5	63.2	SE	9.4	8	-0.9	50	03	10-	007	10-CS X X		
8 18	18	883.8	-26.3	-30.8	65.3	ESE	13.3		-0.9							
8 18	21	882.4	-24.6	-29.0	66.7	ESE	14.5	7	-1.4	50	02	10-	007	10-CS X X		
8 18	24	881.4	-23.4	-27.6	68.8	ESE	14.7		-1.0							
8 19	3	880.3	-22.8	-27.2	67.3	ESE	14.6	7	-1.1							
8 19	6	879.4	-22.0	-26.4	67.6	ESE	14.9		-0.9							
8 19	9	879.4	-20.8	-25.0	69.2	ESE	16.6	5	0.0	40	02	10-	037	2 AC X X	10-CS X X	
8 19	12	879.3	-20.2	-24.8	66.7	ESE	16.9		-0.1							
8 19	15	879.6	-20.2	-25.0	65.9	ESE	17.0	1	0.3	30	02	10	02X	10 AS X X		
8 19	18	878.8	-20.4	-23.4	76.9	ESE	16.2		-0.8							
8 19	21	879.5	-21.0	-24.2	75.7	E	15.1	1	0.7	1.0	71	10	02X	10 NS X X		
8 19	24	879.4	-21.1	-24.3	75.4	ESE	15.9		-0.1							
8 20	3	879.8	-20.8	-24.0	75.2	ESE	15.8	1	0.4							
8 20	6	880.0	-20.9	-24.2	75.0	ESE	14.5		0.2							
8 20	9	880.3	-20.8	-24.1	74.4	ESE	14.6	1	0.3	0.3	71	10	02X	10 NS X X		
8 20	12	880.6	-20.7	-23.9	75.4	ESE	15.3		0.3							
8 20	15	880.8	-20.1	-23.1	77.4	ESE	15.2	1	0.2	0.3	71	10	02X	10 NS X X		
8 20	18	881.8	-20.1	-23.3	75.8	ESE	15.2		1.0							
8 20	21	882.8	-20.4	-23.7	75.2	ESE	14.0	1	1.0	5.0	38	10-	031	3 AC X X	10-CI X X	
8 20	24	884.0	-21.5	-25.2	71.8	ESE	10.7		1.2							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8	21	3	885.3	-24.5	-28.6	69.0	SE	6.8	2	1.3						
8	21	6	885.7	-27.1	-31.5	65.7	SE	6.9		0.4						
8	21	9	886.5	-28.7	-33.1	66.7	SE	6.8	1	0.8	50	02	0+	001	0+ CI X X	
8	21	12	886.6	-29.5	-34.2	64.2	SE	6.4		0.1						
8	21	15	886.3	-28.4	-33.1	64.4	SE	6.4	6	-0.3	50	02	3	001	3 CI X X	
8	21	18	885.8	-28.9	-33.7	64.3	SE	7.9		-0.5						
8	21	21	884.7	-26.4	-31.4	63.4	SE	9.2	6	-1.1	50	02	6	001	6 CI X X	
8	21	24	883.5	-22.4	-27.4	63.7	ESE	10.7		-1.2						
8	22	3	882.8	-19.5	-24.5	64.1	ESE	13.5	8	-0.7						
8	22	6	881.8	-17.2	-22.2	65.4	ESE	16.1		-1.0						
8	22	9	881.3	-17.0	-19.7	79.6	ESE	18.0	7	-0.5	7.0	38	10	07X	10 AC X X	
8	22	12	880.5	-17.0	-20.0	77.2	ESE	20.3		-0.8						
8	22	15	879.4	-16.9	-22.5	62.0	ESE	23.2	6	-1.1	10	02	10	032	6 AC X X	10 CI X X
8	22	18	877.7	-16.9	-22.9	59.5	ESE	23.9		-1.7						
8	22	21	876.8	-17.0	-23.1	59.3	ESE	23.5	8	-0.9	10	02	10	07X	10 AC X X	
8	22	24	875.8	-17.0	-23.2	58.6	ESE	23.9		-1.0						
8	23	3	875.4	-17.1	-19.9	78.8	ESE	22.4	5	-0.4						
8	23	6	873.9	-16.9	-18.8	85.3	ESE	23.4		-1.5						
8	23	9	873.5	-16.3	-18.0	86.6	ESE	22.7	8	-0.4	0.05	71	10	XXX	10 XX X X	
8	23	12	873.2	-15.8	-17.6	86.0	ESE	21.6		-0.3						
8	23	15	873.3	-16.0	-17.9	85.2	E	19.6	0	0.1	0.01	71	10	XXX	10 XX X X	
8	23	18	873.7	-17.2	-19.2	84.3	ENE	16.3		0.4						
8	23	21	873.4	-18.0	-20.4	81.2	E	11.6	8	-0.3	0.3	39	10	03X	10 AC X X	
8	23	24	872.7	-18.3	-21.0	79.3	E	14.6		-0.7						
8	24	3	872.2	-18.6	-21.4	78.7	ESE	16.4	5	-0.5						
8	24	6	871.1	-19.5	-22.5	77.1	ESE	18.5		-1.1						
8	24	9	870.1	-20.1	-23.2	76.6	ESE	17.5	7	-1.0	1.0	38	10-	032	6 AC X X	10-CI X X
8	24	12	869.4	-21.0	-24.4	73.9	ESE	17.9		-0.7						
8	24	15	867.6	-20.9	-24.4	73.3	ESE	18.4	8	-1.8	0.2	39	10-	031	7 AC X X	X CI X X
8	24	18	866.3	-21.7	-24.6	77.8	E	17.7		-1.3						
8	24	21	866.5	-23.2	-26.2	75.8	E	17.8	2	0.2	5.0	38	4	031	2 AC X X	3 CI X X
8	24	24	866.9	-24.7	-28.2	72.3	ESE	19.7		0.4						
8	25	3	868.1	-25.7	-29.3	71.1	ESE	20.7	3	1.2						
8	25	6	869.2	-25.2	-29.0	70.9	ESE	19.5		1.1						
8	25	9	870.4	-24.6	-28.2	71.4	ESE	18.5	2	1.2	30	02	6	031	3 AC X X	4 CI X X
8	25	12	870.8	-23.7	-27.6	70.3	ESE	17.2		0.4						
8	25	15	871.7	-23.6	-27.4	71.4	ESE	17.8	1	0.9	50	02	9	041	3 AC X X	9 CI X X
8	25	18	872.4	-23.3	-27.3	69.1	ESE	18.4		0.7						
8	25	21	873.5	-23.2	-27.1	70.5	ESE	18.1	1	1.1	50	01	4	031	1 AC X X	4 CI X X
8	25	24	874.3	-22.6	-26.7	69.0	ESE	15.3		0.8						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8 26 3	875.2	-23.0	-27.7	65.6	SE	13.0	3	0.9								
8 26 6	876.0	-23.6	-28.4	64.8	SE	11.6		0.8								
8 26 9	877.3	-23.8	-28.4	65.6	SE	11.6	2	1.3	50	02	2	031	2	AC X X	1	CI X X
8 26 12	878.7	-21.4	-26.2	64.9	ESE	14.1		1.4								
8 26 15	879.7	-23.3	-28.4	62.8	SE	6.7	1	1.0	50	02	4	041	1	AC X X	3	CI X X
8 26 18	880.2	-23.3	-28.4	62.8	SE	6.6		0.5								
8 26 21	880.5	-23.1	-28.5	61.5	ESE	9.2	3	0.3	50	02	0+	040	0+	AC X X		
8 26 24	881.0	-22.3	-28.0	59.2	SE	9.3		0.5								
8 27 3	882.0	-20.8	-26.7	59.0	SE	13.5	1	1.0								
8 27 6	882.4	-22.6	-28.6	58.0	SE	7.6		0.4								
8 27 9	883.1	-23.8	-29.9	56.7	SE	5.1	3	0.7	50	02	0	000				
8 27 12	882.9	-22.4	-27.9	60.8	SE	8.7		-0.2								
8 27 15	882.6	-18.1	-24.1	58.8	ESE	14.1	7	-0.3	50	02	0+	001	0+	CI X X		
8 27 18	881.7	-17.3	-24.1	55.1	ESE	15.9		-0.9								
8 27 21	881.8	-17.8	-25.0	53.6	ESE	13.3	0	0.1	50	02	0	000				
8 27 24	880.3	-20.9	-27.9	53.4	SE	9.5		-1.5								
8 28 3	878.3	-21.1	-27.6	56.1	SE	10.1	8	-2.0								
8 28 6	876.1	-19.1	-26.2	53.3	SE	12.8		-2.2								
8 28 9	873.4	-16.8	-26.0	44.8	SE	17.0	7	-2.7	50	02	0	000				
8 28 12	872.9	-18.6	-25.7	53.9	SE	9.5		-0.5								
8 28 15	871.1	-19.0	-25.4	56.9	ESE	20.9	7	-1.8	50	02	0	000				
8 28 18	871.2	-21.3	-26.2	64.3	ESE	21.8		0.1								
8 28 21	871.8	-21.7	-28.9	51.9	ESE	18.9	3	0.6	50	02	0	000				
8 28 24	871.4	-21.4	-28.7	51.4	ESE	17.5		-0.4								
8 29 3	871.0	-21.6	-29.3	49.5	ESE	16.5	8	-0.4								
8 29 6	869.8	-21.7	-29.5	49.1	ESE	17.1		-1.2								
8 29 9	869.7	-22.2	-29.9	49.0	ESE	12.5	7	-0.1	50	02	3	001	3	CI X X		
8 29 12	867.8	-21.6	-29.0	51.4	ESE	15.8		-1.9								
8 29 15	866.3	-20.9	-28.9	48.3	ESE	15.6	6	-1.5	50	02	0+	500	0+	SC X X		
8 29 18	864.1	-21.3	-28.9	50.0	ESE	12.1		-2.2								
8 29 21	862.6	-22.9	-29.8	53.6	SSE	6.5	7	-1.5	50	02	0+	500	0+	SC X X		
8 29 24	860.3	-22.8	-30.3	50.0	SE	10.4		-2.3								
8 30 3	858.3	-24.9	-31.8	53.1	SE	7.2	7	-2.0								
8 30 6	855.8	-25.9	-32.8	52.7	SSE	6.5		-2.5								
8 30 9	853.7	-24.9	-32.0	51.9	SE	8.6	7	-2.1	50	02	0	000				
8 30 12	853.1	-24.6	-32.0	50.0	ESE	8.2		-0.6								
8 30 15	852.7	-21.8	-30.0	47.7	ESE	14.9	8	-0.4	50	02	0	000				
8 30 18	854.0	-25.0	-32.7	48.1	SE	8.5		1.3								
8 30 21	854.6	-26.5	-34.1	48.6	ESE	9.0	3	0.6	50	02	0	000				
8 30 24	854.9	-26.1	-34.1	46.6	ESE	13.9		0.3								

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
8 31	3	856.1	-28.1	-35.0	50.8	ESE	10.6	1	1.2							
8 31	6	857.9	-29.4	-36.3	51.9	ESE	8.6		1.8							
8 31	9	859.3	-29.3	-36.4	50.0	E	9.5	3	1.4	50	02	0+	001	0+ CI X X		
8 31	12	861.1	-29.4	-35.9	53.7	ESE	8.8		1.8							
8 31	15	862.8	-28.7	-36.3	49.1	ESE	8.8	2	1.7	50	02	0	000			
8 31	18	864.6	-31.5	-38.6	50.0	SE	5.5		1.8							
8 31	21	866.3	-32.3	-39.7	48.8	SE	5.8	2	1.7	50	02	0	000			
8 31	24	867.9	-33.9	-41.0	48.6	SE	5.1		1.6							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
9	1	3	869.2	-35.0	-42.4	48.4	SE	6.4	3	1.3						
9	1	6	869.8	-34.4	-41.5	48.5	ESE	2.8		0.6						
9	1	9	869.9	-39.5	-45.8	50.0	SE	5.7	5	0.1	50	02	0	000		
9	1	12	870.5	-37.9	-43.6	56.5	SSE	6.7		0.6						
9	1	15	869.4	-33.7	-39.8	52.8	SE	9.3	8	-1.1	50	02	0	000		
9	1	18	867.6	-30.1	-37.0	52.0	E	14.9		-1.8						
9	1	21	865.8	-28.3	-35.6	50.0	ESE	19.2	7	-1.8	50	02	1	001	1	CI X X
9	1	24	864.4	-27.3	-34.7	49.2	E	20.4		-1.4						
9	2	3	862.7	-26.2	-33.7	50.0	E	18.3	7	-1.7						
9	2	6	860.6	-25.2	-29.9	64.6	E	19.8		-2.1						
9	2	9	859.4	-24.1	-31.8	49.4	E	20.7	6	-1.2	50	02	1	001	1	CI X X
9	2	12	857.9	-22.9	-30.9	48.5	ESE	20.0		-1.5						
9	2	15	856.9	-22.4	-30.7	47.1	E	19.9	7	-1.0	50	02	1	001	1	CI X X
9	2	18	855.8	-24.1	-32.2	47.1	ESE	18.5		-1.1						
9	2	21	855.9	-24.8	-32.8	47.6	ESE	16.3	3	0.1	50	02	1	001	1	CI X X
9	2	24	856.5	-24.6	-32.2	48.8	ESE	14.5		0.6						
9	3	3	856.3	-24.5	-32.2	48.8	ESE	16.1	6	-0.2						
9	3	6	857.6	-24.9	-32.2	50.6	ESE	15.2		1.3						
9	3	9	859.6	-24.6	-31.8	51.2	ESE	17.5	2	2.0	50	02	0+	030	0+	AC X X
9	3	12	861.6	-24.3	-31.2	52.3	ESE	15.7		2.0						
9	3	15	863.6	-24.2	-31.0	52.9	ESE	14.8	2	2.0	50	03	8	030	8	AC X X
9	3	18	864.5	-24.8	-32.0	51.2	ESE	14.8		0.9						
9	3	21	866.1	-27.7	-34.3	54.0	ESE	8.2	2	1.6	50	01	1	030	1	AC X X
9	3	24	866.9	-28.0	-34.7	52.5	SE	9.7		0.8						
9	4	3	867.5	-30.5	-37.0	53.1	ESE	6.8	1	0.6						
9	4	6	867.9	-32.3	-38.1	56.1	SE	5.7		0.4						
9	4	9	868.3	-31.8	-38.2	53.5	SE	7.8	1	0.4	50	02	2	030	2	AC X X
9	4	12	868.2	-27.5	-34.4	51.6	SE	8.7		-0.1						
9	4	15	867.9	-28.3	-34.4	55.0	SE	7.4	8	-0.3	50	02	4	030	4	AC X X
9	4	18	866.9	-30.9	-37.5	51.1	SE	7.1		-1.0						
9	4	21	866.1	-31.8	-38.3	53.5	SE	6.6	7	-0.8	50	02	4	031	2	AC X X 3 CI X X
9	4	24	865.1	-31.4	-38.1	51.1	SE	9.4		-1.0						
9	5	3	863.5	-29.9	-36.5	52.9	ESE	8.7	7	-1.6						
9	5	6	862.0	-28.5	-35.8	49.2	ESE	14.8		-1.5						
9	5	9	860.7	-28.7	-36.0	49.1	ESE	13.3	6	-1.3	50	02	0+	030	0+	AC X X
9	5	12	859.6	-28.0	-35.1	50.8	ESE	13.8		-1.1						
9	5	15	858.7	-27.9	-34.9	51.6	SE	10.3	6	-0.9	50	02	0+	001	0+	CI X X
9	5	18	857.8	-29.9	-37.3	49.0	SE	6.4		-0.9						
9	5	21	856.8	-34.5	-41.5	48.5	SSE	7.5	8	-1.0	50	02	0+	001	0+	CI X X
9	5	24	855.8	-31.0	-37.3	54.3	SE	9.6		-1.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
9	6	3	855.4	-32.4	-38.3	57.5	SE	6.0	7	-0.4						
9	6	6	854.8	-28.4	-35.3	50.8	SE	8.8		-0.6						
9	6	9	855.2	-27.5	-34.7	50.0	ESE	13.8	2	0.4	50	02	10-	01X	10-AS X X	
9	6	12	856.2	-27.2	-34.6	50.0	E	14.4		1.0						
9	6	15	857.0	-27.5	-34.7	50.0	ESE	13.4	2	0.8	50	02	8	006	8 CS X X	
9	6	18	858.6	-28.8	-35.8	50.9	ESE	14.3		1.6						
9	6	21	860.5	-30.0	-36.8	51.0	ESE	12.7	2	1.9	50	01	2	001	2 CI X X	
9	6	24	861.8	-30.4	-37.1	51.0	ESE	13.6		1.3						
9	7	3	863.4	-30.6	-37.2	52.1	ESE	13.4	2	1.6						
9	7	6	864.2	-30.6	-37.1	52.1	ESE	14.2		0.8						
9	7	9	865.4	-30.3	-36.8	53.1	ESE	15.0	2	1.2	50	02	1	031	0+ AC X X	1 CI X X
9	7	12	865.8	-28.8	-36.1	49.1	ESE	16.0		0.4						
9	7	15	866.5	-28.1	-35.2	50.8	ESE	16.0	1	0.7	50	02	1	031	0+ AC X X	1 CI X X
9	7	18	866.8	-28.5	-36.0	47.5	E	13.2		0.3						
9	7	21	867.2	-28.6	-36.0	48.3	ESE	15.3	1	0.4	50	02	1	001	1 CI X X	
9	7	24	867.6	-27.8	-35.1	50.0	ESE	16.2		0.4						
9	8	3	867.5	-27.4	-35.2	47.7	ESE	15.9	5	-0.1						
9	8	6	867.7	-26.1	-33.6	49.3	ESE	16.9		0.2						
9	8	9	867.8	-25.9	-32.9	52.7	SE	13.8	0	0.1	50	02	5	001	5 CI X X	
9	8	12	868.1	-24.1	-29.2	63.2	ESE	17.7		0.3						
9	8	15	868.9	-23.1	-28.9	58.3	ESE	16.4	1	0.8	10	03	10-	501	4 SC X X	10-CI X X
9	8	18	869.2	-22.9	-26.4	73.2	ESE	17.5		0.3						
9	8	21	869.7	-22.9	-27.2	68.0	ESE	17.7	3	0.5	10	02	8	501	3 SC X X	8 CI X X
9	8	24	870.0	-23.1	-28.9	58.3	SE	16.9		0.3						
9	9	3	870.3	-24.3	-30.9	54.7	ESE	13.4	0	0.3						
9	9	6	869.8	-22.8	-30.8	48.0	SE	15.7		-0.5						
9	9	9	869.5	-22.8	-31.1	46.9	ESE	15.1	7	-0.3	50	02	0+	031	0+ AC X X	0+ CI X X
9	9	12	869.0	-21.8	-30.1	46.7	ESE	15.5		-0.5						
9	9	15	868.0	-20.8	-29.7	44.4	ESE	16.7	7	-1.0	50	02	0+	030	0+ AC X X	
9	9	18	866.8	-21.1	-30.9	41.2	ESE	15.8		-1.2						
9	9	21	865.2	-21.8	-33.0	35.5	SE	15.2	7	-1.6	50	02	0+	030	0+ AC X X	
9	9	24	862.3	-22.8	-33.2	37.8	SE	14.3		-2.9						
9	10	3	860.6	-25.6	-33.8	46.1	SE	9.2	7	-1.7						
9	10	6	859.6	-24.5	-32.5	47.6	ESE	14.6		-1.0						
9	10	9	860.2	-25.8	-33.3	49.3	SE	13.1	3	0.6	50	02	0+	100	0+ CU X X	
9	10	12	861.4	-23.3	-30.7	51.1	ESE	18.6		1.2						
9	10	15	864.0	-23.5	-27.5	69.6	ESE	18.5	2	2.6	0.3	39	0+	100	0+ CU X X	
9	10	18	866.0	-23.6	-28.9	61.5	ESE	16.1		2.0						
9	10	21	868.3	-22.9	-29.4	55.7	ESE	14.1	2	2.3	10	03	4	001	4 CI X X	
9	10	24	869.9	-21.3	-28.4	52.7	ESE	15.1		1.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
9 11	3	871.3	-21.4	-28.9	50.5	ESE	15.0	1	1.4							
9 11	6	871.9	-21.0	-29.1	47.8	ESE	15.6		0.6							
9 11	9	872.4	-20.1	-28.0	49.2	ESE	14.5	3	0.5	50	02	8	001	8	CI X X	
9 11	12	873.1	-17.2	-24.1	54.7	ESE	17.1		0.7							
9 11	15	873.7	-16.1	-23.2	54.3	ESE	17.3	3	0.6	50	01	4	001	4	CI X X	
9 11	18	875.1	-16.9	-24.3	52.8	ESE	18.5		1.4							
9 11	21	875.9	-16.1	-24.4	48.6	SE	19.0	3	0.8	50	03	7	001	7	CI X X	
9 11	24	876.7	-16.6	-24.7	49.7	ESE	20.0		0.8							
9 12	3	876.4	-17.1	-25.1	50.0	ESE	20.6	5	-0.3	50	02	1	001	1	CI X X	
9 12	6	877.0	-18.0	-22.4	68.5	ESE	21.6		0.6							
9 12	9	878.4	-17.5	-20.8	75.5	ESE	20.6	2	1.4	0.2	39	8	501	3	SC X X	7 CI X X
9 12	12	879.6	-16.6	-20.3	73.1	ESE	18.9		1.2							
9 12	15	880.0	-16.7	-23.0	57.8	ESE	15.2	0	0.4	40	02	8	501	3	SC X X	7 CI X X
9 12	18	879.0	-16.7	-23.8	54.2	ESE	13.5		-1.0							
9 12	21	878.0	-16.4	-24.2	51.2	ESE	15.5	7	-1.0	50	02	8	007	8	CS X X	
9 12	24	876.4	-17.6	-26.6	45.5	SE	13.3		-1.6							
9 13	3	875.8	-18.3	-26.4	49.0	SE	11.0	7	-0.6							
9 13	6	875.0	-19.9	-28.0	48.4	ESE	10.9		-0.8							
9 13	9	874.2	-22.7	-30.2	50.5	SE	7.2	6	-0.8	50	02	1	001	1	CI X X	
9 13	12	872.8	-19.9	-27.5	50.8	ESE	14.2		-1.4							
9 13	15	872.4	-20.5	-27.5	53.3	ESE	10.2	5	-0.4	50	02	1	002	1	CI X X	
9 13	18	872.7	-23.0	-30.6	50.0	S	5.5		0.3							
9 13	21	872.2	-27.5	-34.6	51.6	SE	6.4	6	-0.5	50	02	1	001	1	CI X X	
9 13	24	872.5	-30.4	-36.7	53.1	SSE	4.8		0.3							
9 14	3	872.8	-31.4	-37.4	55.6	SSE	5.7	1	0.3							
9 14	6	873.3	-32.6	-38.0	57.5	SSE	3.8		0.5							
9 14	9	873.6	-29.8	-36.1	53.8	SW	2.2	3	0.3	50	02	7	032	2	AC X X	7 CI X X
9 14	12	874.0	-30.0	-35.4	58.8	SSW	1.5		0.4							
9 14	15	874.9	-25.7	-32.0	55.3	SW	2.4	1	0.9	50	02	10-	007	10	CS X X	
9 14	18	874.9	-25.8	-31.7	57.3	SSW	3.3		0.0							
9 14	21	875.2	-25.7	-32.9	51.3	SW	4.8	1	0.3	30	02	10-	02X	10-AS	X X	
9 14	24	875.5	-25.2	-31.5	55.7	SW	5.4		0.3							
9 15	3	876.3	-24.5	-28.9	66.7	SW	1.1	2	0.8							
9 15	6	876.8	-30.8	-35.3	63.8	SSE	1.3		0.5							
9 15	9	877.7	-34.4	-38.8	63.6	SE	2.9	3	0.9	40	02	2	531	1	SC X X	1 AC X X 0+ CI X X
9 15	12	878.6	-31.4	-35.4	66.7	SSE	2.9		0.9							
9 15	15	878.3	-29.8	-34.6	63.5	S	5.0	6	-0.3	50	02	8	006	8	CS X X	
9 15	18	878.2	-30.6	-35.5	62.5	S	4.7		-0.1							
9 15	21	878.9	-34.1	-38.5	64.7	SW	2.0	1	0.7	50	02	4	001	4	CI X X	
9 15	24	879.3	-36.3	-41.6	57.1	S	3.9		0.4							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
9 16	3	879.3	-37.2	-42.8	56.0	SSE	5.9	0	0.0							
9 16	6	879.4	-32.4	-39.7	50.0	SE	7.3		0.1							
9 16	9	879.3	-36.1	-41.6	57.1	S	4.2	5	-0.1	50	02	0+	500	0+ SC X X		
9 16	12	879.3	-34.3	-40.5	52.9	SW	2.5		0.0							
9 16	15	878.7	-31.9	-38.1	54.8	SSW	5.2	6	-0.6	50	02	0+	001	0+ CI X X		
9 16	18	878.7	-36.5	-41.2	63.0	SW	1.2		0.0							
9 16	21	878.8	-39.4	-44.0	60.0	SSE	4.6	3	0.1	50	02	0+	001	0+ CI X X		
9 16	24	878.3	-37.4	-41.8	64.0	SW	4.3		-0.5							
9 17	3	877.1	-39.3	-43.6	65.0	SSW	3.1	8	-1.2							
9 17	6	876.0	-41.5	-46.7	56.3	SE	2.8		-1.1							
9 17	9	875.2	-37.8	-42.9	58.3	SE	0.8	6	-0.8	50	02	0	000			
9 17	12	874.9	-26.5	-36.7	37.1	NW	1.7		-0.3							
9 17	15	874.9	-32.2	-38.4	53.7	S	3.4	0	0.0	50	02	0	000			
9 17	18	873.7	-28.3	-32.8	65.0	ESE	13.6		-1.2							
9 17	21	873.7	-28.4	-32.5	67.8	ESE	16.2	1	0.0	0.8	38	0+	001	0+ CI X X		
9 17	24	874.1	-28.5	-33.0	64.4	ESE	15.9		0.4							
9 18	3	874.1	-27.8	-32.5	64.5	E	17.8	5	0.0							
9 18	6	873.6	-27.2	-32.7	59.1	E	18.2		-0.5							
9 18	9	874.0	-26.1	-32.7	53.4	E	18.7	2	0.4	30	02	10	02X	10 AS X X		
9 18	12	874.8	-24.8	-30.4	59.8	ESE	18.6		0.8							
9 18	15	875.1	-23.5	-29.5	57.6	ESE	18.0	0	0.3	10	02	10	52X	4 SC X X	10 AS X X	
9 18	18	875.4	-22.8	-28.7	58.2	ESE	18.7		0.3							
9 18	21	875.5	-22.3	-26.6	68.0	ESE	19.9	3	0.1	0.5	38	10	52X	5 SC X X	10 AS X X	
9 18	24	875.9	-21.4	-26.8	62.2	ESE	19.2		0.4							
9 19	3	875.7	-20.7	-24.7	70.3	ESE	20.2	8	-0.2							
9 19	6	874.4	-19.5	-22.7	75.6	ESE	20.4		-1.3							
9 19	9	873.7	-18.5	-20.9	81.1	ESE	20.8	6	-0.7	0.08	71	10	XXX	10 XX X X		
9 19	12	872.5	-17.6	-19.9	81.8	ESE	23.8		-1.2							
9 19	15	870.7	-16.7	-20.2	74.1	ESE	22.8	7	-1.8	10	02	10	52X	4 SC X X	10 AS X X	
9 19	18	868.2	-15.9	-20.3	68.9	ESE	23.3		-2.5							
9 19	21	866.6	-15.6	-20.8	64.3	ESE	22.8	5	-1.6	30	02	10	52X	2 SC X X	10 AS X X	
9 19	24	865.2	-15.3	-20.8	62.9	ESE	22.1		-1.4							
9 20	3	863.5	-15.2	-20.9	61.7	ESE	22.4	6	-1.7							
9 20	6	861.2	-15.0	-21.1	59.7	ESE	21.8		-2.3							
9 20	9	860.4	-15.1	-21.0	60.5	ESE	22.6	7	-0.8	30	02	10	037	2 AC X X	10 CS X X	
9 20	12	859.3	-15.6	-21.5	60.4	ESE	20.6		-1.1							
9 20	15	858.9	-15.7	999.9	999.9	ESE	20.2	5	-0.4	30	02	10-	03X	10-AC X X		
9 20	18	859.5	-16.3	-24.0	51.2	ESE	18.4		0.6							
9 20	21	860.6	-17.5	-25.0	52.3	ESE	18.2	2	1.1	30	02	10-	037	4 AC X X	10 CS X X	
9 20	24	862.3	-18.3	-26.3	49.7	ESE	18.0		1.7							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
9 21	3	864.0	-19.0	-27.0	48.9	ESE	18.5	3	1.7							
9 21	6	865.0	-19.2	-27.0	50.0	ESE	19.8		1.0							
9 21	9	866.9	-18.9	-26.5	50.7	ESE	18.7	2	1.9	30	02	10-	53X	5 SC X X	6 AC X X	X CI X X
9 21	12	868.4	-18.3	-26.8	47.6	ESE	17.1		1.5							
9 21	15	869.4	-16.4	-25.8	44.1	ESE	17.0	2	1.0	50	02	10-	03X	10-AC X X		
9 21	18	870.7	-17.5	-26.2	46.5	ESE	12.5		1.3							
9 21	21	871.7	-18.3	-27.3	44.8	ESE	14.2	3	1.0	50	01	2	001	2 CI X X		
9 21	24	872.6	-18.2	-27.3	44.5	ESE	19.5		0.9							
9 22	3	873.7	-18.0	-26.9	45.6	ESE	19.3	2	1.1							
9 22	6	875.0	-18.3	-26.8	47.6	ESE	18.9		1.3							
9 22	9	876.2	-18.0	-25.6	51.0	ESE	21.8	2	1.2	50	02	10-	037	3 AC X X	10-CS X X	
9 22	12	877.1	-17.5	-25.0	52.3	ESE	22.4		0.9							
9 22	15	877.3	-16.4	-24.4	50.0	ESE	21.2	1	0.2	50	02	10-	007	10-CS X X		
9 22	18	878.0	-16.3	-24.8	47.7	E	16.5		0.7							
9 22	21	878.3	-17.1	-25.8	46.9	ESE	15.4	0	0.3	50	02	6	031	1 AC X X	6 CI X X	
9 22	24	878.2	-16.6	-25.4	46.7	ESE	14.8		-0.1							
9 23	3	878.1	-16.7	-26.2	43.4	ESE	13.7	0	-0.1							
9 23	6	877.0	-16.8	-26.5	42.4	ESE	11.4		-1.1							
9 23	9	875.8	-15.6	-26.1	40.1	ESE	13.4	0	-1.2	50	02	3	001	3 CI X X		
9 23	12	874.6	-13.7	-24.4	39.9	ESE	16.4		-1.2							
9 23	15	872.0	-13.5	-24.8	38.0	ESE	21.4	8	-2.6	50	02	2	002	2 CI X X		
9 23	18	871.8	-15.9	-26.4	40.1	ESE	17.4		-0.2							
9 23	21	871.1	-18.2	-28.5	40.4	ESE	19.3	8	-0.7	50	02	1	001	1 CI X X		
9 23	24	870.1	-19.7	-29.8	40.3	ESE	20.4		-1.0							
9 24	3	869.1	-21.1	-30.5	43.0	ESE	20.5	8	-1.0							
9 24	6	868.1	-22.2	-31.5	42.3	ESE	22.0		-1.0							
9 24	9	868.3	-22.5	-30.3	48.5	ESE	21.2	3	0.2	50	02	1	001	1 CI X X		
9 24	12	868.7	-22.6	-29.8	52.0	ESE	21.6		0.4							
9 24	15	870.1	-22.9	-26.7	71.1	ESE	19.3	3	1.4	0.2	39	3	030	3 AC X X		
9 24	18	870.3	-23.3	-28.4	62.8	ESE	17.0		0.2							
9 24	21	871.3	-23.9	-29.1	61.8	ESE	20.8	2	1.0	10	02	4	030	4 AC X X		
9 24	24	872.2	-24.2	-31.1	52.9	ESE	19.0		0.9							
9 25	3	872.6	-22.8	-30.1	51.0	ESE	18.0	0	0.4							
9 25	6	873.6	-23.6	-31.0	50.5	SE	15.0		1.0							
9 25	9	873.7	-23.2	-30.9	49.5	SE	16.4	2	0.1	50	02	8	53X	3 SC X X	8 AC X X	
9 25	12	874.0	-22.0	-29.7	49.5	ESE	18.5		0.3							
9 25	15	874.0	-21.0	-28.3	52.2	SE	16.8	5	0.0	50	02	10-	007	10 CS X X		
9 25	18	873.9	-21.2	-27.8	54.9	ESE	16.1		-0.1							
9 25	21	874.2	-21.0	-27.9	53.9	ESE	13.9	3	0.3	50	02	10-	537	2 SC X X	4 AC X X	10-CS X X
9 25	24	874.1	-20.6	-27.1	56.3	ESE	13.3		-0.1							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
9 26 3	874.4	-19.8	-26.5	54.7	ESE	15.6	1	0.3								
9 26 6	875.1	-20.4	-26.9	56.2	ESE	14.7		0.7								
9 26 9	875.7	-20.2	-27.0	54.5	ESE	13.1	1	0.6	50	02	10-	037	3	AC X X	10-CS X X	
9 26 12	876.4	-19.6	-26.9	52.3	ESE	12.7		0.7								
9 26 15	876.1	-18.7	-25.6	54.3	ESE	12.6	6	-0.3	50	01	1	002	1	CI X X		
9 26 18	876.2	-19.1	-25.5	57.0	ESE	12.0		0.1								
9 26 21	876.5	-19.6	-27.0	51.5	ESE	14.1	0	0.3	50	02	2	031	2	AC X X	0+ CI X X	
9 26 24	876.4	-20.1	-27.8	50.0	ESE	13.1		-0.1								
9 27 3	876.7	-19.8	-27.5	50.0	ESE	15.2	0	0.3								
9 27 6	877.2	-19.4	-26.9	51.5	ESE	13.4		0.5								
9 27 9	878.0	-17.8	-25.4	51.7	ESE	14.9	3	0.8	30	02	10-	507	5	SC X X	10-CS X X	
9 27 12	878.6	-16.3	-23.7	52.9	ESE	14.5		0.6								
9 27 15	879.3	-15.6	-22.9	53.3	ESE	15.8	2	0.7	40	02	10-	037	4	AC X X	10-CS X X	
9 27 18	881.0	-15.9	-24.0	49.7	ESE	16.2		1.7								
9 27 21	882.9	-16.4	-24.4	50.0	ESE	14.2	1	1.9	40	02	10-	037	4	AC X X	10-CS X X	
9 27 24	884.0	-16.9	-25.1	49.1	ESE	13.3		1.1								
9 28 3	885.3	-18.0	-26.8	46.3	ESE	13.3	3	1.3								
9 28 6	884.6	-17.1	-24.8	51.3	ESE	18.2		-0.7								
9 28 9	885.3	-16.0	-23.3	53.4	ESE	17.6	1	0.7	40	02	10	02X	10	AS X X		
9 28 12	885.8	-15.3	-23.2	51.1	ESE	18.4		0.5								
9 28 15	886.0	-15.0	-22.5	52.9	ESE	17.3	0	0.2	30	02	10	02X	10	AS X X		
9 28 18	886.6	-15.1	-22.9	51.1	ESE	18.4		0.6								
9 28 21	887.7	-15.6	-22.3	56.6	ESE	17.7	2	1.1	30	02	10	02X	10	AS X X		
9 28 24	887.4	-16.0	-24.1	49.4	ESE	16.3		-0.3								
9 29 3	887.7	-16.0	-25.5	43.8	ESE	15.9	1	0.3								
9 29 6	887.8	-16.1	-24.9	46.3	E	17.1		0.1								
9 29 9	887.8	-17.0	-27.0	41.4	ESE	17.0	5	0.0	40	02	9	002	9	CI X X		
9 29 12	887.9	-16.6	-26.0	44.3	ESE	16.7		0.1								
9 29 15	887.9	-16.8	-25.8	45.5	ESE	16.5	5	0.0	50	02	6	042	3	AC X X	4 CI X X	
9 29 18	887.9	-17.1	-25.9	46.3	ESE	15.1		0.0								
9 29 21	887.7	-17.3	-26.2	45.6	ESE	16.2	6	-0.2	50	02	7	032	6	AC X X	X CI X X	
9 29 24	887.9	-17.6	-27.0	43.5	ESE	16.2		0.2								
9 30 3	888.8	-18.3	-27.5	44.1	ESE	14.9	1	0.9								
9 30 6	888.6	-17.9	-26.6	46.7	ESE	15.4		-0.2								
9 30 9	888.4	-17.8	-25.5	51.0	ESE	16.2	8	-0.2	30	02	10	02X	10	AS X X		
9 30 12	888.3	-17.7	-25.9	48.4	E	17.0		-0.1								
9 30 15	888.2	-16.8	-25.7	46.1	E	15.3	0	-0.1	50	02	10-	07X	10	AC X X		
9 30 18	887.4	-17.2	-26.3	45.3	E	13.7		-0.8								
9 30 21	887.4	-18.1	-27.0	45.3	ESE	13.0	5	0.0	50	02	10-	032	6	AC X X	7 CI X X	
9 30 24	887.0	-18.4	-27.0	46.5	ESE	13.3		-0.4								

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10	1	3	886.4	-19.9	-27.7	50.0	ESE	11.6	8	-0.6						
10	1	6	885.1	-20.2	-28.2	48.8	ESE	12.7		-1.3						
10	1	9	884.2	-20.0	-27.3	52.0	ESE	11.8	6	-0.9	40	02	7	002	7	CI X X
10	1	12	883.3	-19.3	-26.4	53.4	ESE	13.0		-0.9						
10	1	15	882.1	-18.9	-26.2	52.2	ESE	12.7	7	-1.2	50	02	7	002	7	CI X X
10	1	18	881.1	-19.6	-26.7	53.1	ESE	11.9		-1.0						
10	1	21	880.7	-21.6	-28.3	55.0	ESE	10.2	7	-0.4	50	02	0+	030	0+	AC X X
10	1	24	880.5	-22.3	-28.9	54.4	ESE	10.6		-0.2						
10	2	3	880.6	-23.5	-29.9	55.4	ESE	9.9	3	0.1						
10	2	6	880.5	-22.9	-29.6	54.6	ESE	11.7		-0.1						
10	2	9	880.6	-23.2	-29.4	56.8	ESE	10.2	3	0.1	40	02	3	031	2	AC X X 1 CI X X
10	2	12	880.4	-20.7	-26.8	58.5	ESE	13.3		-0.2						
10	2	15	880.3	-20.1	-26.0	59.7	ESE	13.8	0	-0.1	30	02	10-	57X	3	SC X X 10-AC X X
10	2	18	880.0	-20.0	-25.7	60.8	ESE	14.0		-0.3						
10	2	21	880.3	-20.0	-23.6	72.8	ESE	14.4	1	0.3	5.0	71	10	52X	5	SC X X 10 NS X X
10	2	24	880.1	-19.2	-24.8	61.2	ESE	14.2		-0.2						
10	3	3	879.6	-19.1	-26.4	52.6	ESE	14.0	8	-0.5						
10	3	6	879.7	-18.8	-26.0	53.2	ESE	11.9		0.1						
10	3	9	879.7	-19.0	-25.8	54.7	ESE	10.8	0	0.0	30	02	10-	57X	4	SC X X 6 AC X X
10	3	12	878.9	-17.3	-24.4	53.8	ESE	10.3		-0.8						
10	3	15	877.7	-16.6	-24.1	52.1	ESE	9.4	8	-1.2	50	02	3	032	1	AC X X 3 CI X X
10	3	18	876.2	-19.0	-26.2	52.6	SE	7.5		-1.5						
10	3	21	875.6	-20.4	-28.3	49.6	SE	7.9	7	-0.6	50	02	8	032	2	AC X X 8 CI X X
10	3	24	874.4	-20.3	-29.3	44.3	SE	10.5		-1.2						
10	4	3	872.9	-21.2	-29.9	45.1	SE	11.3	7	-1.5						
10	4	6	871.9	-21.3	-29.4	48.2	SE	12.4		-1.0						
10	4	9	871.7	-20.3	-29.4	44.3	SE	13.6	7	-0.2	50	02	1	032	0+	AC X X 1 CI X X
10	4	12	871.1	-17.5	-26.9	43.9	SE	15.4		-0.6						
10	4	15	870.1	-16.3	-23.8	52.3	ESE	13.1	7	-1.0	50	03	9	007	9	CS X X
10	4	18	869.1	-16.6	-23.4	55.7	ESE	14.2		-1.0						
10	4	21	869.4	-17.5	-23.5	59.4	ESE	14.3	3	0.3	50	02	8	007	8	CS X X
10	4	24	869.3	-18.7	-25.6	54.3	ESE	13.4		-0.1						
10	5	3	869.0	-19.4	-27.1	50.8	ESE	13.0	8	-0.3						
10	5	6	868.1	-20.1	-27.5	51.6	ESE	11.7		-0.9						
10	5	9	867.5	-20.8	-28.1	52.1	ESE	12.1	7	-0.6	50	02	2	002	2	CI X X
10	5	12	866.8	-20.0	-27.3	52.0	E	11.6		-0.7						
10	5	15	866.4	-20.0	-26.6	56.0	E	10.9	7	-0.4	50	02	1	001	1	CI X X
10	5	18	865.7	-21.4	-27.5	57.7	ESE	7.6		-0.7						
10	5	21	866.0	-23.6	-29.6	58.2	ESE	9.4	2	0.3	50	03	5	034	2	AC X X 4 CI X X
10	5	24	866.8	-25.7	-32.2	53.9	ESE	7.4		0.8						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10	6	3	867.0	-24.6	-32.5	47.6	ESE	8.7	2	0.2						
10	6	6	867.3	-24.7	-33.2	44.6	ESE	10.3		0.3						
10	6	9	867.8	-23.6	-32.5	44.0	ESE	13.4	2	0.5	50	03	9	054	8 AC X X	X CI X X
10	6	12	868.4	-22.7	-31.7	43.4	ESE	12.7		0.6						
10	6	15	869.2	-22.2	-29.9	49.0	E	10.4	2	0.8	50	02	9	591	1 SC X X	8 AC X X X CI X X
10	6	18	869.3	-23.3	-29.5	56.4	E	7.3		0.1						
10	6	21	870.2	-26.1	-32.3	56.2	ESE	6.2	2	0.9	50	02	8	050	8 AC X X	
10	6	24	870.7	-26.6	-33.2	52.9	ESE	6.6		0.5						
10	7	3	871.2	-25.3	-34.0	44.3	ESE	11.3	2	0.5						
10	7	6	871.8	-25.5	-34.0	45.5	ESE	10.0		0.6						
10	7	9	872.2	-24.2	-33.6	41.4	ESE	13.7	2	0.4	50	02	7	030	7 AC X X	
10	7	12	873.0	-22.8	-31.5	44.9	ESE	14.3		0.8						
10	7	15	873.3	-21.9	-28.4	55.7	ESE	14.0	3	0.3	50	01	3	041	1 AC X X	3 CI X X
10	7	18	873.8	-22.6	-29.2	55.0	E	12.4		0.5						
10	7	21	875.4	-23.8	-31.2	50.0	ESE	12.8	1	1.6	50	02	2	042	0+ AC X X	2 CI X X
10	7	24	876.7	-23.5	-31.3	48.9	ESE	13.9		1.3						
10	8	3	877.7	-24.2	-32.3	47.1	ESE	11.7	1	1.0						
10	8	6	878.0	-24.3	-32.6	46.5	ESE	12.4		0.3						
10	8	9	879.2	-22.8	-31.1	46.9	ESE	12.5	2	1.2	50	02	3	032	2 AC X X	1 CI X X
10	8	12	879.8	-20.5	-28.7	47.5	ESE	12.2		0.6						
10	8	15	880.2	-19.0	-26.4	51.8	ESE	13.4	3	0.4	50	02	3	002	3 CI X X	
10	8	18	880.6	-19.4	-27.1	50.8	ESE	9.1		0.4						
10	8	21	880.3	-20.5	-29.7	43.3	SE	11.5	8	-0.3	50	02	4	002	4 CI X X	
10	8	24	879.7	-22.3	-30.9	45.6	ESE	11.3		-0.6						
10	9	3	878.6	-23.1	-31.4	46.9	ESE	11.4	8	-1.1						
10	9	6	877.6	-23.5	-32.1	45.7	ESE	9.7		-1.0						
10	9	9	877.0	-20.1	-30.2	40.3	SE	16.1	6	-0.6	50	02	0+	001	0+ CI X X	
10	9	12	877.7	-19.5	-24.8	62.6	ESE	17.5		0.7						
10	9	15	878.9	-18.4	-23.3	65.3	ESE	17.3	2	1.2	1.0	38	0+	001	0+ CI X X	
10	9	18	880.1	-18.2	-24.7	56.8	ESE	16.5		1.2						
10	9	21	881.2	-19.3	-25.8	56.4	ESE	15.8	3	1.1	50	02	0+	101	0+ CU X X	0+ CI X X
10	9	24	883.0	-20.2	-29.2	44.7	ESE	20.6		1.8						
10	10	3	884.3	-21.8	-30.3	45.8	ESE	19.1	1	1.3						
10	10	6	884.9	-22.7	-27.7	63.6	ESE	19.3		0.6						
10	10	9	885.4	-22.5	-26.4	70.3	ESE	19.9	1	0.5	0.1	39	0+	001	0+ CI X X	
10	10	12	885.6	-21.4	-25.2	71.2	ESE	21.4		0.2						
10	10	15	885.6	-20.4	-24.3	71.1	ESE	18.5	0	0.0	0.5	38	0+	001	0+ CI X X	
10	10	18	884.7	-20.5	-24.9	67.5	ESE	17.4		-0.9						
10	10	21	884.0	-22.1	-27.5	61.5	ESE	14.4	8	-0.7	50	02	0	000		
10	10	24	883.4	-22.4	-27.5	62.7	ESE	17.2		-0.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10	11	3	881.7	-22.4	-29.7	51.0	ESE	18.7	7	-1.7						
10	11	6	880.7	-22.9	-30.4	50.5	ESE	17.7		-1.0						
10	11	9	879.2	-22.2	-29.9	49.0	ESE	19.3	7	-1.5	50	02	0	000		
10	11	12	878.3	-21.7	-26.8	63.9	ESE	17.5		-0.9						
10	11	15	877.5	-21.6	-26.3	66.1	E	17.3	7	-0.8	2.0	38	0+	002	0+ CI X X	
10	11	18	877.5	-22.4	-28.4	57.8	E	12.9		0.0						
10	11	21	877.7	-24.2	-30.6	55.2	ESE	13.3	3	0.2	50	02	0+	002	0+ CI X X	
10	11	24	878.6	-23.8	-30.0	56.7	ESE	17.4		0.9						
10	12	3	879.7	-25.2	-32.6	50.6	ESE	13.8	1	1.1						
10	12	6	880.6	-25.2	-32.3	51.9	ESE	17.4		0.9						
10	12	9	881.5	-24.5	-31.2	53.6	ESE	17.1	1	0.9	50	02	0+	071	0+ AC X X	0+ CI X X
10	12	12	882.9	-23.2	-29.4	56.8	ESE	17.9		1.4						
10	12	15	883.6	-21.7	-27.5	59.3	ESE	16.0	2	0.7	50	03	9	077	0+ AC X X	9 CS X X
10	12	18	884.6	-21.0	-27.6	55.7	ESE	14.7		1.0						
10	12	21	886.6	-23.3	-30.2	53.2	E	9.8	2	2.0	50	02	7	501	1 SC X X	6 CI X X
10	12	24	887.1	-22.0	-28.7	54.3	ESE	11.9		0.5						
10	13	3	887.6	-21.6	-27.7	57.8	ESE	13.3	3	0.5						
10	13	6	888.4	-20.8	-27.5	54.7	ESE	15.7		0.8						
10	13	9	889.3	-20.8	-27.4	55.6	ESE	16.4	2	0.9	50	02	7	031	4 AC X X	4 CI X X
10	13	12	890.3	-19.6	-26.3	55.4	ESE	15.9		1.0						
10	13	15	890.2	-18.0	-24.4	57.0	ESE	15.7	8	-0.1	50	02	4	071	3 AC X X	1 CI X X
10	13	18	890.1	-18.3	-25.2	54.5	ESE	14.3		-0.1						
10	13	21	889.8	-20.1	-27.1	54.0	ESE	12.8	6	-0.3	50	02	4	071	0+ AC X X	4 CI X X
10	13	24	889.8	-21.3	-28.7	50.9	ESE	11.7		0.0						
10	14	3	888.1	-20.7	-28.4	50.0	E	12.6	2	-1.7						
10	14	6	886.2	-19.6	-27.5	49.2	ESE	14.8		-1.9						
10	14	9	885.3	-18.0	-25.5	51.7	ESE	16.4	6	-0.9	50	02	10-	007	10-CS X X	
10	14	12	884.2	-16.1	-23.3	53.7	ESE	15.5		-1.1						
10	14	15	882.6	-15.2	-21.1	60.6	ESE	16.8	7	-1.6	50	02	10-	007	10-CS X X	
10	14	18	880.9	-15.2	-22.0	55.9	ESE	16.4		-1.7						
10	14	21	879.8	-15.7	-23.8	50.0	ESE	15.9	7	-1.1	50	02	10-	037	3 AC X X	10-CS X X
10	14	24	878.2	-16.5	-24.5	49.7	ESE	15.6		-1.6						
10	15	3	876.9	-16.4	-23.7	53.5	ESE	14.7	7	-1.3						
10	15	6	875.5	-15.9	-23.6	51.4	SE	18.7		-1.4						
10	15	9	874.9	-15.8	-23.4	52.0	ESE	16.3	8	-0.6	50	02	10-	077	7 AC X X	10-CS X X
10	15	12	875.1	-14.8	-22.3	53.1	ESE	16.4		0.2						
10	15	15	875.6	-14.8	-21.5	56.7	ESE	14.8	1	0.5	50	02	10	51X	4 SC X X	10 AS X X
10	15	18	876.1	-15.0	-21.8	56.0	ESE	14.1		0.5						
10	15	21	876.9	-15.7	-22.4	56.7	ESE	10.9	3	0.8	50	02	10	52X	2 SC X X	10 AS X X
10	15	24	877.6	-16.1	-22.7	56.6	ESE	10.4		0.7						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10 16	3	878.2	-16.9	-23.8	55.2	ESE	10.3	3	0.6							
10 16	6	878.6	-16.8	-23.7	55.2	E	13.5		0.4							
10 16	9	879.7	-17.0	-22.7	61.1	ESE	16.5	2	1.1	50	02	10	51X	1 SC X X	10 AS X X	
10 16	12	881.0	-16.2	-22.1	60.1	ESE	16.3		1.3							
10 16	15	882.4	-16.3	-20.5	69.8	ESE	17.3	2	1.4	20	02	10-	042	4 AC X X	10-CI X X	
10 16	18	884.0	-16.6	-21.9	63.5	ESE	14.4		1.6							
10 16	21	885.7	-16.3	-21.7	62.8	ESE	13.3	2	1.7	50	02	10	52X	2 SC X X	10 AS X X	
10 16	24	887.5	-18.4	-23.9	61.8	ESE	12.1		1.8							
10 17	3	888.6	-18.1	-24.8	55.4	ESE	12.7	2	1.1							
10 17	6	889.1	-18.9	-25.9	53.6	ESE	11.6		0.5							
10 17	9	889.9	-18.3	-24.4	58.6	ESE	8.6	1	0.8	50	02	10-	5XX	10-SC X X		
10 17	12	890.0	-17.6	-23.2	61.7	SE	5.4		0.1							
10 17	15	889.1	-15.9	-21.5	62.1	SSE	2.8	8	-0.9	50	02	10-	037	0+ AC X X	10-CS X X	
10 17	18	887.8	-17.0	-22.8	60.5	SSW	4.2		-1.3							
10 17	21	886.6	-22.8	-28.7	58.2	SW	3.5	7	-1.2	50	02	9	001	9 CI X X		
10 17	24	885.7	-26.7	-31.9	60.9	SSE	3.9		-0.9							
10 18	3	884.1	-28.4	-33.9	59.3	SSE	4.2	7	-1.6							
10 18	6	883.0	-29.8	-35.6	57.7	SSE	4.4		-1.1							
10 18	9	881.4	-27.1	-33.0	56.7	SSE	3.5	6	-1.6	50	02	3	001	3 CI X X		
10 18	12	880.1	-20.2	-27.1	54.5	SSW	2.7		-1.3							
10 18	15	878.6	-17.5	-25.4	50.3	WNW	3.5	8	-1.5	50	02	1	001	1 CI X X		
10 18	18	877.2	-19.2	-26.3	53.7	NW	1.5		-1.4							
10 18	21	876.3	-21.0	-27.7	54.8	NNW	2.2	6	-0.9	50	02	1	001	1 CI X X		
10 18	24	875.0	-32.0	-36.1	66.7	SE	3.1		-1.3							
10 19	3	874.2	-29.6	-35.7	54.7	SE	2.5	6	-0.8							
10 19	6	874.3	-30.3	-37.6	49.0	SE	6.7		0.1							
10 19	9	874.9	-25.7	-33.1	50.0	ESE	8.7	3	0.6	50	02	0+	001	0+ CI X X		
10 19	12	875.8	-23.1	-29.3	56.3	ESE	15.5		0.9							
10 19	15	876.8	-22.5	-27.7	62.4	E	14.5	2	1.0	2.0	38	1	002	1 CI X X		
10 19	18	877.6	-22.4	-27.6	62.7	ESE	13.2		0.8							
10 19	21	879.0	-24.4	-29.8	61.2	ESE	10.8	1	1.4	50	02	4	031	1 AC X X	3 CI X X	
10 19	24	880.5	-23.3	-28.4	62.8	E	12.6		1.5							
10 20	3	881.9	-22.4	-26.4	69.6	ESE	11.8	2	1.4							
10 20	6	882.4	-22.0	-26.1	69.5	ESE	12.0		0.5							
10 20	9	882.8	-20.0	-24.2	69.6	E	12.8	3	0.4	30	02	10-	007	10-CS X X		
10 20	12	882.9	-18.2	-23.8	61.6	E	11.8		0.1							
10 20	15	882.6	-17.0	-22.9	59.9	E	12.9	5	-0.3	30	02	8	002	8 CI X X		
10 20	18	882.0	-17.4	-23.8	57.7	E	10.8		-0.6							
10 20	21	881.9	-18.9	-26.1	52.9	E	9.5	6	-0.1	50	02	10-	002	10-CI X X		
10 20	24	881.9	-19.7	-26.6	54.3	ESE	10.1		0.0							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10 21	3	882.0	-19.0	-26.5	51.1	ESE	12.5	3	0.1							
10 21	6	882.2	-18.9	-26.7	50.0	ESE	14.6		0.2							
10 21	9	882.2	-17.2	-24.3	54.1	ESE	14.2	0	0.0	50	02	3	001	3	CI X X	
10 21	12	882.2	-15.0	-22.5	52.9	ESE	13.8		0.0							
10 21	15	881.8	-14.2	-20.7	57.8	ESE	14.1	5	-0.4	50	02	3	001	3	CI X X	
10 21	18	881.7	-14.6	-21.9	53.5	ESE	14.9		-0.1							
10 21	21	882.2	-16.1	-24.1	49.7	ESE	12.8	2	0.5	50	02	0+	001	0+	CI X X	
10 21	24	883.1	-17.9	-25.3	52.7	ESE	10.6		0.9							
10 22	3	883.0	-17.7	-25.7	49.7	ESE	12.7	8	-0.1							
10 22	6	883.1	-17.5	-25.6	49.0	E	15.7		0.1							
10 22	9	883.0	-17.1	-20.6	74.4	ESE	18.1	6	-0.1	10	02	0	000			
10 22	12	883.3	-15.4	-19.2	72.4	E	16.5		0.3							
10 22	15	882.1	-14.2	-19.7	63.2	E	16.9	7	-1.2	50	02	3	001	3	CI X X	
10 22	18	881.1	-14.0	-20.3	58.7	ESE	16.2		-1.0							
10 22	21	880.2	-15.1	-22.5	53.2	ESE	15.4	7	-0.9	50	02	0+	001	0+	CI X X	
10 22	24	879.3	-16.4	-24.4	50.0	ESE	13.9		-0.9							
10 23	3	878.0	-17.9	-25.3	52.7	ESE	12.0	8	-1.3							
10 23	6	877.0	-18.4	-26.0	51.4	ESE	11.2		-1.0							
10 23	9	876.6	-16.7	-23.7	54.8	ESE	13.5	7	-0.4	50	02	0+	001	0+	CI X X	
10 23	12	876.8	-15.6	-20.8	64.3	ESE	16.3		0.2							
10 23	15	876.4	-14.5	-20.5	60.3	ESE	15.8	6	-0.4	50	02	0+	001	0+	CI X X	
10 23	18	876.4	-14.6	-21.1	57.6	ESE	14.9		0.0							
10 23	21	876.9	-16.4	-23.3	55.3	ESE	11.9	2	0.5	50	02	1	002	1	CI X X	
10 23	24	877.4	-17.9	-25.0	54.0	ESE	12.1		0.5							
10 24	3	877.9	-19.3	-26.0	55.6	ESE	10.5	2	0.5							
10 24	6	877.7	-18.4	-25.6	52.8	ESE	12.6		-0.2							
10 24	9	877.3	-16.1	-23.5	52.6	ESE	14.6	8	-0.4	50	02	7	001	7	CI X X	
10 24	12	877.4	-15.2	-22.5	53.7	ESE	12.0		0.1							
10 24	15	875.8	-14.1	-20.9	56.3	E	8.0	6	-1.6	50	02	6	031	0+	AC X X	6 CI X X
10 24	18	873.7	-15.8	-20.9	64.8	SE	3.3		-2.1							
10 24	21	873.1	-18.6	-25.8	53.2	SE	6.3	7	-0.6	50	02	0+	001	0+	CI X X	
10 24	24	872.1	-20.0	-26.8	55.2	SE	8.2		-1.0							
10 25	3	871.4	-18.0	-25.4	52.3	SE	12.1	7	-0.7							
10 25	6	871.2	-18.7	-25.9	52.9	SE	9.5		-0.2							
10 25	9	870.2	-16.6	-23.1	57.5	SE	12.5	5	-1.0	50	02	1	001	1	CI X X	
10 25	12	869.3	-14.8	-21.7	55.7	ESE	12.5		-0.9							
10 25	15	868.9	-13.8	-20.3	57.8	ESE	12.3	5	-0.4	50	02	2	002	2	CI X X	
10 25	18	868.5	-13.6	-19.9	58.9	ESE	12.9		-0.4							
10 25	21	869.2	-14.9	-20.8	60.6	SE	10.3	2	0.7	50	02	9	032	3	AC X X	7 CI X X
10 25	24	870.0	-16.5	-21.6	64.5	ESE	10.7		0.8							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10 26 3	870.6	-16.8	-21.3	67.9	ESE	10.4	3	0.6								
10 26 6	871.1	-16.2	-20.9	67.1	ESE	10.4		0.5								
10 26 9	871.2	-14.9	-20.2	63.7	ESE	14.0	3	0.1	30	02	8	501	1 SC X X	8 CI X X		
10 26 12	871.8	-14.0	-20.0	60.1	ESE	14.0		0.6								
10 26 15	871.9	-13.3	-18.9	62.7	ESE	13.1	3	0.1	40	01	2	031	1 AC X X	1 CI X X		
10 26 18	871.7	-13.9	-19.8	61.2	E	11.0		-0.2								
10 26 21	872.0	-16.7	-21.7	65.1	ESE	9.2	3	0.3	50	02	1	031	0+ AC X X	1 CI X X		
10 26 24	872.4	-20.5	-25.5	64.2	ESE	6.8		0.4								
10 27 3	871.8	-21.9	-27.7	59.4	SE	7.1	6	-0.6								
10 27 6	871.1	-20.2	-26.0	60.2	SE	6.4		-0.7								
10 27 9	870.8	-17.0	-23.1	59.3	ESE	8.1	5	-0.3	50	03	9	05X	9 AC X X			
10 27 12	870.9	-14.7	-21.5	56.1	E	11.1		0.1								
10 27 15	870.9	-14.7	-19.7	65.8	ENE	6.3	5	0.0	50	02	7	071	5 AC X X	3 CI X X		
10 27 18	870.7	-15.9	-21.2	63.8	E	5.1		-0.2								
10 27 21	871.0	-19.6	-23.7	70.0	SE	5.0	2	0.3	50	02	7	071	5 AC X X	3 CI X X		
10 27 24	871.6	-22.7	-26.6	70.7	ESE	4.9		0.6								
10 28 3	871.5	-20.0	-23.6	72.8	SE	4.0	5	-0.1								
10 28 6	871.4	-21.1	-24.8	71.9	ESE	5.5		-0.1								
10 28 9	871.8	-19.2	-23.5	68.7	ENE	9.2	1	0.4	30	02	9	531	1 SC X X	5 AC X X	6 CI X X	
10 28 12	872.1	-17.4	-21.1	73.1	E	12.3		0.3								
10 28 15	872.4	-16.5	-20.7	69.8	ENE	9.2	3	0.3	20	02	10-	532	1 SC X X	3 AC X X	10-CI X X	
10 28 18	872.7	-17.8	-21.3	74.2	ESE	7.1		0.3								
10 28 21	873.0	-17.5	-20.9	74.8	ESE	7.0	1	0.3	20	02	10-	5XX	10 SC X X			
10 28 24	873.2	-21.0	-25.4	67.8	SE	5.5		0.2								
10 29 3	873.2	-21.4	-24.7	74.8	ESE	7.2	4	0.0								
10 29 6	874.0	-20.9	-24.6	72.4	ESE	8.1		0.8								
10 29 9	875.3	-18.0	-20.7	79.2	E	11.2	2	1.3	0.5	71	10	02X	10 AS X X			
10 29 12	876.9	-17.1	-19.8	80.0	ESE	10.2		1.6								
10 29 15	878.0	-16.6	-19.4	79.0	E	8.3	2	1.1	5.0	38	9	77X	2 SC X X	9 AC X X		
10 29 18	878.5	-16.3	-19.5	76.2	E	7.8		0.5								
10 29 21	879.4	-18.1	-21.9	71.6	ESE	7.7	3	0.9	50	02	10-	537	1 SC X X	2 AC X X	10-CS X X	
10 29 24	879.8	-19.1	-23.9	65.9	ESE	10.1		0.4								
10 30 3	880.0	-19.7	-24.6	65.1	ESE	11.5	1	0.2								
10 30 6	879.5	-18.8	-21.7	77.7	ESE	15.1		-0.5								
10 30 9	879.2	-17.8	-21.0	76.2	ESE	16.4	5	-0.3	0.5	38	10-	031	6 AC X X	7 CI X X		
10 30 12	878.3	-14.9	-18.5	74.1	ESE	13.4		-0.9								
10 30 15	876.3	-13.5	-16.6	77.3	E	10.9	7	-2.0	50	02	10-	037	1 AC X X	10-CS X X		
10 30 18	874.5	-13.3	-14.6	90.0	ESE	10.0		-1.8								
10 30 21	873.4	-13.8	-18.3	68.7	ESE	11.9	6	-1.1	50	02	10-	037	1 AC X X	10-CS X X		
10 30 24	873.0	-15.0	-20.5	62.8	ESE	13.5		-0.4								

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
10	31	3	871.9	-15.5	-21.8	58.5	SE	13.8	8	-1.1						
10	31	6	871.3	-16.0	-21.9	60.2	SE	11.5		-0.6						
10	31	9	870.4	-14.4	-20.5	59.7	ESE	10.9	6	-0.9	50	02	10-	007	10-CS X X	
10	31	12	869.9	-12.2	-15.8	74.6	ESE	14.3		-0.5						
10	31	15	869.9	-12.7	-15.2	81.4	ESE	16.8	0	0.0	1.0	38	10-	037	1 AC X X	10-CS X X
10	31	18	869.6	-13.4	-17.0	74.3	E	16.6		-0.3						
10	31	21	870.0	-15.0	-18.3	75.9	ESE	17.5	2	0.4	5.0	38	10-	007	10-CS X X	
10	31	24	870.5	-16.2	-19.9	72.8	ESE	17.4		0.5						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
11	1	3	871.1	-16.2	-20.0	72.3	ESE	17.5	2	0.6							
11	1	6	871.7	-15.7	-20.0	69.4	ESE	17.6		0.6							
11	1	9	872.3	-13.8	-17.6	73.0	ESE	17.6	2	0.6	1.0	38	10-	007	10-CS X X		
11	1	12	873.0	-12.0	-18.6	57.8	ESE	17.1		0.7							
11	1	15	873.7	-11.3	-17.9	58.1	ESE	16.6	2	0.7	50	02	8	001	8 CI X X		
11	1	18	874.3	-11.5	-17.5	61.0	ESE	15.8		0.6							
11	1	21	875.3	-13.0	-19.9	56.0	ESE	13.7	2	1.0	50	02	10-	031	4 AC X X	10-CI X X	
11	1	24	876.1	-14.0	-21.9	51.0	ESE	14.3		0.8							
11	2	3	876.3	-15.6	-23.8	49.5	ESE	13.4	3	0.2							
11	2	6	876.7	-17.9	-24.8	54.7	SE	7.8		0.4							
11	2	9	876.1	-15.9	-22.9	54.8	ESE	7.9	7	-0.6	50	02	3	001	3 CI X X		
11	2	12	875.5	-13.0	-20.1	55.1	SSE	4.9		-0.6							
11	2	15	875.3	-11.3	-16.8	64.0	S	2.1	8	-0.2	50	02	7	002	7 CI X X		
11	2	18	874.7	-12.4	-18.3	61.4	S	2.4		-0.6							
11	2	21	874.7	-15.3	-23.6	48.9	SE	5.3	5	0.0	50	02	3	002	3 CI X X		
11	2	24	874.7	-18.8	-27.0	48.2	SE	7.2		0.0							
11	3	3	874.8	-19.9	-27.3	51.6	SE	9.4	1	0.1							
11	3	6	875.0	-20.0	-27.6	51.2	ESE	8.8		0.2							
11	3	9	875.7	-18.1	-25.5	52.0	E	12.9	3	0.7	50	02	0+	030	0+ AC X X		
11	3	12	876.4	-17.3	-22.7	62.7	E	14.5		0.7							
11	3	15	876.4	-16.0	-22.0	59.7	E	12.0	0	0.0	50	02	0+	030	0+ AC X X		
11	3	18	876.5	-16.5	-20.8	69.2	ENE	8.1		0.1							
11	3	21	876.5	-20.2	-24.8	66.7	SE	3.4	5	0.0	50	02	0+	501	0+ SC X X	0+ CI X X	
11	3	24	875.6	-23.7	-29.2	60.4	SSE	6.3		-0.9							
11	4	3	874.4	-18.9	-26.7	50.0	ESE	15.4	8	-1.2							
11	4	6	873.2	-18.8	-26.2	51.8	ESE	17.7		-1.2							
11	4	9	872.0	-17.7	-22.3	67.3	ESE	17.8	7	-1.2	2.0	38	1	031	0+ AC X X	1 CI X X	
11	4	12	869.6	-15.4	-19.4	71.4	ESE	17.9		-2.4							
11	4	15	867.5	-13.6	-17.7	71.5	ESE	16.7	7	-2.1	1.0	38	0+	040	0+ AC X X		
11	4	18	865.0	-12.6	-17.8	64.8	ESE	16.7		-2.5							
11	4	21	863.1	-12.9	-20.3	53.7	SE	16.1	7	-1.9	50	02	1	041	0+ AC X X	1 CI X X	
11	4	24	861.7	-14.1	-21.2	54.9	SE	15.5		-1.4							
11	5	3	861.2	-14.8	-21.2	58.2	SE	19.3	6	-0.5							
11	5	6	860.2	-15.1	-20.7	62.1	SE	19.4		-1.0							
11	5	9	859.1	-13.7	-18.5	67.1	SE	21.4	7	-1.1	1.5	38	2	140	1 CU X X	2 AC X X	
11	5	12	859.3	-12.6	-15.1	81.5	SE	20.2		0.2							
11	5	15	860.4	-11.0	-15.1	72.0	SE	16.4	2	1.1	5.0	38	4	130	1 CU X X	3 AC X X	
11	5	18	860.6	-11.0	-15.5	69.3	SE	14.4		0.2							
11	5	21	861.5	-11.9	-15.8	72.8	SE	12.7	2	0.9	25	03	8	131	2 CU X X	4 AC X X	4 CI X X
11	5	24	862.8	-12.9	-15.0	84.1	SE	13.3		1.3							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
11	6	3	865.0	-13.2	-14.6	89.2	SE	12.7	2	2.2							
11	6	6	865.9	-14.5	-18.2	73.4	ESE	15.4		0.9							
11	6	9	867.3	-14.1	-18.4	69.9	ESE	16.1	2	1.4	30	02	7	530	1 SC X X	7 AC X X	
11	6	12	868.3	-12.5	-18.5	61.1	ESE	13.9		1.0							
11	6	15	868.8	-11.9	-17.4	63.4	ESE	12.3	2	0.5	50	01	0+	530	0+ SC X X	0+ AC X X	
11	6	18	869.0	-12.5	-18.0	63.7	ESE	10.7		0.2							
11	6	21	869.9	-14.7	-20.5	61.2	ESE	9.1	2	0.9	50	02	0+	130	0+ CU X X	0+ AC X X	
11	6	24	870.8	-16.7	-23.4	56.0	ESE	10.2		0.9							
11	7	3	872.0	-17.3	-24.2	55.1	ESE	12.2	2	1.2							
11	7	6	873.6	-17.6	-23.2	61.7	E	10.7		1.6							
11	7	9	874.7	-14.7	-21.0	58.7	ESE	13.6	2	1.1	50	03	8	531	2 SC X X	7 AC X X	X CI X X
11	7	12	875.0	-14.0	-20.2	59.1	ESE	13.7		0.3							
11	7	15	875.0	-12.9	-19.4	58.1	ESE	12.2	0	0.0	50	02	6	531	1 SC X X	1 AC X X	5 CI X X
11	7	18	874.8	-13.0	-19.2	59.6	ESE	7.6		-0.2							
11	7	21	874.3	-15.3	-21.4	59.7	ESE	7.0	6	-0.5	50	02	4	531	1 SC X X	1 AC X X	2 CI X X
11	7	24	874.1	-18.4	-23.9	61.8	SE	6.8		-0.2							
11	8	3	873.7	-16.0	-23.3	53.4	ESE	10.4	7	-0.4							
11	8	6	873.2	-17.2	-25.5	48.4	ESE	13.1		-0.5							
11	8	9	872.3	-16.7	-23.8	54.2	ESE	14.2	7	-0.9	50	02	2	530	0+ SC X X	2 AC X X	
11	8	12	871.5	-15.6	-21.8	58.8	ESE	12.4		-0.8							
11	8	15	870.5	-14.3	-20.9	57.4	ESE	11.3	6	-1.0	50	02	1	030	1 AC X X		
11	8	18	869.3	-14.8	-21.6	56.2	E	8.8		-1.2							
11	8	21	868.9	-17.6	-22.9	63.0	E	7.3	7	-0.4	50	02	1	031	0+ AC X X	1 CI X X	
11	8	24	868.9	-20.9	-26.3	62.1	ESE	6.7		0.0							
11	9	3	868.8	-19.8	-26.4	55.5	E	9.5	6	-0.1							
11	9	6	868.6	-18.6	-26.2	51.1	ESE	11.9		-0.2							
11	9	9	868.3	-17.1	-24.4	53.1	ESE	15.0	6	-0.3	50	02	8	031	1 AC X X	8 CI X X	
11	9	12	868.1	-15.4	-21.2	61.1	ESE	14.8		-0.2							
11	9	15	867.6	-14.4	-19.2	66.7	E	10.1	6	-0.5	25	02	10-	507	1 SC X X	10-CS X X	
11	9	18	866.7	-13.7	-18.1	69.5	E	6.6		-0.9							
11	9	21	866.6	-15.1	-21.4	58.4	ESE	8.1	6	-0.1	50	02	8	071	2 AC X X	7 CI X X	
11	9	24	867.4	-15.5	-22.3	56.3	ESE	9.8		0.8							
11	10	3	868.1	-15.7	-22.4	56.7	ESE	14.4	1	0.7							
11	10	6	868.7	-17.3	-25.6	48.1	ESE	12.0		0.6							
11	10	9	868.9	-16.1	-22.3	58.9	ESE	14.2	2	0.2	50	02	8	031	0+ AC X X	8 CI X X	
11	10	12	869.0	-14.4	-20.7	58.7	ESE	14.6		0.1							
11	10	15	868.7	-12.7	-19.8	55.4	E	10.6	7	-0.3	50	02	2	031	1 AC X X	1 CI X X	
11	10	18	868.6	-12.8	-20.0	54.6	E	8.7		-0.1							
11	10	21	869.1	-15.0	-21.7	56.5	ESE	6.6	2	0.5	50	02	0+	030	0+ AC X X		
11	10	24	869.4	-20.7	-26.0	62.7	SE	6.0		0.3							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
11	11	3	869.5	-19.3	-27.0	50.4	ESE	9.8	0	0.1						
11	11	6	869.8	-17.6	-26.4	46.1	ESE	9.5		0.3						
11	11	9	869.7	-16.1	-23.8	51.4	E	11.6	5	-0.1	50	02	0	000		
11	11	12	869.2	-14.1	-21.5	53.4	E	10.7		-0.5						
11	11	15	868.6	-12.7	-21.1	49.4	ESE	8.9	6	-0.6	50	02	0+	002	0+ CI X X	
11	11	18	868.4	-13.4	-19.3	61.0	S	3.0		-0.2						
11	11	21	868.1	-18.5	-24.0	61.5	S	3.0	6	-0.3	50	02	0+	001	0+ CI X X	
11	11	24	868.1	-24.0	-29.3	61.4	SE	4.4		0.0						
11	12	3	868.1	-24.0	-29.7	59.1	SE	6.4	5	0.0						
11	12	6	868.0	-23.2	-30.4	51.6	SE	6.4		-0.1						
11	12	9	867.6	-17.7	-25.1	52.3	E	12.5	7	-0.4	50	02	0+	001	0+ CI X X	
11	12	12	867.2	-16.3	-22.7	57.6	E	11.0		-0.4						
11	12	15	866.4	-14.9	-22.3	53.4	E	9.8	7	-0.8	50	02	0	000		
11	12	18	866.0	-15.8	-21.6	60.9	SE	2.1		-0.4						
11	12	21	865.6	-20.2	-25.2	64.2	E	2.4	6	-0.4	50	02	0	000		
11	12	24	865.5	-25.1	-30.1	62.5	SE	4.6		-0.1						
11	13	3	865.4	-25.9	-30.7	64.9	SE	5.4	6	-0.1						
11	13	6	864.7	-21.5	-29.3	49.1	ESE	10.3		-0.7						
11	13	9	864.8	-18.8	-27.7	45.3	ESE	12.6	3	0.1	50	02	0+	030	0+ AC X X	
11	13	12	864.1	-17.3	-23.5	58.2	E	13.5		-0.7						
11	13	15	863.6	-17.0	-23.2	58.6	ENE	8.1	7	-0.5	50	02	0+	030	0+ AC X X	
11	13	18	863.6	-16.8	-23.2	57.6	ESE	1.6		0.0						
11	13	21	863.6	-20.3	-26.1	59.8	SE	3.3	5	0.0	50	02	0+	001	0+ CI X X	
11	13	24	863.4	-25.1	-30.9	58.8	SSE	4.7		-0.2						
11	14	3	863.8	-22.3	-30.5	47.6	ESE	8.0	1	0.4						
11	14	6	864.4	-20.4	-28.9	46.3	SE	11.4		0.6						
11	14	9	864.4	-19.0	-27.0	48.9	ESE	13.1	0	0.0	50	02	1	001	1 CI X X	
11	14	12	864.7	-16.6	-24.0	52.7	ESE	12.3		0.3						
11	14	15	865.0	-15.7	-22.8	54.4	E	9.3	3	0.3	50	02	0	000		
11	14	18	866.6	-15.1	-23.2	50.0	SSE	1.3		1.6						
11	14	21	867.9	-19.9	-25.6	60.3	S	3.6	3	1.3	50	02	0	000		
11	14	24	869.4	-24.9	-30.9	58.0	SSE	5.1		1.5						
11	15	3	870.8	-24.5	-32.3	48.8	SSE	5.7	2	1.4						
11	15	6	872.2	-22.6	-31.3	45.0	SSE	5.9		1.4						
11	15	9	873.4	-18.9	-27.0	48.6	ESE	6.8	2	1.2	50	02	0	000		
11	15	12	874.4	-16.4	-22.1	61.2	ESE	14.0		1.0						
11	15	15	874.8	-15.3	-21.5	59.1	ESE	12.8	2	0.4	50	02	1	001	1 CI X X	
11	15	18	875.0	-14.7	-21.4	56.6	ESE	10.3		0.2						
11	15	21	875.0	-18.7	-24.6	60.0	ESE	3.7	0	0.0	50	02	1	001	1 CI X X	
11	15	24	874.4	-19.7	-27.3	50.4	ESE	8.7		-0.6						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
11	16	3	874.1	-19.0	-27.5	46.7	ESE	10.9	7	-0.3						
11	16	6	873.0	-17.5	-26.2	46.5	ESE	13.4		-1.1						
11	16	9	872.4	-16.1	-21.6	62.3	ESE	14.4	6	-0.6	30	02	0	000		
11	16	12	872.6	-14.7	-17.6	78.6	ESE	17.9		0.2						
11	16	15	872.8	-12.7	-16.3	74.5	ESE	13.7	3	0.2	30	02	0+	001	0+ CI X X	
11	16	18	872.9	-12.5	-18.0	63.7	ESE	13.0		0.1						
11	16	21	872.6	-14.2	-20.9	56.9	ESE	10.6	6	-0.3	50	02	3	001	3 CI X X	
11	16	24	872.1	-15.5	-22.6	54.6	ESE	14.3		-0.5						
11	17	3	871.7	-17.7	-25.2	51.6	SE	10.9	7	-0.4						
11	17	6	869.7	-18.4	-25.6	52.8	SE	7.1		-2.0						
11	17	9	867.9	-14.4	-22.7	49.3	ESE	8.4	7	-1.8	50	02	2	001	2 CI X X	
11	17	12	866.5	-12.1	-18.6	58.3	ESE	13.9		-1.4						
11	17	15	865.4	-11.1	-18.3	55.3	ESE	12.4	7	-1.1	50	02	0	000		
11	17	18	864.5	-11.9	-19.6	52.8	ESE	12.3		-0.9						
11	17	21	864.7	-13.0	-21.3	49.8	ESE	10.2	3	0.2	50	02	0+	001	0+ CI X X	
11	17	24	865.0	-18.1	-26.2	48.6	SE	6.3		0.3						
11	18	3	865.2	-17.4	-27.4	41.7	SE	10.3	3	0.2						
11	18	6	865.0	-17.3	-26.6	44.3	ESE	10.7		-0.2						
11	18	9	864.5	-15.1	-23.3	49.5	ESE	5.9	7	-0.5	50	02	4	001	4 CI X X	
11	18	12	864.5	-12.9	-19.7	56.8	ESE	12.8		0.0						
11	18	15	864.8	-11.7	-19.4	52.8	ESE	11.9	0	0.3	50	02	2	001	2 CI X X	
11	18	18	865.4	-11.5	-20.2	48.4	ESE	10.2		0.6						
11	18	21	866.6	-14.4	-21.3	55.7	ESE	8.9	1	1.2	50	02	1	001	1 CI X X	
11	18	24	868.1	-17.0	-24.7	51.2	ESE	8.8		1.5						
11	19	3	869.8	-20.4	-28.2	49.6	SE	6.7	2	1.7						
11	19	6	871.1	-18.4	-26.8	47.9	SE	4.6		1.3						
11	19	9	871.8	-15.9	-23.2	53.7	ESE	12.2	2	0.7	50	02	1	001	1 CI X X	
11	19	12	872.5	-14.3	-21.3	55.4	ESE	11.5		0.7						
11	19	15	872.1	-12.9	-19.1	59.5	E	8.8	7	-0.4	50	02	5	001	5 CI X X	
11	19	18	871.8	-13.4	-19.1	61.9	E	5.4		-0.3						
11	19	21	871.4	-16.0	-21.3	63.6	SE	4.1	8	-0.4	50	02	5	001	5 CI X X	
11	19	24	871.0	-17.0	-23.4	57.4	E	8.3		-0.4						
11	20	3	870.3	-18.5	-26.1	51.0	ESE	8.6	7	-0.7						
11	20	6	869.2	-17.3	-25.5	48.7	ESE	8.2		-1.1						
11	20	9	868.3	-13.9	-22.2	49.8	ESE	11.1	7	-0.9	50	02	7	001	7 CI X X	
11	20	12	867.6	-11.9	-18.6	57.3	ESE	10.9		-0.7						
11	20	15	867.0	-11.2	-18.0	57.3	E	10.5	7	-0.6	50	02	2	001	2 CI X X	
11	20	18	866.5	-11.3	-17.4	60.5	E	6.5		-0.5						
11	20	21	866.6	-14.1	-20.8	56.8	S	5.4	3	0.1	50	02	1	001	1 CI X X	
11	20	24	866.6	-17.3	-26.1	46.2	SSE	6.8		0.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
11	21	3	866.7	-18.6	-27.3	46.1	SE	8.0	3	0.1						
11	21	6	867.0	-19.3	-27.4	48.9	SE	7.2		0.3						
11	21	9	867.8	-14.5	-21.3	56.3	ESE	12.9	1	0.8	50	02	0+	001	0+ CI X X	
11	21	12	868.4	-13.7	-18.1	69.5	ESE	15.4		0.6						
11	21	15	868.5	-12.2	-17.0	67.5	ESE	13.6	3	0.1	30	02	0	000		
11	21	18	868.5	-12.9	-17.8	66.5	E	9.6		0.0						
11	21	21	868.8	-15.5	-19.8	69.9	ESE	7.4	2	0.3	50	02	0+	001	0+ CI X X	
11	21	24	869.2	-18.1	-22.1	70.3	E	9.4		0.4						
11	22	3	869.4	-18.5	-23.4	65.0	E	12.0	2	0.2						
11	22	6	869.2	-17.0	-22.9	59.9	ESE	14.2		-0.2						
11	22	9	869.7	-15.9	-19.8	72.3	ESE	16.9	2	0.5	10	02	1	030	1 AC X X	
11	22	12	870.7	-14.6	-17.7	77.3	ESE	16.1		1.0						
11	22	15	871.3	-13.6	-16.0	82.2	ESE	13.3	2	0.6	30	02	4	530	4 SC X X	0+ AC X X
11	22	18	871.4	-14.0	-17.3	76.0	E	11.1		0.1						
11	22	21	872.2	-15.1	-19.3	70.0	E	8.7	1	0.8	50	02	1	500	1 SC X X	0+ CU X X
11	22	24	872.7	-17.1	-22.1	65.0	ESE	8.2		0.5						
11	23	3	873.1	-17.6	-23.9	57.8	ESE	9.9	1	0.4						
11	23	6	872.9	-16.4	-23.7	53.5	ESE	13.2		-0.2						
11	23	9	873.3	-15.2	-22.4	54.3	ESE	14.5	1	0.4	50	02	1	002	1 CI X X	
11	23	12	873.4	-14.4	-19.2	66.7	ESE	14.6		0.1						
11	23	15	873.3	-12.8	-17.9	65.5	ESE	13.0	5	-0.1	50	02	1	002	1 CI X X	
11	23	18	873.1	-13.0	-18.3	64.4	ENE	8.8		-0.2						
11	23	21	873.3	-15.2	-19.9	67.0	E	7.5	1	0.2	50	02	0+	001	0+ CI X X	
11	23	24	873.5	-17.1	-22.5	63.1	E	8.2		0.2						
11	24	3	873.6	-19.1	-25.3	58.5	ESE	8.4	1	0.1						
11	24	6	873.2	-16.8	-24.0	53.3	ESE	10.9		-0.4						
11	24	9	873.4	-15.0	-22.2	54.5	ESE	13.8	3	0.2	50	02	0+	031	0+ AC X X	0+ CI X X
11	24	12	873.6	-13.5	-20.2	56.9	ESE	13.4		0.2						
11	24	15	873.6	-12.2	-18.4	60.0	E	12.3	0	0.0	50	03	10-	037	0+ AC X X	10-CS X X
11	24	18	873.8	-12.4	-17.7	64.8	E	7.3		0.2						
11	24	21	873.8	-14.7	-19.6	66.3	ESE	5.7	5	0.0	50	02	9	046	0+ AC X X	9 CS X X
11	24	24	874.1	-18.3	-23.7	62.8	SE	5.8		0.3						
11	25	3	874.2	-20.1	-25.6	61.3	SE	6.4	1	0.1						
11	25	6	873.6	-18.3	-24.5	57.9	SE	6.5		-0.6						
11	25	9	873.1	-13.7	-19.8	60.1	SE	5.8	8	-0.5	50	02	0+	130	0+ CU X X	0+ AC X X
11	25	12	872.4	-11.0	-18.7	53.0	ESE	7.9		-0.7						
11	25	15	871.1	-10.3	-16.7	59.3	ESE	9.4	7	-1.3	50	02	0+	030	0+ AC X X	
11	25	18	870.5	-9.9	-16.2	59.9	SW	4.5		-0.6						
11	25	21	869.3	-13.7	-19.1	63.4	SW	3.8	7	-1.2	50	02	0	000		
11	25	24	868.3	-16.3	-25.2	45.9	SSE	5.8		-1.0						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
11 26	3	867.1	-18.2	-26.8	47.3	S	6.4	7	-1.2							
11 26	6	866.0	-18.2	-25.8	51.4	SSE	7.2		-1.1							
11 26	9	865.5	-13.4	-20.1	56.9	SE	4.4	5	-0.5	50	02	0	000			
11 26	12	865.3	-9.6	-16.2	58.6	SE	6.8		-0.2							
11 26	15	865.5	-8.9	-14.6	63.5	ESE	9.6	3	0.2	50	02	0+	030	0+ AC X X		
11 26	18	865.9	-8.8	-15.2	59.7	SE	5.6		0.4							
11 26	21	866.4	-11.8	-17.9	60.5	S	5.2	2	0.5	50	02	0+	030	0+ AC X X		
11 26	24	866.9	-15.0	-22.4	53.4	SSE	6.8		0.5							
11 27	3	867.7	-17.0	-24.4	52.5	SSE	7.0	2	0.8							
11 27	6	868.9	-14.1	-21.5	53.4	SE	7.9		1.2							
11 27	9	870.4	-11.1	-17.3	60.3	ESE	10.5	2	1.5	50	02	0+	030	0+ AC X X		
11 27	12	872.1	-10.2	-15.4	65.6	ESE	12.8		1.7							
11 27	15	873.1	-9.0	-14.9	62.3	ESE	9.7	2	1.0	50	02	0+	100	0+ CU X X		
11 27	18	873.8	-9.1	-16.2	56.4	ESE	9.7		0.7							
11 27	21	874.5	-10.7	-18.0	55.0	SE	6.2	3	0.7	50	02	0+	100	0+ CU X X		
11 27	24	874.8	-15.7	-22.5	56.1	S	5.4		0.3							
11 28	3	875.2	-18.3	-26.0	51.0	SE	5.4	2	0.4							
11 28	6	875.0	-17.7	-25.9	48.4	SSE	6.0		-0.2							
11 28	9	875.0	-13.5	-20.3	56.5	SSE	3.5	5	0.0	50	02	3	001	3 CI X X		
11 28	12	875.1	-9.6	-14.2	69.2	SE	1.8		0.1							
11 28	15	875.2	-8.0	-17.3	47.2	NW	2.1	0	0.1	50	02	2	031	1 AC X X	1 CI X X	
11 28	18	875.2	-8.5	-13.5	67.1	WSW	1.8		0.0							
11 28	21	875.0	-12.5	-19.8	54.7	SE	5.2	6	-0.2	50	02	6	001	6 CI X X		
11 28	24	875.0	-16.7	-23.6	54.8	S	6.0		0.0							
11 29	3	875.0	-18.0	-26.4	47.7	SSE	6.1	5	0.0							
11 29	6	875.0	-17.0	-24.8	50.6	SSE	7.2		0.0							
11 29	9	875.4	-13.3	-20.2	55.9	SE	6.4	3	0.4	50	02	1	001	1 CI X X		
11 29	12	875.7	-10.3	-17.6	55.0	ESE	9.5		0.3							
11 29	15	875.6	-10.1	-15.8	63.0	ESE	11.6	8	-0.1	50	02	0+	030	0+ AC X X		
11 29	18	875.4	-9.7	-16.7	56.7	SE	5.7		-0.2							
11 29	21	875.1	-11.3	-19.3	51.6	S	6.1	5	-0.3	50	02	4	030	4 AC X X		
11 29	24	874.4	-13.7	-19.9	59.2	SE	7.6		-0.7							
11 30	3	874.0	-16.2	-23.2	54.9	SE	7.3	6	-0.4							
11 30	6	873.4	-11.9	-16.7	67.5	ESE	12.2		-0.6							
11 30	9	872.9	-10.9	-13.3	82.4	ESE	14.3	7	-0.5	30	02	5	531	1 SC X X	0+ AC X X	5 CI X X
11 30	12	872.2	-9.4	-10.2	94.0	ESE	13.5		-0.7							
11 30	15	871.9	-8.6	-9.4	93.8	ESE	12.5	8	-0.3	0.5	71	10-	51X	2 SC X X	10-AS X X	
11 30	18	871.5	-8.5	-9.4	93.2	ESE	10.6		-0.4							
11 30	21	871.4	-10.0	-11.6	88.1	ESE	9.5	6	-0.1	10	22	10-	501	4 SC X X	10-CI X X	
11 30	24	871.5	-11.6	-13.5	85.7	ESE	9.9		0.1							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
12	1	3	871.7	-10.9	-12.8	85.8	ESE	11.0	3	0.2						
12	1	6	872.5	-11.2	-13.7	81.9	ESE	8.7		0.8						
12	1	9	873.1	-9.7	-11.8	84.6	ESE	10.9	3	0.6	30	02	5	502	2	SC X X X 4 CI X X
12	1	12	873.4	-8.5	-10.8	83.5	ESE	12.2		0.3						
12	1	15	873.6	-8.1	-10.9	80.4	ESE	10.1	1	0.2	50	02	10-	132	1	CU X X X 6 AC X X X X CI X X
12	1	18	873.0	-8.0	-11.4	76.4	E	5.8		-0.6						
12	1	21	872.9	-10.5	-13.0	81.8	SE	4.7	7	-0.1	50	02	3	102	1	CU X X X 3 CI X X
12	1	24	873.1	-12.6	-16.2	74.2	SE	7.1		0.2						
12	2	3	873.5	-14.4	-20.4	60.2	SE	7.7	2	0.4						
12	2	6	874.1	-12.1	-17.3	65.3	SE	9.6		0.6						
12	2	9	875.1	-10.1	-14.1	72.5	ESE	13.4	3	1.0	50	02	0	000		
12	2	12	875.7	-8.4	-12.7	71.1	ESE	10.0		0.6						
12	2	15	875.4	-7.0	-12.1	66.9	ESE	8.5	8	-0.3	50	02	0+	100	0+	CU X X
12	2	18	875.5	-6.4	-11.9	64.9	SW	2.9		0.1						
12	2	21	875.3	-9.8	-14.1	70.8	SSW	4.6	6	-0.2	50	02	0+	100	0+	CU X X
12	2	24	875.4	-14.8	-17.5	79.9	S	4.5		0.1						
12	3	3	875.7	-15.7	-21.3	62.2	SE	6.5	2	0.3						
12	3	6	876.1	-12.4	-17.5	65.7	ESE	9.4		0.4						
12	3	9	876.6	-11.2	-15.9	68.1	ESE	12.4	3	0.5	50	02	0	000		
12	3	12	876.4	-10.1	-13.5	76.1	ESE	13.2		-0.2						
12	3	15	876.1	-8.5	-12.1	75.2	E	9.6	7	-0.3	50	02	0+	001	0+	CI X X
12	3	18	875.8	-8.2	-13.0	68.2	E	7.0		-0.3						
12	3	21	876.1	-10.2	-14.4	71.3	S	3.5	3	0.3	50	02	0	000		
12	3	24	876.3	-15.6	-20.5	66.0	S	4.5		0.2						
12	4	3	876.5	-14.1	-20.5	58.3	SE	7.9	3	0.2						
12	4	6	877.0	-11.8	-19.1	54.4	SE	9.0		0.5						
12	4	9	877.5	-10.4	-17.5	56.0	E	10.8	1	0.5	50	02	0	000		
12	4	12	877.0	-8.2	-14.1	62.4	E	7.9		-0.5						
12	4	15	876.3	-6.6	-12.3	63.8	ESE	5.9	7	-0.7	50	02	0+	002	0+	CI X X
12	4	18	875.3	-7.6	-12.7	67.0	SW	4.5		-1.0						
12	4	21	874.1	-10.3	-14.9	68.9	S	4.5	7	-1.2	50	02	2	002	2	CI X X
12	4	24	873.4	-13.8	-22.4	48.3	S	5.7		-0.7						
12	5	3	872.4	-16.1	-22.4	58.3	SSE	6.0	7	-1.0						
12	5	6	871.6	-12.3	-20.2	51.7	SE	8.7		-0.8						
12	5	9	872.1	-9.4	-14.3	67.3	E	6.4	3	0.5	50	02	3	002	3	CI X X
12	5	12	872.0	-6.4	-14.0	54.9	SE	5.9		-0.1						
12	5	15	872.2	-4.6	-13.2	51.2	SSE	2.3	3	0.2	50	02	10-	007	10-	CS X X
12	5	18	871.7	-6.2	-11.3	67.0	SW	4.3		-0.5						
12	5	21	871.6	-9.8	-13.7	73.2	S	3.6	5	-0.1	50	02	8	006	8	CS X X
12	5	24	872.0	-14.2	-18.4	70.6	S	4.8		0.4						

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H	
12	6	3	871.9	-13.6	-22.0	49.1	SE	7.7	8	-0.1							
12	6	6	871.6	-12.1	-18.4	59.5	ESE	8.6		-0.3							
12	6	9	871.1	-9.7	-16.0	60.0	E	11.4	8	-0.5	50	02	8	006	8 CS X X		
12	6	12	870.5	-8.3	-12.3	72.8	ESE	13.5		-0.6							
12	6	15	869.6	-7.4	-10.0	81.5	E	13.9	6	-0.9	50	02	10-	007	10-CS X X		
12	6	18	870.0	-8.1	-10.0	86.1	ENE	12.2		0.4							
12	6	21	870.6	-9.4	-11.3	86.0	E	9.1	2	0.6	50	02	10-	01X	10-AS X X		
12	6	24	871.6	-9.6	-11.5	86.1	E	8.0		1.0							
12	7	3	873.1	-11.1	-12.1	92.4	ENE	6.6	2	1.5							
12	7	6	874.2	-11.1	-12.5	89.3	ESE	7.0		1.1							
12	7	9	875.3	-10.0	-11.8	86.7	E	7.4	1	1.1	3.0	71	10	02X	10 AS X X		
12	7	12	876.2	-8.5	-11.0	82.0	E	8.3		0.9							
12	7	15	876.1	-7.6	-11.1	75.9	E	7.0	8	-0.1	50	01	7	031	0+ SC X X	0+ AC X X	7 CI X X
12	7	18	875.1	-8.0	-9.9	86.3	E	6.0		-1.0							
12	7	21	874.2	-9.9	-11.3	89.3	ESE	4.8	7	-0.9	50	02	10-	036	0+ SC X X	0+ AC X X	10-CS X X
12	7	24	873.1	-11.2	-13.1	85.8	ESE	7.2		-1.1							
12	8	3	872.2	-12.1	-14.3	83.5	ESE	9.2	8	-0.9							
12	8	6	871.2	-11.2	-13.8	81.2	E	9.1		-1.0							
12	8	9	870.3	-8.2	-10.3	84.8	ESE	13.0	6	-0.9	50	02	9	006	9 CS X X		
12	8	12	869.5	-6.8	-9.5	81.2	ESE	12.0		-0.8							
12	8	15	869.2	-6.3	-8.7	83.0	E	12.2	8	-0.3	50	02	6	002	6 CI X X		
12	8	18	868.7	-6.3	-9.6	77.2	E	11.1		-0.5							
12	8	21	868.6	-7.6	-11.8	71.9	ESE	10.4	6	-0.1	50	01	2	102	0+ CU X X	2 CI X X	
12	8	24	869.0	-9.8	-13.9	71.8	ESE	9.7		0.4							
12	9	3	868.6	-10.5	-15.0	69.5	ESE	12.0	8	-0.4							
12	9	6	868.2	-10.3	-15.1	67.9	ESE	12.1		-0.4							
12	9	9	868.4	-9.1	-12.8	74.6	ESE	13.3	1	0.2	50	02	1	002	1 CI X X		
12	9	12	868.5	-8.2	-11.4	77.6	ESE	13.4		0.1							
12	9	15	868.8	-7.1	-10.8	74.9	ESE	12.5	1	0.3	50	02	2	002	2 CI X X		
12	9	18	868.6	-6.9	-10.9	73.2	E	8.9		-0.2							
12	9	21	868.8	-9.5	-12.0	81.9	ESE	3.5	3	0.2	50	02	8	008	8 CS X X		
12	9	24	869.3	-12.9	-15.9	78.0	ESE	3.8		0.5							
12	10	3	869.5	-14.8	-18.3	74.7	SE	6.0	1	0.2							
12	10	6	869.4	-12.4	-17.0	68.6	ESE	7.2		-0.1							
12	10	9	869.8	-9.7	-15.0	65.2	ESE	9.7	1	0.4	50	02	6	001	6 CI X X		
12	10	12	870.1	-8.4	-13.7	65.5	ESE	10.6		0.3							
12	10	15	870.6	-7.0	-12.2	66.3	E	8.2	2	0.5	50	02	2	001	2 CI X X		
12	10	18	871.3	-6.5	-11.1	69.7	NE	0.4		0.7							
12	10	21	871.9	-9.9	-13.1	77.2	SE	2.0	2	0.6	50	02	1	002	1 CI X X		
12	10	24	873.0	-15.0	-17.9	78.5	SSE	3.6		1.1							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
12 11 3		874.0	-16.7	-19.2	80.7	SE	4.7	1	1.0							
12 11 6		874.7	-13.0	-17.6	68.4	E	8.2		0.7							
12 11 9		875.6	-11.1	-15.6	69.5	E	9.2	2	0.9	50	02	5	009	5 CS X X		
12 11 12		876.9	-10.2	-12.9	80.5	E	8.7		1.3							
12 11 15		877.2	-9.7	-10.7	92.5	ENE	7.2	3	0.3	50	02	10-	007	10-CS X X		
12 11 18		877.7	-10.0	-10.8	94.1	ENE	6.0		0.5							
12 11 21		878.0	-11.6	-13.0	89.3	E	5.3	3	0.3	40	02	10-	001	10-CI X X		
12 11 24		878.6	-11.7	-12.9	90.8	E	8.1		0.6							
12 12 3		878.4	-12.5	-14.6	84.6	ESE	9.7	8	-0.2							
12 12 6		878.2	-13.5	-16.1	81.0	ESE	8.3		-0.2							
12 12 9		877.8	-11.0	-13.6	81.1	ESE	11.1	7	-0.4	50	02	10-	031	7 AC X X	X CI X X	
12 12 12		877.2	-9.5	-12.9	76.2	E	10.7		-0.6							
12 12 15		876.0	-9.0	-12.2	77.4	E	11.1	8	-1.2	50	02	9	031	8 AC X X	X CI X X	
12 12 18		874.8	-8.2	-11.5	77.0	E	7.8		-1.2							
12 12 21		873.8	-10.9	-13.3	82.4	ESE	6.9	6	-1.0	50	02	8	031	6 AC X X	3 CI X X	
12 12 24		872.5	-10.8	-14.9	71.7	ESE	9.8		-1.3							
12 13 3		870.7	-10.2	-14.7	69.5	ESE	14.1	8	-1.8							
12 13 6		869.1	-9.8	-13.5	74.2	ESE	13.7		-1.6							
12 13 9		867.8	-8.4	-10.9	82.2	ESE	16.5	6	-1.3	1.0	38	10-	006	10-CS X X		
12 13 12		866.7	-6.5	-8.9	83.0	ESE	17.1		-1.1							
12 13 15		865.8	-4.7	-7.3	81.9	ESE	17.6	6	-0.9	1.0	38	9	035	4 AC X X	7 CI X X	
12 13 18		865.7	-5.1	-6.8	87.8	ESE	16.2		-0.1							
12 13 21		867.2	-5.9	-7.9	85.5	ESE	15.5	2	1.5	50	02	10-	037	1 AC X X	10-CS X X	
12 13 24		869.4	-5.5	-7.2	87.7	ESE	15.5		2.2							
12 14 3		871.7	-7.5	-7.7	98.6	ESE	20.2	2	2.3							
12 14 6		875.3	-7.3	999.9	999.9	ESE	21.3		3.6							
12 14 9		880.1	-7.1	999.9	999.9	E	15.1	2	4.8	0.08	71	10	XXX	10 XX X X		
12 14 12		883.7	-6.8	999.9	999.9	ENE	12.5		3.6							
12 14 15		885.8	-6.6	999.9	999.9	E	8.8	1	2.1	2.0	71	10	02X	10 AS X X		
12 14 18		886.4	-5.4	-5.5	99.3	E	8.3		0.6							
12 14 21		886.5	-7.0	999.9	999.9	SE	3.4	3	0.1	40	01	4	130	0+ CU X X	4 AC X X	
12 14 24		886.1	-10.4	-11.2	93.9	SSE	4.6		-0.4							
12 15 3		884.6	-14.3	-15.4	91.6	SSE	5.8	7	-1.5							
12 15 6		882.3	-13.1	-14.3	90.6	S	4.3		-2.3							
12 15 9		879.8	-9.8	-11.2	89.3	SE	3.7	7	-2.5	50	02	2	031	1 AC X X	1 CI X X	
12 15 12		877.8	-6.3	-8.0	87.7	NNE	2.2		-2.0							
12 15 15		875.5	-5.0	-7.6	81.9	ENE	0.8	7	-2.3	50	02	5	002	5 CI X X		
12 15 18		874.0	-5.4	-7.3	86.3	SSW	2.6		-1.5							
12 15 21		872.5	-8.1	-11.1	78.9	SW	4.9	6	-1.5	50	02	1	101	0+ CU X X	1 CI X X	
12 15 24		871.2	-11.2	-13.7	81.9	S	5.7		-1.3							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
12 16 3		871.0	-13.9	-17.0	77.5	SE	5.9	5	-0.2							
12 16 6		871.4	-13.2	-15.2	84.7	E	9.5		0.4							
12 16 9		871.9	-11.7	-13.5	86.4	E	9.2	3	0.5	50	02	6	001	6 CI X X		
12 16 12		872.7	-10.0	-12.0	85.3	E	8.8		0.8							
12 16 15		873.5	-8.6	-9.5	93.1	NE	7.7	3	0.8	2.0	40	7	630	5 ST X X	3 AC X X	
12 16 18		874.5	-8.8	-9.6	93.7	NE	4.5		1.0							
12 16 21		875.3	-9.0	-10.1	91.6	NE	1.8	2	0.8	30	71	10	7XX	10 ST X X		
12 16 24		875.7	-9.5	-10.6	91.6	SSE	2.1		0.4							
12 17 3		876.1	-9.9	-11.2	90.0	ESE	3.5	3	0.4							
12 17 6		876.5	-10.8	-12.0	90.7	ESE	4.7		0.4							
12 17 9		876.7	-9.7	-11.3	88.1	E	7.9	3	0.2	5.0	71	10	71X	5 ST X X	10 AS X X	
12 17 12		876.9	-8.7	-10.3	88.3	ENE	7.8		0.2							
12 17 15		877.5	-8.8	-10.0	90.8	ENE	8.1	3	0.6	10	02	10	637	2 ST X X	6 AC X X	10 CS X X
12 17 18		877.7	-8.1	-9.4	90.4	E	10.0		0.2							
12 17 21		878.1	-9.6	-10.6	92.5	ESE	5.2	2	0.4	30	02	10-	631	3 ST X X	3 AC X X	10-CI X X
12 17 24		878.6	-9.8	-10.7	93.1	E	6.0		0.5							
12 18 3		878.5	-11.4	-12.3	93.0	ESE	6.1	6	-0.1							
12 18 6		878.5	-11.5	-14.1	81.1	ESE	7.9		0.0							
12 18 9		878.4	-10.3	-12.9	81.1	E	8.4	6	-0.1	50	02	10-	036	0+ AC X X	10-CS X X	
12 18 12		878.5	-8.0	-9.9	86.3	E	9.6		0.1							
12 18 15		878.5	-6.2	-8.4	84.4	E	7.1	4	0.0	50	02	10-	107	0+ CU X X	10-CS X X	
12 18 18		878.2	-7.4	-9.5	84.9	E	7.4		-0.3							
12 18 21		878.1	-9.2	-11.0	86.6	E	6.8	8	-0.1	50	02	2	032	1 SC X X	1 CI X X	
12 18 24		878.3	-12.8	-14.9	84.3	SE	5.5		0.2							
12 19 3		877.7	-14.7	-17.9	76.5	SE	6.5	7	-0.6							
12 19 6		876.6	-14.5	-18.1	74.4	SE	5.8		-1.1							
12 19 9		875.9	-11.1	-14.4	76.7	SE	11.5	7	-0.7	50	03	7	132	0+ CU X X	6 AC X X	3 CI X X
12 19 12		875.2	-9.9	-13.0	77.9	ESE	13.7		-0.7							
12 19 15		874.5	-8.6	-11.9	76.9	ESE	11.4	7	-0.7	50	02	10-	037	0+ AC X X	10-CI X X	
12 19 18		874.0	-8.3	-11.6	77.1	ESE	6.7		-0.5							
12 19 21		873.3	-10.7	-14.4	74.2	SE	6.4	8	-0.7	50	02	7	001	7 CI X X		
12 19 24		873.3	-13.6	-17.8	70.6	SE	7.0		0.0							
12 20 3		873.3	-14.8	-19.1	69.6	SE	7.1	5	0.0							
12 20 6		873.6	-15.2	-19.3	70.7	SE	6.2		0.3							
12 20 9		874.0	-11.2	-15.0	73.5	ESE	9.2	3	0.4	50	02	0+	001	0+ CI X X		
12 20 12		874.8	-9.3	-12.9	75.2	ESE	9.4		0.8							
12 20 15		875.3	-8.1	-12.0	73.5	E	9.4	3	0.5	50	02	0+	001	0+ CI X X		
12 20 18		876.1	-7.9	-11.5	75.4	ESE	3.8		0.8							
12 20 21		876.7	-9.9	-14.3	69.9	S	4.2	2	0.6	50	02	0+	001	0+ CI X X		
12 20 24		877.7	-14.1	-18.0	72.3	S	5.8		1.0							



DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
12 26 3		873.4	-9.9	-11.1	90.7	E	8.6	7	-0.3							
12 26 6		872.9	-10.4	-12.7	83.4	E	7.8		-0.5							
12 26 9		872.6	-8.2	-10.8	81.5	ESE	6.6	6	-0.3	30	02	9	646	1 ST X X	1 AC X X	9 CS X X
12 26 12		872.1	-6.0	-8.1	84.9	ESE	10.4		-0.5							
12 26 15		871.6	-5.3	-8.2	80.1	ESE	10.3	8	-0.5	35	02	8	032	6 AC X X	2 CI X X	
12 26 18		871.1	-4.8	-8.2	77.1	ENE	4.8		-0.5							
12 26 21		870.3	-6.6	-10.2	75.6	SE	3.7	6	-0.8	50	01	1	042	1 AC X X	1 CI X X	
12 26 24		869.8	-10.1	-13.3	77.5	SE	5.0		-0.5							
12 27 3		869.3	-8.9	-12.9	72.8	ESE	11.0	7	-0.5							
12 27 6		869.2	-8.7	-12.3	75.1	ESE	12.9		-0.1							
12 27 9		868.9	-8.0	-11.0	78.8	ESE	13.5	8	-0.3	20	02	0+	002	0+ CI X X		
12 27 12		868.7	-7.0	-9.7	80.9	ESE	14.7		-0.2							
12 27 15		868.5	-5.4	-8.1	81.2	E	10.7	5	-0.2	30	02	0+	002	0+ CI X X		
12 27 18		868.4	-5.0	-8.2	78.4	E	8.8		-0.1							
12 27 21		868.6	-6.3	-10.4	72.5	ESE	7.5	3	0.2	50	02	0+	001	0+ CI X X		
12 27 24		868.8	-10.4	-13.4	78.7	SE	6.1		0.2							
12 28 3		869.4	-7.8	-13.5	63.5	ESE	14.5	2	0.6							
12 28 6		870.5	-8.8	-12.4	74.9	ESE	15.1		1.1							
12 28 9		871.9	-8.6	-11.4	80.0	ESE	14.8	2	1.4	1.0	36	1	001	1 CI X X		
12 28 12		873.0	-7.6	-9.9	83.8	E	13.7		1.1							
12 28 15		873.8	-6.7	-9.4	81.1	E	11.1	2	0.8	30	03	5	002	5 CI X X		
12 28 18		873.9	-6.5	-9.2	81.1	E	9.3		0.1							
12 28 21		874.0	-7.9	-10.9	79.2	E	7.2	4	0.1	50	02	5	002	5 CI X X		
12 28 24		874.5	-11.9	-14.3	82.1	SE	4.6		0.5							
12 29 3		874.7	-10.4	-14.7	70.8	SE	10.0	0	0.2							
12 29 6		875.2	-10.3	-15.0	68.2	ESE	9.6		0.5							
12 29 9		875.8	-8.8	-13.3	69.8	ESE	11.7	2	0.6	50	02	5	001	5 CI X X		
12 29 12		876.2	-7.7	-10.9	77.8	ESE	13.9		0.4							
12 29 15		876.3	-6.5	-10.3	74.5	E	12.0	0	0.1	40	02	7	002	7 CI X X		
12 29 18		876.1	-6.7	-10.1	76.8	E	10.4		-0.2							
12 29 21		876.0	-8.2	-11.3	78.2	E	9.4	7	-0.1	40	02	6	144	0+ CU X X	1 AC X X	6 CI X X
12 29 24		875.8	-10.1	-14.4	70.8	ESE	10.2		-0.2							
12 30 3		875.4	-13.0	-16.5	75.1	SE	8.0	8	-0.4							
12 30 6		874.1	-10.9	-14.7	73.4	ESE	15.2		-1.3							
12 30 9		873.8	-9.6	-13.0	76.3	ESE	12.9	7	-0.3	2.0	36	5	002	5 CI X X		
12 30 12		873.1	-8.3	-12.0	74.6	ESE	11.8		-0.7							
12 30 15		872.3	-7.2	-10.9	75.0	ESE	13.5	7	-0.8	2.0	36	4	002	4 CI X X		
12 30 18		871.7	-6.7	-10.0	77.3	ESE	12.0		-0.6							
12 30 21		871.9	-7.5	-11.4	73.6	ESE	8.1	3	0.2	40	02	1	031	1 AC X X	0+ CI X X	
12 30 24		872.0	-9.1	-14.5	64.8	ESE	10.1		0.1							

DATE	LT	PST (MB)	T (C)	TD (C)	U (%)	WD	V (M/S)	A	PP (MB)	VIS (KM)	WW	N	CLMH	N1 C D H	N2 C D H	N3 C D H
12	31	3	872.3	-9.5	-15.0	64.1	ESE	11.4	3	0.3						
12	31	6	872.4	-9.5	-14.6	66.4	ESE	10.1		0.1						
12	31	9	872.9	-8.0	-12.4	70.4	ESE	11.3	3	0.5	50	03	8	050	8	AC X X
12	31	12	873.6	-7.1	-10.6	76.0	ESE	12.3		0.7						
12	31	15	874.0	-6.6	-9.4	80.4	E	8.1	1	0.4	40	03	10-	02X	10-AS	X X
12	31	18	873.8	-6.5	-9.0	82.4	E	7.4		-0.2						
12	31	21	873.7	-6.9	-8.6	87.7	E	6.4	6	-0.1		02	10	65X	5	ST X X 10 AS X X
12	31	24	873.9	-7.7	-9.3	88.0	SE	5.3		0.2						

Table 5. Hourly global solar radiation.

JANUARY 1988		(UNIT: MJ/M**2)																							
DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24 LT	TOTAL
1 1	0.18	0.18	0.21	0.25	0.34	0.78	1.16	1.51	1.87	2.21	2.47	2.73	2.88	2.90	2.84	2.65	2.39	2.18	1.88	1.55	1.20	0.87	0.61	0.42	36.26
1 2	0.32	0.29	0.32	0.43	0.62	0.87	1.17	1.49	1.83	2.15	2.46	2.69	2.83	2.85	2.81	2.67	2.45	2.17	1.87	1.53	1.18	0.85	0.59	0.24	36.68
1 3	0.08	0.08	0.10	0.17	0.71	1.26	1.39	1.41	1.58	1.75	2.00	2.27	2.40	2.18	2.31	1.99	1.68	1.32	1.12	0.97	0.57	0.41	0.32	0.24	28.31
1 4	0.20	0.17	0.18	0.23	0.31	0.41	0.52	0.75	0.99	1.18	1.46	1.62	2.03	2.23	2.15	2.01	2.00	1.77	1.31	1.04	0.68	0.36	0.44	0.13	24.17
1 5	0.09	0.08	0.12	0.22	0.34	0.45	0.68	0.96	1.32	1.82	1.88	2.35	2.68	2.83	2.78	2.63	2.03	2.03	1.06	1.09	1.11	0.28	0.22	0.09	29.14
1 6	0.06	0.06	0.11	0.20	0.41	0.67	1.23	1.33	1.46	1.71	2.08	2.25	2.30	2.39	2.27	2.07	1.97	2.20	1.86	1.51	1.16	0.74	0.56	0.39	30.99
1 7	0.28	0.25	0.28	0.38	0.56	0.81	1.10	1.42	1.77	2.10	2.39	2.63	2.78	2.78	2.72	2.63	2.45	2.22	1.38	0.81	0.71	0.64	0.66	0.51	34.26
1 8	0.28	0.17	0.18	0.25	0.29	0.59	1.00	1.44	1.63	1.89	2.33	2.63	2.81	2.79	2.74	2.47	2.26	1.79	1.72	1.14	1.00	0.65	0.36	0.23	32.64
1 9	0.15	0.12	0.15	0.28	0.35	0.58	0.89	1.02	1.62	2.30	2.43	2.52	2.21	2.40	2.66	2.61	2.36	2.10	1.53	1.09	0.67	0.48	0.47	0.22	31.21
1 10	0.14	0.17	0.12	0.25	0.42	0.74	1.07	1.39	1.72	2.06	2.35	2.59	2.73	2.78	2.74	2.60	2.41	2.13	1.83	1.49	1.13	0.81	0.54	0.35	34.56
1 11	0.25	0.22	0.25	0.34	0.52	0.76	1.06	1.38	1.73	2.06	2.36	2.59	2.74	2.80	2.74	2.61	2.40	2.14	1.82	1.48	1.13	0.80	0.53	0.35	35.06
1 12	0.24	0.21	0.23	0.34	0.50	0.75	1.04	1.21	1.78	2.02	2.31	2.55	2.79	2.38	2.46	2.15	1.65	1.46	1.07	0.84	0.54	0.46	0.24	0.18	29.40
1 13	0.10	0.09	0.12	0.21	0.50	0.86	0.72	0.85	1.08	1.51	1.83	2.54	2.00	1.94	1.83	1.93	1.58	1.50	1.18	1.18	1.06	0.51	0.24	0.21	25.57
1 14	0.16	0.07	0.08	0.15	0.51	0.55	0.91	1.40	1.50	1.71	2.07	2.41	2.63	2.79	2.54	2.63	2.42	2.02	1.27	0.80	0.55	0.53	0.37	0.15	30.22
1 15	0.12	0.14	0.10	0.32	0.70	0.93	1.17	1.17	1.34	1.89	1.76	2.18	2.07	1.98	2.42	2.21	1.82	1.54	1.24	0.97	0.46	0.41	0.13	0.11	27.18
1 16	0.07	0.06	0.10	0.15	0.20	0.37	0.55	0.76	1.04	1.33	1.65	1.95	2.09	2.10	1.79	1.61	1.46	1.30	0.86	0.68	0.50	0.41	0.25	0.14	21.42
1 17	0.10	0.07	0.07	0.25	0.27	0.40	0.86	1.21	1.58	1.93	2.25	2.48	2.03	2.31	2.22	1.96	1.72	1.59	1.37	1.23	1.08	0.74	0.49	0.33	28.54
1 18	0.19	0.08	0.07	0.12	0.20	0.32	0.72	1.19	1.55	1.83	2.16	2.57	2.67	2.71	2.65	2.55	2.31	2.08	1.75	1.33	1.01	0.69	0.32	0.24	31.31
1 19	0.06	0.08	0.08	0.12	0.33	0.60	1.07	1.40	1.63	1.72	2.11	2.45	2.53	2.54	2.62	2.49	2.27	1.98	1.70	1.38	1.01	0.69	0.42	0.11	31.39
1 20	0.06	0.08	0.11	0.24	0.40	0.30	0.53	0.93	1.38	2.07	1.93	2.29	2.75	2.48	2.46	2.30	1.84	1.49	1.16	1.04	0.98	0.68	0.38	0.24	28.12
1 21	0.07	0.05	0.07	0.23	0.37	0.60	0.89	1.23	1.56	1.90	2.19	2.42	2.58	2.63	2.59	2.46	2.25	1.98	1.67	1.32	0.93	0.58	0.37	0.23	31.17
1 22	0.17	0.11	0.08	0.09	0.21	0.36	0.57	0.81	1.05	1.55	1.75	1.91	2.11	2.26	2.06	1.92	1.69	1.56	1.19	0.86	0.64	0.36	0.17	0.09	23.57
1 23	0.03	0.02	0.05	0.11	0.16	0.28	0.50	0.77	1.01	1.32	1.51	1.76	1.74	2.06	2.11	1.81	1.70	1.31	1.12	0.82	0.59	0.33	0.20	0.09	21.40
1 24	0.04	0.04	0.06	0.10	0.15	0.25	0.40	0.66	0.95	1.29	1.59	1.74	1.88	2.05	2.03	1.83	1.57	1.36	1.19	1.01	1.12	0.65	0.37	0.19	22.52
1 25	0.10	0.06	0.11	0.18	0.32	0.54	0.83	1.17	1.51	1.84	2.13	2.37	2.54	2.59	2.56	2.43	2.22	1.95	1.64	1.29	0.94	0.60	0.36	0.18	30.46
1 26	0.09	0.05	0.09	0.17	0.32	0.54	0.82	1.15	1.49	1.83	2.12	2.36	2.53	2.57	2.53	2.38	2.18	1.91	1.53	1.26	0.97	0.59	0.34	0.17	29.99
1 27	0.06	0.03	0.06	0.10	0.21	0.52	0.78	1.04	1.07	1.34	1.60	1.88	2.41	2.54	2.49	2.35	2.15	1.89	1.57	1.24	0.89	0.57	0.32	0.15	27.26
1 28	0.12	0.04	0.03	0.09	0.17	0.37	0.68	0.96	1.49	1.92	1.46	1.82	2.01	2.39	2.25	2.10	1.74	1.71	1.41	0.96	0.56	0.31	0.13	0.08	24.80
1 29	0.02	0.01	0.01	0.07	0.12	0.26	0.40	0.64	0.89	1.45	1.87	2.37	2.23	2.52	2.15	2.21	2.12	1.50	1.51	0.85	0.57	0.41	0.19	0.08	24.45
1 30	0.03	0.01	0.02	0.08	0.17	0.32	0.74	0.97	1.53	1.78	2.08	2.42	2.46	2.51	2.45	2.32	2.12	1.85	1.55	1.19	0.86	0.53	0.26	0.12	28.37
1 31	0.01	0.0	0.01	0.11	0.26	0.49	0.77	0.96	1.46	1.77	2.06	2.30	2.45	2.50	2.48	2.33	2.10	1.84	1.51	0.44	0.0	0.0	0.0	0.0	25.85
TOTAL	3.87	3.09	3.57	6.23	10.94	17.53	26.22	34.58	44.41	55.23	62.64	71.64	74.89	76.78	75.45	70.91	63.31	55.87	44.87	34.39	25.80	16.94	10.85	6.26	896.27
NUMBER	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	
MEAN	0.12	0.10	0.12	0.20	0.35	0.57	0.85	1.12	1.43	1.78	2.02	2.31	2.42	2.48	2.43	2.29	2.04	1.80	1.45	1.11	0.83	0.55	0.35	0.20	

FEBRUARY 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL	
2 1	0.03	0.03	0.03	0.08	0.19	0.44	0.43	1.02	1.38	1.74	1.95	2.42	2.44	2.46	2.30	2.29	2.08	1.79	1.51	1.16	0.84	0.53	0.23	0.09		27.46	
2 2	0.02	0.0	0.0	0.08	0.23	0.46	0.74	1.06	1.42	1.65	2.10	2.22	2.46	2.45	2.31	2.30	1.84	1.80	1.12	0.89	0.68	0.30	0.12	0.07		26.32	
2 3	0.0	0.0	0.0	0.03	0.11	0.22	0.43	0.81	0.95	1.18	2.05	2.29	2.33	2.23	2.12	2.18	2.13	1.68	1.28	0.86	0.53	0.21	0.10	0.02		23.74	
2 4	0.0	0.0	0.0	0.01	0.09	0.18	0.33	0.59	0.82	1.12	1.42	1.46	1.59	1.75	1.74	2.19	2.06	1.98	1.60	0.87	0.47	0.20	0.11	0.04		20.62	
2 5	0.0	0.0	0.0	0.0	0.07	0.21	0.48	0.77	1.04	1.79	2.15	2.27	2.43	1.78	2.32	2.16	1.76	1.36	0.68	0.51	0.25	0.17	0.11	0.03		22.34	
2 6	0.0	0.0	0.0	0.02	0.16	0.35	0.62	0.95	1.30	1.65	1.95	2.19	2.35	2.39	2.34	2.19	1.99	1.71	1.39	1.05	0.70	0.39	0.16	0.02		25.87	
2 7	0.0	0.0	0.0	0.0	0.14	0.32	0.60	0.92	1.27	1.61	1.90	2.16	2.31	2.36	2.31	2.17	1.96	1.68	1.37	1.02	0.67	0.33	0.14	0.02		25.26	
2 8	0.0	0.0	0.0	0.0	0.12	0.30	0.57	0.89	1.24	1.58	1.89	2.14	2.30	2.34	2.28	2.16	1.93	1.66	1.34	1.01	0.65	0.35	0.12	0.01		24.88	
2 9	0.0	0.0	0.0	0.0	0.10	0.30	0.57	0.90	1.19	1.50	1.88	2.15	2.24	2.31	2.27	2.13	1.92	1.56	1.21	0.86	0.47	0.31	0.10	0.01		23.98	
2 10	0.0	0.0	0.0	0.0	0.05	0.20	0.37	0.62	0.97	1.16	1.69	1.83	2.32	2.22	2.09	1.92	1.61	1.45	1.10	0.62	0.53	0.20	0.07	0.0		21.02	
2 11	0.0	0.0	0.0	0.0	0.03	0.15	0.34	0.49	0.91	1.07	1.14	1.29	1.39	1.54	1.57	1.58	1.34	1.07	0.77	0.57	0.38	0.17	0.04	0.0		15.84	
2 12	0.0	0.0	0.0	0.0	0.02	0.11	0.31	0.65	1.10	1.43	1.51	1.82	1.99	1.83	1.77	1.38	1.29	1.09	0.75	0.54	0.35	0.15	0.03	0.0		18.12	
2 13	0.0	0.0	0.0	0.0	0.01	0.12	0.25	0.63	0.95	1.28	1.65	1.77	1.76	1.68	1.71	1.55	1.46	1.14	1.07	0.60	0.46	0.17	0.03	0.0		18.29	
2 14	0.0	0.0	0.0	0.0	0.01	0.16	0.33	0.36	0.87	1.64	1.74	1.61	1.79	2.01	1.74	1.56	1.54	1.31	0.87	0.85	0.51	0.24	0.06	0.0		19.20	
2 15	0.0	0.0	0.0	0.0	0.02	0.21	0.27	0.42	0.76	1.33	1.74	1.90	2.10	2.17	2.12	1.99	1.78	1.50	1.18	0.84	0.49	0.23	0.03	0.0		21.08	
2 16	0.0	0.0	0.0	0.0	0.01	0.11	0.22	0.60	1.06	1.42	1.72	1.93	2.06	2.41	1.73	1.58	1.89	1.19	0.87	0.55	0.31	0.13	0.02	0.0		19.81	
2 17	0.0	0.0	0.0	0.0	0.0	0.09	0.21	0.45	0.67	0.76	1.14	1.43	1.62	1.73	1.85	1.91	1.46	1.37	1.26	0.81	0.46	0.14	0.03	0.0		17.39	
2 18	0.0	0.0	0.0	0.0	0.0	0.04	0.18	0.36	0.51	0.69	0.97	1.42	1.82	1.87	1.70	1.59	1.34	0.95	0.69	0.42	0.26	0.12	0.01	0.0		14.94	
2 19	0.0	0.0	0.0	0.0	0.0	0.01	0.06	0.10	0.27	0.52	0.70	0.96	1.14	1.11	1.25	1.35	1.22	0.79	0.57	0.39	0.20	0.09	0.08	0.0		10.81	
2 20	0.0	0.0	0.0	0.0	0.0	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0		999.99
2 21	0.0	0.0	0.0	0.0	0.0	0.02	0.13	0.30	0.51	0.70	0.88	0.98	1.30	1.63	2.24	1.81	1.61	1.34	1.02	0.68	0.36	0.13	0.0	0.0		15.64	
2 22	0.0	0.0	0.0	0.0	0.0	0.06	0.17	0.60	0.72	1.14	1.59	1.80	1.93	1.99	1.92	1.47	1.24	0.93	0.61	0.32	0.17	0.03	0.0	0.0		16.69	
2 23	0.0	0.0	0.0	0.0	0.0	0.02	0.19	0.34	0.65	1.24	1.89	1.44	1.90	1.67	1.56	1.40	1.25	0.98	0.69	0.44	0.22	0.05	0.0	0.0		15.93	
2 24	0.0	0.0	0.0	0.0	0.0	0.03	0.21	0.52	0.86	1.21	1.50	1.76	1.93	1.97	1.92	1.78	1.56	1.29	0.96	0.62	0.30	0.08	0.0	0.0		18.50	
2 25	0.0	0.0	0.0	0.0	0.0	0.05	0.22	0.37	0.71	1.14	1.43	1.60	1.71	1.93	1.97	1.66	1.45	1.27	1.05	0.47	0.22	0.03	0.0	0.0		17.28	
2 26	0.0	0.0	0.0	0.0	0.0	0.0	0.19	0.48	0.81	1.08	1.42	1.18	1.35	1.23	1.16	1.12	0.99	0.79	0.52	0.29	0.13	0.02	0.0	0.0		12.76	
2 27	0.0	0.0	0.0	0.0	0.0	0.02	0.16	0.26	0.53	1.07	1.23	1.38	1.48	1.40	1.44	1.44	1.20	0.50	0.25	0.0	0.0	0.0	0.0	0.0		12.36	
2 28	0.0	0.0	0.0	0.0	0.0	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	999.99
2 29	0.0	0.0	0.0	0.0	0.0	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	999.99
TOTAL	0.05	0.03	0.03	0.22	1.36	4.18	8.58	15.46	23.47	32.70	41.23	45.40	50.04	50.46	49.73	46.86	41.90	34.18	25.73	17.24	10.61	4.77	1.59	0.31		9999.99	
NUMBER	29	29	29	29	29	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	28	29			
MEAN	0.00	0.00	0.00	0.01	0.05	0.16	0.33	0.59	0.90	1.26	1.59	1.75	1.92	1.94	1.91	1.80	1.61	1.31	0.99	0.66	0.41	0.18	0.06	0.01			

MARCH 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
3 1	0.0	0.0	0.0	0.0	0.0	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	999.99	
3 2	0.0	0.0	0.0	0.0	0.0	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	999.99	
3 3	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.48	0.67	0.96	1.27	1.51	1.66	1.72	1.67	1.53	1.31	1.04	0.72	0.40	0.14	0.0	0.0	0.0	15.20	
3 4	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.17	0.58	0.88	0.97	1.17	1.14	1.50	1.61	1.47	1.30	0.97	0.67	0.37	0.11	0.0	0.0	0.0	12.99	
3 5	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.30	0.60	0.92	1.21	1.47	1.62	1.67	1.63	1.49	1.27	1.00	0.68	0.35	0.11	0.0	0.0	0.0	14.37	
3 6	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.28	0.57	0.89	0.89	1.08	1.45	1.48	1.15	0.94	0.77	0.48	0.30	0.15	0.02	0.0	0.0	0.0	10.49	
3 7	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.22	0.54	0.85	1.16	1.40	1.55	1.62	1.57	1.43	1.22	0.94	0.62	0.32	0.07	0.0	0.0	0.0	13.53	
3 8	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.20	0.48	0.78	1.08	1.38	1.35	1.55	1.52	1.35	1.16	0.85	0.49	0.15	0.03	0.0	0.0	0.0	12.39	
3 9	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.21	0.51	0.83	1.13	1.36	1.52	1.57	1.52	1.38	1.17	0.89	0.57	0.26	0.05	0.0	0.0	0.0	12.99	
3 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.24	0.43	0.56	0.76	0.96	1.03	0.87	0.74	0.66	0.45	0.26	0.13	0.02	0.0	0.0	0.0	7.20	
3 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.22	0.61	0.98	1.22	1.19	0.93	1.17	1.02	0.60	0.34	0.17	0.06	0.0	0.0	0.0	0.0	8.58	
3 12	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.18	0.31	0.58	0.88	1.01	1.11	1.02	0.95	1.15	0.75	0.39	0.30	0.10	0.0	0.0	0.0	0.0	8.74	
3 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.28	0.42	0.66	0.83	0.92	0.88	0.71	0.73	0.56	0.38	0.20	0.09	0.0	0.0	0.0	0.0	6.74	
3 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.20	0.35	0.49	0.73	0.90	0.85	0.89	0.77	0.60	0.48	0.23	0.05	0.0	0.0	0.0	0.0	6.60	
3 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.19	0.49	0.79	0.71	0.80	0.77	0.89	0.85	0.49	0.37	0.20	0.06	0.0	0.0	0.0	0.0	6.66	
3 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	0.0	999.99	
3 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	0.0	999.99	
3 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	0.0	999.99	
3 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	0.0	999.99	
3 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.12	0.32	0.56	0.64	0.81	1.00	0.84	0.76	0.73	0.52	0.17	0.01	0.0	0.0	0.0	0.0	6.49	
3 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.14	0.54	0.76	0.93	1.20	1.26	1.07	0.91	0.73	0.50	0.25	0.03	0.0	0.0	0.0	0.0	8.36	
3 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.22	0.47	0.73	0.93	1.27	1.38	1.28	1.01	0.71	0.47	0.18	0.02	0.0	0.0	0.0	0.0	8.69	
3 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	0.0	0.0	0.0	0.0	999.99	
3 24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.18	0.44	0.70	0.92	1.05	1.10	1.03	0.90	0.68	0.44	0.19	0.02	0.0	0.0	0.0	0.0	7.66	
3 25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.16	0.42	0.67	0.87	1.03	1.06	1.00	0.87	0.66	0.42	0.17	0.01	0.0	0.0	0.0	0.0	7.34	
3 26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.15	0.39	0.66	0.87	1.01	1.04	0.98	0.84	0.63	0.39	0.13	0.0	0.0	0.0	0.0	0.0	7.09	
3 27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.17	0.31	0.41	0.51	0.58	0.73	0.46	0.35	0.34	0.11	0.0	0.0	0.0	0.0	0.0	3.99	
3 28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.32	0.47	0.58	0.80	0.94	0.88	0.74	0.46	0.32	0.10	0.0	0.0	0.0	0.0	0.0	5.70	
3 29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.29	0.53	0.73	0.83	0.89	0.85	0.68	0.50	0.26	0.07	0.0	0.0	0.0	0.0	0.0	5.70	
3 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.36	0.57	0.72	0.86	0.95	1.00	0.53	0.49	0.17	0.04	0.0	0.0	0.0	0.0	0.0	5.78	
3 31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.14	0.38	0.44	0.52	0.68	0.72	0.52	0.32	0.15	0.01	0.0	0.0	0.0	0.0	0.0	3.91	
TOTAL	0.0	0.0	0.0	0.0	0.0	0.0	0.36	52.42	6.66	12.85	18.41	22.67	26.06	27.47	26.53	23.07	18.12	12.56	6.83	2.58	0.55	0.0	0.0	0.0	9999.99	
NUMBER	31	31	31	31	31	29	29	29	24	24	24	24	24	24	24	24	24	24	24	24	29	31	31	31		
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.01	1.81	0.28	0.54	0.77	0.94	1.09	1.14	1.11	0.96	0.75	0.52	0.28	0.11	0.02	0.0	0.0	0.0		

APRIL 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
4 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.16	0.45	0.69	0.82	0.85	0.80	0.66	0.47	0.24	0.06	0.0	0.0	0.0	0.0	0.0	0.0	5.23
4 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.25	0.47	0.68	0.80	0.83	0.78	0.65	0.45	0.22	0.05	0.0	0.0	0.0	0.0	0.0	0.0	5.20
4 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.38	0.46	0.45	0.44	0.45	0.33	0.20	0.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.88
4 4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.22	0.43	0.62	0.75	0.67	0.72	0.60	0.40	0.18	0.03	0.0	0.0	0.0	0.0	0.0	0.0	4.64
4 5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.23	0.31	0.39	0.42	0.42	0.33	0.19	0.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.46
4 6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.18	0.39	0.57	0.69	0.64	0.68	0.55	0.35	0.15	0.01	0.0	0.0	0.0	0.0	0.0	0.0	4.22
4 7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.20	0.35	0.45	0.49	0.55	0.57	0.54	0.33	0.12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.61
4 8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.16	0.23	0.28	0.27	0.22	0.18	0.10	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.50
4 9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.23	0.43	0.43	0.25	0.22	0.13	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.76
4 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.31	0.47	0.58	0.48	0.57	0.44	0.22	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.24
4 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.16	0.30	0.33	0.37	0.40	0.30	0.16	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.09
4 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.15	0.33	0.37	0.19	0.09	0.01	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.17
4 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.26	0.41	0.51	0.30	0.49	0.37	0.16	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.59
4 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.14	0.33	0.48	0.35	0.46	0.32	0.16	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.28
4 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.22	0.36	0.46	0.28	0.44	0.37	0.11	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.30
4 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.12	0.19	0.20	0.22	0.21	0.16	0.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.20
4 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.16	0.23	0.24	0.22	0.22	0.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.25
4 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.13	0.27	0.27	0.21	0.14	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.14
4 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.15	0.29	0.38	0.34	0.28	0.18	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.69
4 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.06	0.08	0.19	0.11	0.08	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.55
4 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.23	0.36	0.24	0.27	0.17	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.40
4 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.24	0.33	0.29	0.28	0.16	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.45
4 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.18	0.28	0.28	0.23	0.11	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.14
4 24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.17	0.29	0.32	0.26	0.17	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.27
4 25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.09	0.12	0.15	0.17	0.10	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.66
4 26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.07	0.09	0.16	0.13	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.53
4 27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.11	0.10	0.11	0.11	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.50
4 28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.04	0.03	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09
4 29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.09	0.20	0.23	0.17	0.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.79
4 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.18	0.23	0.15	0.09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.71
TOTAL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11	1.55	4.82	8.33	10.91	10.56	10.27	7.75	3.84	1.27	0.13	0.0	0.0	0.0	0.0	0.0	0.0	59.54
NUMBER	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.05	0.16	0.28	0.36	0.35	0.34	0.26	0.13	0.04	0.00	0.0	0.0	0.0	0.0	0.0	0.0	

MAY 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
5 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.15	0.18	0.13	0.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.60
5 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.20	0.20	0.12	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.63
5 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.13	0.15	0.12	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.49
5 4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.08	0.08	0.08	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.28
5 5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.07	0.14	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.28
5 7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.05	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13
5 8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.07	0.07	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.17
5 9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.07	0.09	0.06	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.24
5 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.07	0.09	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.22
5 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02
5 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03
5 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02
5 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.99	99.99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	999.99
5 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.99	99.99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	999.99
5 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03
5 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5 31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.26	0.89	1.15	0.67	0.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9999.99
NUMBER	31	31	31	31	31	31	31	31	31	31	31	31	29	29	31	31	31	31	31	31	31	31	31	31	31	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.03	0.04	0.02	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	





AUGUST 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
8 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.08	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.19
8 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.07	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11
8 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.05	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08
8 4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.06	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11
8 5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.07	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.15
8 6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.09	0.11	0.08	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.35
8 7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.07	0.08	0.05	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.23
8 8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.08	0.09	0.07	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.27
8 9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.11	0.15	0.11	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.47
8 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.12	0.16	0.13	0.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.53
8 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.14	0.19	0.15	0.08	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.62
8 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.14	0.17	0.12	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.54
8 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.08	0.22	0.28	0.22	0.12	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.94
8 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.06	0.11	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.26
8 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.16	0.11	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.38
8 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.24	0.27	0.22	0.13	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.98
8 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.12	0.24	0.27	0.23	0.15	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.06
8 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.14	0.26	0.24	0.16	0.11	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.99
8 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.10	0.17	0.17	0.14	0.11	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.74
8 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.12	0.16	0.23	0.18	0.08	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.82
8 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.19	0.31	0.31	0.24	0.14	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.31
8 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.10	0.22	0.25	0.20	0.13	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.97
8 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02
8 24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.11	0.30	0.47	0.24	0.10	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.25
8 25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.09	0.11	0.20	0.18	0.17	0.14	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.97
8 26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.14	0.28	0.26	0.44	0.35	0.27	0.15	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.92
8 27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.16	0.34	0.44	0.49	0.44	0.33	0.17	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.40
8 28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.19	0.35	0.47	0.51	0.46	0.35	0.19	0.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.56
8 29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.21	0.37	0.49	0.54	0.48	0.37	0.21	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.74
8 30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.22	0.40	0.52	0.56	0.51	0.39	0.23	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.90
8 31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.24	0.42	0.55	0.58	0.54	0.42	0.24	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.10
TOTAL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.21	1.47	3.62	6.07	7.34	5.86	3.70	1.54	0.15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.96
NUMBER	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.05	0.12	0.20	0.24	0.19	0.12	0.05	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

SEPTEMBER 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
9 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.27	0.45	0.58	0.61	0.57	0.44	0.27	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.31
9 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.30	0.48	0.60	0.64	0.60	0.47	0.29	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.53
9 3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.29	0.36	0.57	0.38	0.41	0.44	0.23	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.82
9 4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.15	0.45	0.57	0.64	0.70	0.65	0.51	0.32	0.10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.09
9 5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.15	0.38	0.56	0.69	0.73	0.68	0.54	0.35	0.12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.21
9 6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.10	0.24	0.37	0.57	0.84	0.61	0.38	0.28	0.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.48
9 7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.18	0.41	0.61	0.73	0.78	0.72	0.59	0.39	0.15	0.01	0.0	0.0	0.0	0.0	0.0	0.0	4.58
9 8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.25	0.48	0.61	0.70	0.76	0.73	0.58	0.38	0.12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.65
9 9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.05	0.24	0.47	0.67	0.79	0.83	0.79	0.64	0.44	0.20	0.01	0.0	0.0	0.0	0.0	0.0	0.0	5.13
9 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.06	0.27	0.50	0.69	0.77	0.74	0.73	0.63	0.43	0.21	0.02	0.0	0.0	0.0	0.0	0.0	0.0	5.05
9 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.29	0.46	0.62	0.75	0.84	0.83	0.71	0.50	0.23	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.37
9 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.13	0.28	0.56	0.60	0.57	0.53	0.46	0.42	0.23	0.03	0.0	0.0	0.0	0.0	0.0	0.0	3.83
9 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.34	0.58	0.78	0.90	0.95	0.90	0.74	0.53	0.28	0.05	0.0	0.0	0.0	0.0	0.0	0.0	6.17
9 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.09	0.33	0.60	0.63	0.59	0.66	0.63	0.59	0.44	0.19	0.07	0.0	0.0	0.0	0.0	0.0	0.0	4.83
9 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.11	0.38	0.64	0.88	0.85	0.78	0.64	0.62	0.48	0.23	0.07	0.0	0.0	0.0	0.0	0.0	0.0	5.88
9 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.18	0.43	0.68	0.88	1.00	1.05	0.99	0.84	0.61	0.35	0.10	0.0	0.0	0.0	0.0	0.0	0.0	7.12
9 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.03	0.21	0.45	0.71	0.92	1.04	1.08	1.03	0.87	0.64	0.36	0.10	0.0	0.0	0.0	0.0	0.0	0.0	7.44
9 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.14	0.28	0.43	0.60	0.68	0.71	0.71	0.50	0.35	0.21	0.07	0.0	0.0	0.0	0.0	0.0	0.0	4.69
9 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.17	0.43	0.50	0.64	0.67	0.61	0.48	0.38	0.24	0.08	0.0	0.0	0.0	0.0	0.0	0.0	4.21
9 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.16	0.35	0.53	0.56	0.69	0.67	0.53	0.47	0.36	0.22	0.08	0.0	0.0	0.0	0.0	0.0	0.0	4.74
9 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.15	0.32	0.57	0.67	0.84	0.86	0.76	0.85	0.55	0.44	0.20	0.01	0.0	0.0	0.0	0.0	0.0	6.24
9 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.22	0.41	0.63	0.78	0.92	0.90	0.90	0.91	0.62	0.42	0.14	0.01	0.0	0.0	0.0	0.0	0.0	6.90
9 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.14	0.35	0.62	0.89	1.08	1.23	1.26	1.21	1.04	0.81	0.51	0.23	0.02	0.0	0.0	0.0	0.0	0.0	9.39
9 24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.14	0.38	0.64	0.90	1.12	1.20	1.23	1.09	1.03	0.77	0.46	0.24	0.02	0.0	0.0	0.0	0.0	0.0	9.22
9 25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.22	0.43	0.57	1.02	1.21	1.19	0.95	0.79	0.65	0.36	0.20	0.03	0.0	0.0	0.0	0.0	0.0	7.69
9 26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.32	0.57	0.97	1.14	1.28	1.33	1.27	1.11	0.87	0.57	0.29	0.04	0.0	0.0	0.0	0.0	0.0	9.84
9 27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.10	0.32	0.42	0.81	0.77	1.00	1.15	1.20	1.00	0.69	0.40	0.19	0.03	0.0	0.0	0.0	0.0	0.0	8.08
9 28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.09	0.18	0.33	0.53	0.69	0.82	0.84	0.81	0.70	0.51	0.34	0.17	0.03	0.0	0.0	0.0	0.0	0.0	6.04
9 29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.15	0.40	0.81	1.14	1.29	1.32	0.63	0.74	1.12	0.68	0.33	0.17	0.04	0.0	0.0	0.0	0.0	0.0	8.82
9 30	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.11	0.28	0.49	0.86	0.92	1.01	1.27	1.01	0.84	0.62	0.41	0.22	0.05	0.0	0.0	0.0	0.0	0.0	8.10
TOTAL	0.0	0.0	0.0	0.0	0.0	0.0	0.01	1.02	4.14	9.77	17.00	21.78	25.21	25.85	23.93	20.89	14.86	7.93	2.78	0.28	0.0	0.0	0.0	0.0	0.0	175.45
NUMBER	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.03	0.14	0.33	0.57	0.73	0.84	0.86	0.80	0.70	0.50	0.26	0.09	0.01	0.0	0.0	0.0	0.0	0.0	

OCTOBER 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
10 1	0.0	0.0	0.0	0.0	0.0	0.0	0.01	0.10	0.42	0.92	0.94	1.34	1.46	1.36	1.45	1.25	0.99	0.70	0.39	0.12	0.0	0.0	0.0	0.0	0.0	11.45
10 2	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.29	0.44	0.52	0.73	0.92	1.06	1.09	1.08	0.98	0.66	0.46	0.24	0.07	0.0	0.0	0.0	0.0	0.0	8.56
10 3	0.0	0.0	0.0	0.0	0.0	0.0	0.02	0.17	0.40	0.79	1.06	1.15	1.12	1.30	1.44	1.26	1.02	0.52	0.27	0.08	0.0	0.0	0.0	0.0	0.0	10.60
10 4	0.0	0.0	0.0	0.0	0.0	0.0	0.08	0.38	0.62	0.93	0.62	1.13	1.23	1.35	1.60	1.38	1.44	0.68	0.59	0.44	0.04	0.0	0.0	0.0	0.0	12.51
10 5	0.0	0.0	0.0	0.0	0.0	0.0	0.04	0.24	0.65	0.96	1.24	1.44	1.58	1.62	1.55	1.38	1.13	0.84	0.38	0.16	0.02	0.0	0.0	0.0	0.0	13.23
10 6	0.0	0.0	0.0	0.0	0.0	0.0	0.07	0.24	0.56	0.76	0.81	1.03	1.31	1.40	1.15	1.10	1.25	0.83	0.29	0.14	0.02	0.0	0.0	0.0	0.0	10.96
10 7	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.33	0.51	1.05	1.32	1.50	1.64	1.79	1.67	1.38	1.14	0.88	0.55	0.24	0.03	0.0	0.0	0.0	0.0	14.15
10 8	0.0	0.0	0.0	0.0	0.0	0.0	0.12	0.42	0.73	1.30	1.66	1.32	1.12	1.97	1.69	1.48	1.20	0.91	0.63	0.18	0.04	0.0	0.0	0.0	0.0	14.77
10 9	0.0	0.0	0.0	0.0	0.0	0.01	0.19	0.44	0.76	1.09	1.35	1.57	1.69	1.74	1.66	1.49	1.24	0.92	0.60	0.27	0.05	0.0	0.0	0.0	0.0	15.07
10 10	0.0	0.0	0.0	0.0	0.0	0.01	0.20	0.46	0.78	1.08	1.36	1.56	1.70	1.73	1.68	1.51	1.26	0.94	0.62	0.30	0.07	0.0	0.0	0.0	0.0	15.26
10 11	0.0	0.0	0.0	0.0	0.0	0.03	0.21	0.49	0.83	1.14	1.42	1.63	1.75	1.80	1.72	1.56	1.29	0.98	0.64	0.33	0.08	0.0	0.0	0.0	0.0	15.90
10 12	0.0	0.0	0.0	0.0	0.0	0.04	0.24	0.52	0.86	1.18	1.46	1.68	1.84	1.46	1.68	1.65	1.36	0.99	0.66	0.31	0.08	0.0	0.0	0.0	0.0	16.01
10 13	0.0	0.0	0.0	0.0	0.0	0.01	0.12	0.38	0.82	1.05	1.51	1.60	1.50	1.82	1.79	1.60	1.32	1.02	0.68	0.35	0.10	0.0	0.0	0.0	0.0	15.67
10 14	0.0	0.0	0.0	0.0	0.0	0.08	0.33	0.48	0.80	1.10	1.43	1.59	1.63	1.82	1.71	1.48	1.25	0.86	0.44	0.20	0.07	0.0	0.0	0.0	0.0	15.27
10 15	0.0	0.0	0.0	0.0	0.0	0.04	0.19	0.48	0.80	1.09	1.63	1.66	1.28	1.44	1.37	1.08	0.97	0.62	0.42	0.25	0.07	0.0	0.0	0.0	0.0	13.39
10 16	0.0	0.0	0.0	0.0	0.0	0.05	0.19	0.42	0.76	1.02	1.60	1.63	1.87	1.65	1.76	1.13	0.83	0.74	0.50	0.24	0.08	0.01	0.0	0.0	0.0	14.48
10 17	0.0	0.0	0.0	0.0	0.0	0.09	0.24	0.43	0.70	0.88	0.99	1.49	1.82	1.80	1.74	1.64	1.45	1.00	0.68	0.37	0.18	0.02	0.0	0.0	0.0	15.52
10 18	0.0	0.0	0.0	0.0	0.0	0.15	0.38	0.70	1.00	1.33	1.63	1.85	1.95	2.00	1.94	1.75	1.48	1.16	0.82	0.48	0.21	0.02	0.0	0.0	0.0	18.85
10 19	0.0	0.0	0.0	0.0	0.0	0.16	0.39	0.72	1.06	1.38	1.65	1.86	1.98	2.02	1.96	1.69	1.49	1.20	0.84	0.50	0.22	0.03	0.0	0.0	0.0	19.15
10 20	0.0	0.0	0.0	0.0	0.0	0.06	0.23	0.69	0.97	1.18	1.61	1.75	1.83	2.04	2.21	1.76	1.42	1.13	0.74	0.41	0.13	0.02	0.0	0.0	0.0	18.18
10 21	0.0	0.0	0.0	0.0	0.0	0.12	0.44	0.74	1.06	1.39	1.67	1.87	2.04	2.06	1.98	1.81	1.54	1.23	0.89	0.55	0.25	0.04	0.0	0.0	0.0	19.68
10 22	0.0	0.0	0.0	0.0	0.02	0.20	0.45	0.78	1.12	1.44	1.72	1.92	2.06	2.08	2.03	1.84	1.58	1.25	0.92	0.57	0.27	0.05	0.0	0.0	0.0	20.30
10 23	0.0	0.0	0.0	0.0	0.03	0.22	0.46	0.80	1.14	1.47	1.73	1.95	2.07	2.11	2.03	1.86	1.59	1.27	0.93	0.59	0.27	0.03	0.0	0.0	0.0	20.55
10 24	0.0	0.0	0.0	0.0	0.02	0.14	0.25	0.66	1.26	1.52	1.76	1.96	2.02	2.21	2.09	1.89	1.62	1.30	0.95	0.61	0.31	0.09	0.0	0.0	0.0	20.66
10 25	0.0	0.0	0.0	0.0	0.04	0.26	0.50	0.85	1.19	1.52	1.82	1.93	2.14	2.14	2.09	1.89	1.42	1.22	0.86	0.45	0.17	0.04	0.0	0.0	0.0	20.53
10 26	0.0	0.0	0.0	0.0	0.02	0.16	0.45	0.72	1.20	1.58	1.80	1.90	2.12	2.16	2.09	1.91	1.64	1.34	0.98	0.65	0.33	0.09	0.0	0.0	0.0	21.14
10 27	0.0	0.0	0.0	0.0	0.05	0.19	0.49	0.67	0.83	1.18	1.79	2.14	2.51	2.65	1.97	2.07	1.53	1.40	1.03	0.65	0.38	0.17	0.0	0.0	0.0	21.70
10 28	0.0	0.0	0.0	0.0	0.04	0.23	0.41	0.62	1.08	1.52	1.91	2.02	2.05	2.19	2.18	1.93	1.59	1.27	0.70	0.43	0.22	0.07	0.01	0.0	0.0	20.47
10 29	0.0	0.0	0.0	0.0	0.03	0.09	0.33	0.58	0.83	1.11	1.37	1.55	1.61	1.68	2.23	1.64	1.38	0.99	0.79	0.48	0.35	0.19	0.04	0.0	0.0	17.27
10 30	0.0	0.0	0.0	0.0	0.06	0.21	0.43	0.73	1.04	1.46	1.97	2.35	2.28	2.05	2.02	1.96	1.63	1.15	0.76	0.50	0.25	0.11	0.01	0.0	0.0	20.97
10 31	0.0	0.0	0.0	0.01	0.16	0.34	0.58	0.90	1.22	1.64	1.86	2.15	2.23	2.37	2.12	1.95	1.62	1.32	0.94	0.59	0.32	0.12	0.02	0.0	0.0	22.46
TOTAL	0.0	0.0	0.0	0.01	0.47	2.89	8.18	16.43	26.44	36.58	45.42	51.44	54.49	56.90	55.68	49.30	41.33	31.12	20.73	11.51	4.61	1.10	0.08	0.0	0.0	514.71
NUMBER	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
MEAN	0.0	0.0	0.0	0.00	0.02	0.09	0.26	0.53	0.85	1.18	1.47	1.66	1.76	1.84	1.80	1.59	1.33	1.00	0.67	0.37	0.15	0.04	0.00	0.0	0.0	

NOVEMBER 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
11 1	0.0	0.0	0.0	0.01	0.13	0.37	0.67	1.03	1.32	1.57	1.81	1.93	2.28	2.31	2.24	1.96	1.55	1.35	0.86	0.48	0.31	0.14	0.03	0.0		22.35
11 2	0.0	0.0	0.0	0.02	0.20	0.41	0.65	1.04	1.40	1.72	2.01	2.22	2.27	2.36	2.29	2.01	1.79	1.54	1.24	0.82	0.50	0.23	0.06	0.0		24.78
11 3	0.0	0.0	0.0	0.02	0.20	0.41	0.73	1.08	1.43	1.75	2.03	2.23	2.36	2.37	2.30	2.13	1.86	1.53	1.20	0.83	0.50	0.24	0.07	0.0		25.27
11 4	0.0	0.0	0.0	0.02	0.11	0.41	0.72	1.10	1.46	1.77	2.04	2.25	2.38	2.38	2.31	2.15	1.87	1.56	1.21	0.85	0.52	0.22	0.09	0.01		25.43
11 5	0.0	0.0	0.0	0.03	0.25	0.47	0.76	1.10	1.46	1.78	2.05	2.26	2.38	2.37	2.32	2.12	1.86	1.55	0.93	0.56	0.29	0.16	0.05	0.0		24.75
11 6	0.0	0.0	0.0	0.02	0.17	0.29	0.52	0.93	0.96	1.68	2.08	2.28	2.41	2.42	2.34	2.18	1.90	1.59	1.23	0.89	0.55	0.29	0.09	0.01		24.83
11 7	0.0	0.0	0.0	0.04	0.20	0.47	0.72	1.05	1.11	1.51	1.62	1.92	1.42	1.84	2.36	2.18	1.95	1.62	1.26	0.90	0.57	0.30	0.12	0.02		23.18
11 8	0.0	0.0	0.0	0.06	0.15	0.51	0.65	1.08	1.38	1.85	2.12	2.35	2.46	2.47	2.40	2.22	1.96	1.63	1.29	0.93	0.60	0.29	0.14	0.04		26.58
11 9	0.0	0.0	0.01	0.07	0.19	0.35	0.57	1.02	1.57	1.68	1.78	2.48	2.73	2.57	2.51	2.12	1.50	1.08	0.83	0.74	0.52	0.22	0.05	0.01		24.60
11 10	0.0	0.0	0.0	0.05	0.15	0.21	0.52	1.38	1.57	1.81	2.23	2.39	2.51	2.52	2.45	2.27	2.00	1.69	1.34	0.98	0.66	0.38	0.19	0.06		27.36
11 11	0.0	0.0	0.01	0.14	0.33	0.55	0.88	1.22	1.57	1.90	2.16	2.37	2.49	2.50	2.44	2.26	2.01	1.70	1.37	1.01	0.68	0.39	0.20	0.07		28.25
11 12	0.0	0.0	0.03	0.16	0.35	0.59	0.92	1.27	1.61	1.93	2.20	2.41	2.52	2.51	2.45	2.30	2.04	1.72	1.39	1.03	0.70	0.42	0.21	0.09		28.85
11 13	0.0	0.01	0.04	0.17	0.36	0.61	0.94	1.30	1.63	1.97	2.23	2.43	2.54	2.55	2.48	2.31	2.05	1.75	1.41	1.05	0.72	0.43	0.23	0.11		29.32
11 14	0.02	0.01	0.06	0.18	0.38	0.63	0.96	1.32	1.64	1.98	2.26	2.46	2.57	2.57	2.51	2.33	2.07	1.77	1.43	1.08	0.75	0.45	0.25	0.12		29.80
11 15	0.03	0.02	0.08	0.19	0.39	0.65	0.98	1.33	1.67	1.99	2.27	2.47	2.58	2.59	2.51	2.35	2.10	1.79	1.45	1.10	0.76	0.47	0.24	0.14		30.15
11 16	0.04	0.04	0.09	0.20	0.40	0.66	0.98	1.34	1.68	2.00	2.28	2.48	2.59	2.59	2.51	2.36	2.10	1.79	1.47	1.10	0.76	0.46	0.23	0.08		30.23
11 17	0.06	0.05	0.11	0.24	0.33	0.65	0.99	1.32	1.70	2.02	2.29	2.50	2.61	2.62	2.55	2.38	2.13	1.83	1.49	1.14	0.80	0.50	0.29	0.16		30.76
11 18	0.07	0.07	0.11	0.23	0.39	0.70	1.03	1.39	1.72	2.06	2.31	2.52	2.63	2.64	2.57	2.40	2.15	1.83	1.49	1.15	0.82	0.50	0.29	0.18		31.25
11 19	0.08	0.08	0.13	0.24	0.44	0.71	1.04	1.38	1.73	2.04	2.32	2.52	2.63	2.64	2.54	2.33	1.97	1.74	1.57	1.15	0.84	0.53	0.31	0.19		31.15
11 20	0.11	0.08	0.14	0.26	0.45	0.72	1.06	1.34	1.69	2.07	2.35	2.57	2.67	2.67	2.59	2.43	2.17	1.87	1.53	1.18	0.85	0.55	0.32	0.20		31.87
11 21	0.11	0.10	0.15	0.26	0.47	0.74	1.07	1.42	1.76	2.08	2.35	2.56	2.67	2.67	2.60	2.44	2.19	1.88	1.54	1.20	0.87	0.56	0.34	0.19		32.22
11 22	0.11	0.11	0.15	0.27	0.47	0.75	1.07	1.37	1.76	2.08	1.95	2.00	2.70	2.52	2.39	2.14	2.21	1.89	1.57	1.21	0.88	0.57	0.35	0.20		30.72
11 23	0.12	0.11	0.16	0.28	0.48	0.76	1.08	1.43	1.78	2.09	2.38	2.58	2.69	2.70	2.62	2.47	2.22	1.92	1.58	1.23	0.89	0.60	0.36	0.22		32.75
11 24	0.13	0.13	0.18	0.29	0.49	0.77	1.09	1.44	1.79	2.11	2.37	2.58	2.69	2.70	2.62	2.38	2.21	1.94	1.60	1.24	0.92	0.51	0.30	0.20		32.68
11 25	0.13	0.06	0.10	0.19	0.37	0.76	1.08	1.45	1.79	2.11	2.39	2.58	2.70	2.71	2.63	2.48	2.24	1.94	1.62	1.26	0.94	0.62	0.40	0.24		32.79
11 26	0.16	0.15	0.20	0.32	0.52	0.80	1.12	1.47	1.81	2.13	2.41	2.59	2.71	2.72	2.64	2.49	2.24	1.94	1.62	1.27	0.93	0.64	0.40	0.24		33.52
11 27	0.16	0.16	0.21	0.32	0.53	0.79	1.12	1.46	1.80	2.12	2.39	2.60	2.71	2.73	2.66	2.50	2.27	1.97	1.64	1.29	0.96	0.65	0.41	0.27		33.72
11 28	0.18	0.17	0.22	0.35	0.54	0.83	1.15	1.51	1.85	2.19	2.42	2.63	2.75	2.76	2.69	2.54	2.28	1.94	1.66	1.26	0.95	0.59	0.43	0.28		34.17
11 29	0.19	0.18	0.23	0.36	0.55	0.83	1.16	1.51	1.85	2.17	2.43	2.63	2.75	2.76	2.69	2.54	2.30	2.00	1.67	1.32	1.02	0.69	0.45	0.28		34.56
11 30	0.19	0.19	0.20	0.21	0.40	0.71	1.20	1.32	1.75	2.05	2.36	2.20	2.57	2.56	2.38	2.42	2.12	1.75	1.44	1.14	0.62	0.20	0.11	0.08		30.17
TOTAL	1.89	1.72	2.61	5.20	10.39	18.11	27.43	38.40	48.24	58.21	65.89	71.99	75.97	76.32	74.59	69.19	61.31	52.10	41.93	31.39	21.68	12.80	7.01	3.69		878.06
NUMBER	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
MEAN	0.06	0.06	0.09	0.17	0.35	0.60	0.91	1.28	1.61	1.94	2.20	2.40	2.53	2.54	2.49	2.31	2.04	1.74	1.40	1.05	0.72	0.43	0.23	0.12		

DECEMBER 1988

(UNIT: MJ/M\*\*2)

DATE	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	LT	TOTAL
12 1	0.07	0.08	0.13	0.25	0.36	0.80	1.13	1.51	1.76	2.16	2.63	2.75	3.01	2.59	2.40	2.20	2.11	1.86	1.68	1.34	1.00	0.70	0.45	0.25		33.22
12 2	0.15	0.18	0.25	0.37	0.57	0.85	1.16	1.52	1.95	2.16	2.44	2.64	2.75	2.76	2.70	2.56	2.33	2.03	1.71	1.36	1.03	0.72	0.48	0.31		34.88
12 3	0.22	0.21	0.27	0.38	0.58	0.86	1.18	1.53	1.87	2.20	2.47	2.67	2.79	2.79	2.73	2.57	2.35	2.05	1.72	1.38	1.04	0.73	0.49	0.32		35.40
12 4	0.23	0.23	0.27	0.39	0.60	0.87	1.20	1.55	1.89	2.21	2.48	2.68	2.80	2.80	2.75	2.59	2.36	2.07	1.74	1.39	1.06	0.74	0.48	0.33		35.71
12 5	0.21	0.19	0.18	0.30	0.55	0.80	1.20	1.47	1.92	2.17	2.42	2.67	2.80	2.76	2.58	2.49	2.35	2.07	1.70	1.39	0.99	0.64	0.45	0.33		34.63
12 6	0.25	0.23	0.28	0.41	0.61	0.88	1.21	1.57	1.70	2.20	2.37	2.70	2.67	2.49	2.48	2.29	2.04	1.70	1.18	0.92	0.66	0.43	0.29	0.16		31.72
12 7	0.12	0.14	0.15	0.18	0.28	0.43	0.66	0.94	1.25	1.59	1.94	2.50	2.57	2.84	2.72	2.57	2.37	2.06	1.72	1.38	1.20	0.81	0.31	0.23		30.96
12 8	0.17	0.18	0.27	0.41	0.60	0.89	0.98	1.40	2.03	2.23	2.29	2.43	2.56	2.44	2.57	2.59	2.37	2.07	1.75	1.41	1.07	0.77	0.53	0.36		34.37
12 9	0.26	0.26	0.30	0.42	0.63	0.90	1.22	1.56	1.91	2.22	2.49	2.71	2.83	2.83	2.78	2.62	2.41	2.12	1.79	1.46	1.11	0.79	0.55	0.37		36.54
12 10	0.28	0.27	0.34	0.42	0.64	0.90	1.23	1.60	1.93	2.20	2.41	2.68	2.84	2.86	2.79	2.64	2.34	2.20	1.83	1.47	1.12	0.80	0.55	0.38		36.72
12 11	0.29	0.29	0.34	0.42	0.60	0.85	1.24	1.59	1.90	2.23	2.50	2.73	2.73	2.89	2.70	2.40	2.11	1.55	1.27	1.28	0.72	0.34	0.30	0.16		33.43
12 12	0.15	0.11	0.17	0.23	0.40	0.55	0.94	1.46	1.75	2.17	2.44	2.67	2.81	2.81	2.20	2.20	2.37	2.11	1.86	0.76	0.56	0.32	0.17	0.11		31.32
12 13	0.20	0.31	0.33	0.46	0.67	0.92	1.22	1.44	1.87	2.13	2.55	2.75	2.62	2.93	2.77	2.65	2.21	1.99	1.61	1.21	0.72	0.58	0.37	0.15		34.66
12 14	0.15	0.14	0.20	0.20	0.28	0.48	0.65	0.75	0.94	1.29	1.43	1.73	1.94	1.96	1.80	1.65	1.74	1.59	1.21	1.12	0.97	0.82	0.57	0.40		24.01
12 15	0.29	0.23	0.13	0.30	0.42	0.78	1.24	1.59	1.91	2.22	2.50	2.70	2.85	2.59	2.68	2.69	2.48	2.16	1.83	1.48	1.15	0.83	0.58	0.41		36.04
12 16	0.30	0.29	0.33	0.45	0.64	0.91	1.18	1.54	1.92	2.30	2.48	2.59	2.62	2.50	2.62	2.14	1.78	1.51	1.18	0.82	0.64	0.46	0.35	0.25		31.80
12 17	0.19	0.14	0.18	0.28	0.38	0.54	0.83	1.15	1.48	2.01	2.42	2.72	2.47	2.40	2.30	2.23	2.22	2.04	1.67	1.26	0.78	0.65	0.44	0.29		31.07
12 18	0.27	0.27	0.28	0.43	0.55	0.78	1.02	1.32	1.62	1.93	2.24	2.58	2.73	2.50	2.73	2.56	2.49	2.17	1.83	1.49	1.15	0.84	0.58	0.33		34.69
12 19	0.30	0.13	0.30	0.44	0.65	0.92	1.24	1.63	1.91	1.96	2.64	2.72	2.84	2.52	2.28	2.66	2.34	2.16	1.85	1.46	1.07	0.86	0.60	0.42		35.90
12 20	0.31	0.30	0.34	0.46	0.65	0.94	1.25	1.60	1.94	2.25	2.53	2.72	2.87	2.91	2.85	2.69	2.48	2.19	1.85	1.51	1.17	0.86	0.61	0.42		37.70
12 21	0.31	0.30	0.34	0.45	0.66	0.93	1.26	1.60	1.94	2.24	2.53	2.73	2.86	2.91	2.84	2.71	2.48	2.18	1.86	1.51	1.18	0.86	0.61	0.42		37.71
12 22	0.32	0.29	0.34	0.45	0.66	0.93	1.25	1.59	1.94	2.25	2.51	2.73	2.85	2.89	2.84	2.71	2.47	2.18	1.86	1.51	1.18	0.87	0.60	0.43		37.65
12 23	0.32	0.29	0.34	0.45	0.65	0.93	1.15	1.61	1.83	1.96	2.39	2.64	2.78	2.98	2.87	2.62	2.47	2.18	1.85	1.52	1.18	0.87	0.61	0.42		36.91
12 24	0.31	0.29	0.33	0.45	0.64	0.91	1.23	1.57	1.91	2.22	2.51	2.71	2.85	2.89	2.84	2.70	2.47	2.18	1.85	1.52	1.11	0.86	0.31	0.18		36.84
12 25	0.12	0.10	0.18	0.26	0.50	0.91	1.22	1.52	1.44	1.66	1.91	2.18	2.05	2.27	2.37	2.05	1.97	1.24	1.79	1.43	0.91	0.61	0.68	0.34		29.71
12 26	0.22	0.16	0.17	0.28	0.40	1.01	0.70	1.31	1.80	2.22	2.59	2.85	2.77	2.51	2.92	2.65	2.47	2.17	1.82	1.53	1.17	0.86	0.59	0.41		35.58
12 27	0.32	0.23	0.24	0.43	0.62	0.89	1.20	1.54	1.88	2.19	2.48	2.70	2.83	2.87	2.82	2.68	2.45	2.17	1.84	1.52	1.17	0.85	0.60	0.41		36.93
12 28	0.30	0.28	0.32	0.43	0.61	0.89	1.19	1.54	1.87	2.19	2.46	2.68	2.83	2.74	2.66	2.72	2.57	2.22	1.94	1.29	0.95	0.77	0.60	0.26		36.31
12 29	0.18	0.20	0.18	0.38	0.55	0.91	1.23	1.49	1.74	2.07	2.41	2.71	2.89	2.94	2.87	2.61	2.22	1.94	1.72	1.25	1.04	0.79	0.48	0.39		35.19
12 30	0.26	0.17	0.20	0.33	0.64	0.84	1.17	1.61	2.03	2.31	2.49	2.70	2.85	2.91	2.77	2.65	2.48	2.19	1.85	1.52	1.18	0.85	0.60	0.33		36.93
12 31	0.23	0.30	0.28	0.42	0.64	0.77	1.17	1.47	1.70	1.98	2.54	2.31	2.38	2.27	2.15	2.09	1.77	1.47	1.23	0.91	0.62	0.40	0.26	0.18		29.54
TOTAL	7.30	6.79	7.96	11.53	17.23	25.77	34.75	45.57	55.43	65.12	74.49	81.28	84.04	83.35	81.38	77.18	71.07	61.82	52.59	41.40	30.90	22.28	15.09	9.75		1064.06
NUMBER	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
MEAN	0.24	0.22	0.26	0.37	0.56	0.83	1.12	1.47	1.79	2.10	2.40	2.62	2.71	2.69	2.63	2.49	2.29	1.99	1.70	1.34	1.00	0.72	0.49	0.31		