

METEOROLOGICAL DATA AT MIZUHO STATION, ANTARCTICA IN 1984

Minoru YOSHIDA,

(Water Research Institute, Nagoya University, Nagoya)

Yoshiyuki FUJII,

(National Institute of Polar Research, Itabashi-ku, Tokyo)

Kunio KAWADA,

(Faculty of Science, Toyama University, Toyama)

Yuzuru INAGAWA, Yuji YAMAMOTO and Sadahiko TANAKA

(Japan Meteorological Agency, Chiyoda-ku, Tokyo)

1. Introduction

Mizuho Station (formerly Mizuho Camp; officially renamed Mizuho Station in March 1978) was established in July 1970, at $70^{\circ}42'S$, $44^{\circ}20'E$ and 2230 m above sea level. The international index number 89544 for a meteorological station was given by WMO in October 1977 to the station.

Surface meteorological observations have been taken intermittently in a period between July 1970 and March 1976 and continuously after April 1976.

The data have been published in the Japanese Antarctic Research Expedition (JARE) Data Reports (Meteorology), Nos. 25, 30, 40, 47, 52, 57, 65, 77, 86 and 101.

The present report contains the surface synoptic data taken by JARE-25 in 1984. The observers were ; H. Narita et al. (JARE-24) (January 1 - 4), M. Yoshida, Y. Fujii and K. Kawada (January 5 - August 18), Y. Inagawa and Y. Fujii (August 19 - October 10), T.

Ono (October 11 - 15), Y. Yamamoto (October 16 - November 28), S. Tanaka (November 29 - December 31).

Surface synoptic reports (FM11-C-SYNOP) at 12 GMT (1500LT) have been sent once a day to World Meteorological Center (Melbourne) through Syowa Station (Index number 89532) on a real time basis.

2. Instruments and Methods

Wind direction and speed (10-minute mean), atmospheric pressure and air temperature were recorded continuously. Clouds, visibility and weather phenomena were observed visually at 0900LT, 1500LT and 2100LT (45°E LMT, GMT + 3h).

1) Wind direction and wind speed

A windmill type anemometer with a wind vane was installed on a meteorological tower at a height of 5.9 m above the snow surface. The wind speed was obtained as the instantaneous and the 10-minute mean values. The accuracy of the wind speed was ± 0.5 m/s and ± 5 degrees for the wind direction.

2) Atmospheric pressure

A precision aneroid barometer was set inside the observatory. Its accuracy was ± 1 mb.

3) Air temperature

A platinum resistance thermometer was placed inside a radiation shelter at a height of 1.5 m. The accuracy of this thermometer was $\pm 0.5^{\circ}\text{C}$. The maximum and minimum temperatures of a day were taken for the period of 0 - 24 h.

4) Visibility, clouds and weather phenomena

The visibility was observed visually by using a series of fuel

drums set at various distances in a range from 50 m to 2 km along a straight line. The amount of cloud was observed visually. The genus of cloud and the weather phenomena were observed visually according to the WMO standards. They were observed three times a day mainly at 0900LT, 1500LT and 2100LT (45°E LMT, GMT + 3h).

3. Notations in Tables

1) Tables 1 and 2

\bar{P}_{st}	Monthly mean pressure at station level
PST	Daily mean pressure at station level (Average of 3-hourly values)
\bar{T}	Monthly mean air temperature
TM	Daily mean air temperature (Average of 3-hourly values)
TX	Daily maximum air temperature
TN	Daily minimum air temperature
\bar{T}_x	Monthly mean of TX
\bar{T}_n	Monthly mean of TN
T _{xx}	Extreme value of TX
T _{nn}	Extreme value of Tn
\bar{v}	Monthly mean wind speed
VM	Daily mean wind speed (Average of 3-hourly values)
VX	Daily maximum wind speed (10-minute mean)
V _{xx}	Monthly maximum wind speed (10-minute mean)
VI	Daily maximum instantaneous wind speed

Vii Monthly maximum instantaneous wind speed

2) Table 3

LT	Local standard time (45° E LMT, GMT + 3h)
PST	Pressure at station level
DD	Wind direction in 16 directions (<u>e.g.</u> N:16, E:04, etc.; when the wind speed is less than 0.5 m/s: 00)
VV	Wind speed (10-minute mean)
N	Amount of cloud (in tenth)
WW	Present weather (WMO code)
V	Visibility
CL, CM, CH	Genus of cloud (WMO code)
BS	Intensity of blowing snow defined by the following criteria based on the visibility V. A Blowing snow ($V \leq 200$ m) B Blowing snow ($200 \text{ m} < V \leq 500$ m) C Drifting snow ($V \leq 500$ m) D Drifting snow ($500 \text{ m} < V \leq 2 \text{ km}$) E Drifting snow ($V > 2 \text{ km}$) - No drifting snow

*

Table 1. Monthly summaries of surface meteorological data in 1984.

	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.	YEAR
Pst (mb)	743.1	737.1	730.7	729.3	734.7	728.9	725.1	727.4	723.5	721.8	733.1	745.7	733.4
T (°C)	-18.4	-24.8	-31.4	-39.8	-36.2	-41.8	-43.7	-41.1	-37.8	-38.2	-26.3	-16.9	-33.0
Tx (°C)	-14.2	-20.0	-26.7	-35.6	-32.5	-39.2	-41.1	-37.9	-34.1	-32.6	-21.0	-12.6	-28.9
Txx (°C)	-9.9	-12.6	-16.1	-19.5	-16.2	-24.6	-32.0	-29.9	-23.2	-24.7	-15.0	-6.0	-6.0
Date .	14	6	2	11	7	1	9	8	12	21	30	19	19 DEC
Tn (°C)	-23.3	-30.0	-36.7	-44.0	-39.7	-44.3	-45.9	-44.5	-41.8	-44.2	-32.5	-21.9	-37.4
Tnn (°C)	-27.0	-39.6	-48.3	-47.9	-55.0	-54.0	-54.1	-54.3	-53.2	-49.8	-43.4	-28.9	-55.0
Date	5	24	23	24	29&30	28	4	16	6	6	1	2	29&30 MAY
V (m/s)	9.9	10.1	11.3	11.6	12.1	12.3	14.1	12.0	13.2	10.6	10.0	10.1	11.4
Vxx (m/s)	14.7	16.5	24.3	19.2	24.3	18.6	20.3	20.2	25.2	17.7	17.0	19.3	24.3
Direction	E	E	E	ENE	SE	ESE	E	ESE	E	E	E	E	E
Date	24	9	14	10	3	30	23	20	11	25	27	8	14 MAR
Vii (m/s)	18.3	19.7	29.2	22.6	27.0	23.3	25.0	25.0	31.4	21.6	20.7	22.9	31.4
Direction	ENE	E	E	ENE	E	ESE	E	ESE	E	E	E	E	E
Date	27	10	14	10	8	30	23	20	11	25	27	8	11 SEP
Number of days													
vx 10-14.9	30	21	15	20	13	18	9	14	14	24	24	21	223
15-	0	3	11	8	17	12	22	15	15	6	4	7	120

Table 2. Daily summaries of surface meteorological data in 1984.

JANUARY 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)	
1	738.6	-18.2	-15.6	-22.1	7.4	10.3	ENE 11.3 ENE	
2	737.8	-19.1	-17.2	-25.1	6.4	11.4	ENE 12.7 ENE	
3	736.4	-17.7	-15.1	-21.0	7.5	11.2	ENE 12.6 ENE	
4	738.8	-18.0	-14.4	-25.0	5.3	7.3	E 7.7 E	
5	734.5	-21.9	-17.6	-27.0	8.9	10.9		12.8
6	739.8	-21.4	-16.9	-26.5	8.4	10.6	E 11.8 E	
7	741.1	-18.1	-15.0	-24.4	8.6	12.6	NE 15.0 NE	
8	734.7	-19.5	-16.7	-23.3	11.0	14.5	ENE 17.2 ENE	
9	738.9	-17.0	-14.2	-20.6	9.2	13.2	ENE 15.6 ENE	
10	742.6	-17.2	-12.8	-21.0	9.7	13.8	NE 15.1 NE	
MEAN	738.3	-18.8	-15.4	-23.6	8.2			
11			-13.8		11.7	13.2	E 15.1 E	
12	741.8	-17.4	-12.8	-22.5	10.7	13.8	E 15.7 E	
13	741.9	-16.2	-11.0	-22.9	10.0	13.0	E 15.7 E	
14	742.7	-14.1	-9.9	-19.3	9.7	11.8	E 13.8 E	
15	740.4	-16.1	-11.0	-21.4	9.3	14.0	E 15.7 E	
16	742.0	-16.6	-12.7	-21.7	9.8	13.2	E 14.8 E	
17	746.0	-19.7	-14.6	-23.9	9.9	12.8	E 15.8 E	
18			-15.4	-25.9	10.3	12.3	E 13.9 E	
19	749.8	-20.4	-15.7	-24.3	12.4	13.4	E 15.3 E	
20	747.1	-21.1	-16.1	-26.0	12.1	14.4	E 17.0 E	
MEAN	744.0	-17.7	-13.3	-23.1	10.6			
21	750.3	-20.7	-16.5	-26.0	11.3	12.8	E 14.9 E	
22	750.7	-15.5	-10.9	-21.7	11.1	13.3	E 15.2 E	
23	743.8	-18.4	-14.2	-21.2	11.7	14.6	E 17.0 E	
24	741.0	-16.5	-11.0	-22.1	12.0	14.7	E 16.3 E	
25	743.5	-15.9	-11.7	-20.0	10.8	12.5	E 14.1 E	
26	743.2	-17.5	-12.9	-22.7	8.2	10.2	ENE 11.6 ENE	
27	743.6	-20.2	-15.7	-24.0	9.7	13.5	ENE 18.3 ENE	
28	747.1	-19.8	-15.7	-25.2	11.8	14.4	E 16.3 E	
29	747.6	-19.8	-16.0	-23.7	10.2	12.2	E 13.7 E	
30	745.4	-17.2	-12.5	-23.3	11.0	13.0	ENE 14.1 ENE	
31	749.6	-19.5	-15.4	-23.5	9.5	12.5	E 14.0 E	
MEAN	746.0	-18.1	-13.7	-23.0	10.7			
MONTHLY MEAN								
	742.8	-18.3	-14.2	-23.2	9.9			

FEBRUARY 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	747.4	-21.4	-16.1	-26.7	11.6	14.2	E
2	743.9	-20.8	-15.0	-27.1	11.0	13.8	E
3	747.5	-20.9	-16.5	-26.2	10.6	12.7	ENE
4	746.5	-18.0	-13.7	-23.2	9.2	10.9	ENE
5	744.7	-19.9	-15.0	-24.9	10.5	11.7	E
6	751.9	-18.3	-12.6	-24.0	8.6	12.7	ENE
7	752.6	-18.7	-12.9	-24.4	10.9	14.0	E
8	742.9	-20.2	-15.5	-25.2	13.6	15.0	ENE
9	741.5	-19.7	-16.3	-23.3	14.7	16.5	E
10	739.2	-20.7	-17.0	-23.7	13.9	16.2	E
MEAN	745.8	-19.7	-14.9	-24.7	11.5		
11	737.3	-21.4	-17.2	-25.5	11.0	13.4	E
12	734.5	-22.2	-17.2	-26.4	8.5	11.0	ENE
13	735.5	-24.2	-17.5	-29.2	6.7	9.3	ENE
14	736.3	-25.2	-18.7	-31.8	7.6	8.7	ENE
15	729.9	-22.9	-18.7	-30.2	12.0	14.2	ENE
16	732.0	-23.1	-20.3	-29.6	10.4	11.9	E
17	731.8	-27.2	-22.0	-32.0	10.4	12.1	E
18	729.2	-27.2	-22.8	-33.0	7.9	11.7	E
19	732.1	-26.3	-23.0	-31.3	3.8	7.5	ENE
20	733.0	-26.6	-21.7	-32.7	4.0	8.4	E
MEAN	733.2	-24.6	-19.9	-30.0	8.2		
21	729.8	-31.9	-26.1	-36.8	7.9	9.7	ENE
22	729.6	-33.2	-27.7	-37.9	9.8	10.9	ENE
23	730.7	-33.5	-28.0	-38.0	9.4	11.8	ENE
24	735.2	-33.9	-27.2	-39.6	9.4	11.8	ENE
25	730.3	-32.7	-26.8	-37.3	12.7	14.3	E
26	732.1	-33.3	-28.1	-37.2	11.3	13.3	E
27	738.8	-29.3	-24.5	-36.8	11.0	13.5	E
28	733.9	-27.0	-24.1	-31.8	13.3	14.7	E
29	726.1	-20.6	-17.9	-24.4	10.6	12.9	ENE
MEAN	731.8	-30.6	-25.6	-35.5	10.6		
MONTHLY MEAN							
	737.1	-24.8	-20.0	-30.0	10.1		

MARCH 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	729.9	-22.8	-18.1	-29.0	7.3	9.6	NE 10.6 NE
2	736.2	-26.0	-16.1	-33.3	4.2	8.4	E 9.1 E
3	727.2	-35.5	-23.6	-43.0	9.3	12.1	E 14.1 E
4	724.0	-31.9	-23.9	-43.7	9.7	13.2	ENE 17.6 ENE
5	733.3	-20.6	-19.0	-26.6	10.3	15.0	NNW 18.3 NNW
6	731.2	-24.7	-19.2	-37.0	11.3	18.1	NNW 21.0 NNW
7	735.7	-38.7	-30.6	-43.3	4.7	9.6	E 10.3 E
8	739.0	-36.6	-31.7	-43.0	9.3	12.9	ESE 14.9 ESE
9	738.1	-34.2	-29.0	-40.3	13.7	16.4	E 19.9 E
10	735.2	-32.8	-28.8	-35.8	13.6	16.0	E 19.2 E
MEAN	733.0	-30.2	-24.0	-37.5	9.3		
11	727.0	-33.2	-29.1	-36.2	14.7	16.8	E 19.9 E
12		-32.7	-29.0	-35.9	12.2	13.5	E 17.4 E
13	732.7	-27.6	-21.0	-35.1	16.4	18.0	E 22.8 E
14	725.0	-22.3	-20.3	-25.2	19.1	24.3	E 29.2 E
15	728.2	-27.4	-23.9	-32.3	15.2	22.0	E 25.0 E
16	731.5	-28.0	-26.0	-34.0	11.4	13.7	E 16.3 E
17	731.6	-29.1	-25.1	-37.0	8.4	10.1	E 11.2 E
18	726.6	-36.1	-31.5	-39.1	10.6	11.8	E 12.7 ENE
19	726.7	-36.7	-32.4	-39.7	10.4	11.2	E 13.0 E
20	728.8	-37.2	-32.7	-40.8	9.1	11.0	ENE 12.8 ENE
MEAN	728.7	-31.0	-27.1	-35.5	12.8		
21	728.9	-40.5	-36.0	-43.5	8.4	9.4	E 10.1 E
22	727.3	-41.6	-36.3	-46.4	9.0	11.5	E 12.5 E
23	727.5	-38.8	-29.2	-48.3	11.4	13.7	ENE 16.8 ENE
24	738.6	-23.7	-20.4	-29.4	12.1	15.4	ENE 20.0 ENE
25	746.5	-22.0	-20.6	-23.5	13.0	16.1	E 18.6 E
26	743.7	-28.4	-25.7	-33.8	10.5	12.5	E 14.0 E
27	723.7	-30.0	-26.1	-35.0	18.8	22.1	E 27.0 E
28	717.9	-30.7	-29.6	-31.8	14.6	18.3	E 22.3 E
29	725.8	-29.8	-28.0	-31.4	10.6	12.4	E 15.2 E
30	728.5	-34.5	-30.0	-40.7	9.8	11.5	E 13.0 E
31	724.2	-38.3	-35.3	-43.1	12.3	13.8	E 16.0 E
MEAN	730.2	-32.4	-28.8	-36.8	11.9		
MONTHLY MEAN							
	730.7	-31.2	-26.7	-36.5	11.3		

APRIL 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	725.0	-43.0	-39.9	-45.1	13.0	14.3	E 16.3 E
2	728.6	-43.0	-40.1	-45.7	12.3	13.5	E 15.0 E
3	733.2	-39.3	-32.1	-45.4	9.5	12.7	ENE 14.8 ENE
4	727.6	-45.3	-42.5	-47.7	10.9	12.3	E 13.3 E
5	724.2	-45.3	-41.7	-48.0	11.0	12.0	E 13.0 E
6	733.9	-36.6	-27.9	-45.8	7.0	10.9	E 13.0 E
7	734.9	-36.3	-29.7	-41.7	7.3	9.1	E 11.0 E
8	726.8	-41.9	-38.7	-44.6	9.8	10.8	E 11.5 E
9	727.1	-37.5	-29.2	-45.0	11.3	12.7	ENE 15.6 E
10	729.1	-26.7	-23.2	-31.1	15.0	19.2	ENE 22.6 ENE
MEAN	729.0	-39.3	-34.5	-44.0	10.7		
11	722.4	-23.7	-19.5	-32.4	11.2	17.2	NE 21.7 NNE
12	731.9	-38.1	-29.5	-44.2	8.7	11.1	E 12.4 E
13	732.6	-42.8	-40.2	-45.1	10.2	11.6	E 12.9 E
14	731.9	-42.1	-37.1	-46.8	11.8	13.1	E 15.0 E
15	729.6	-36.3	-33.1	-41.4	15.5	16.8	E 20.0 E
16	728.7	-34.2	-32.6	-37.7	10.8	14.3	E 18.3 E
17	730.6	-42.7	-37.6	-47.1	9.6	10.6	E 12.7 E
18	729.8	-49.6	-46.9	-51.7	12.2	16.6	E 19.6 E
19	727.5	-35.3	-29.7	-43.7	14.2	17.6	E 21.6 E
20	730.7	-38.3	-29.9	-44.4	10.9	13.5	E 14.9 E
MEAN	729.6	-38.3	-33.6	-43.3	11.5		
21	719.5	-43.4	-41.4	-45.3	14.7	16.4	E 19.3 E
22	721.4	-42.3	-38.8	-43.7	11.4	13.1	E 16.2 E
23	734.0	-41.5	-36.7	-47.0	8.4	9.7	E 10.4 E
24	737.5	-39.6	-34.0	-47.9	12.6	15.9	E 19.2 E
25	734.3	-37.9	-35.0	-39.6	15.7	18.2	E 22.2 E
26	735.1	-44.6	-44.0	-46.4	12.5	14.2	E 16.9 E
27	735.9	-43.4	-41.0	-46.8	11.2	13.9	E 16.2 E
28	728.3	-40.4	-38.3	-43.3	13.8	14.7	E 17.6 E
29	723.7	-38.9	-37.1	-41.0	11.9	13.4	ENE 17.7 ENE
30	724.6	-42.6	-40.9	43.9	12.3	14.9	ESE 17.5 ESE
MEAN	729.4	-41.3	-38.7	-35.7	12.5		
MONTHLY MEAN							
	729.3	-39.6	-35.6	-40.9	11.6		

MAY 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	735.9	-41.2	-40.6	-42.2	13.5	15.1	ESE 18.0 ESE
2	733.3	-44.2	-41.0	-49.4	11.8	16.1	ESE 20.9 ESE
3	722.2	-44.1	-42.1	-49.4	15.6	24.3	SE 24.5 SE
4	719.8	-47.3	-44.3	-48.7	14.9	16.9	ESE 20.6 ESE
5	716.7	-42.4	-33.3	-46.0	12.7	14.6	E 17.9 E
6	731.1	-24.6	-21.4	-34.0	8.7	10.2	NNE 14.9 NNE
7	745.2	-19.0	-16.2	-22.1	12.0	20.1	E 24.7 E
8	749.3	-22.4	-21.5	-24.4	19.3	21.5	E 27.0 E
9	753.3	-26.5	-24.2	-29.6	15.4	21.0	E 24.4 E
10	740.1	-30.7	-28.8	-33.9	14.5	17.4	ESE 20.7 ESE
MEAN	734.7	-34.2	-31.3	-37.8	13.8		
11	731.8	-39.5	-34.0	-42.1	17.2	20.2	ESE 25.0 ESE
12	736.9	-41.6	-40.0	-42.9	15.2	18.2	E 22.6 E
13	746.9	-37.3	-35.3	-40.6	13.7	15.4	E 17.9 E
14	752.7	-29.9	-25.9	-36.4	11.5	15.3	E 18.5 E
15	746.1	-30.5	-28.0	-33.1	13.7	17.3	E 20.9 E
16	733.1	-27.4	-25.2	-30.3	13.3	15.8	E 19.6 E
17	741.6	-23.2	-22.3	-25.2	10.1	11.8	ENE 13.7 ENE
18	737.1	-28.9	-23.6	-31.2	14.1	17.0	E 21.1 E
19	730.2	-32.1	-30.8	-34.3	13.1	16.1	E 19.5 E
20	736.7	-32.1	-29.4	-35.0	9.7	11.8	ENE 14.0 ENE
MEAN	739.3	-32.1	-29.3	-35.1	13.2		
21	741.6	-36.9	-30.1	-39.3	9.5	13.5	E 14.0 E
22	736.4	-36.6	-34.2	-38.5	11.6	13.1	E 14.9 E
23	737.4	-34.2	-32.4	-39.0	7.3	10.1	E 12.1 E
24	734.0	-38.3	-35.0	-43.0	7.5	10.8	E 12.2 E
25	727.6	-43.7	-41.3	-45.7	10.8	11.8	E 14.7 E
26	727.0	-42.7	-33.8	-47.0	8.6	11.0	E 12.9 E
27	732.6	-40.6	-31.9	-46.1	4.6	7.6	E 8.7 E
28	733.5	-49.2	-39.0	-54.2	8.4	12.3	E 14.2 E
29	731.3	-54.3	-53.7	-55.0	12.4	13.6	E 15.6 E
30	721.1	-47.6	-39.3	-55.0	11.8	14.2	ENE 17.5 ENE
31	714.6	-33.3	-28.0	-37.8	11.6	15.2	ENE 19.6 ENE
MEAN	730.6	-41.4	-36.2	-45.5	9.5		
MONTHLY MEAN							
	734.7	-36.2	-32.3	-39.7	12.1		

JUNE 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	728.6	-25.8	-24.6	-29.6	12.0	15.9	NE
2	732.2	-27.9	-24.8	-29.8	10.5	14.1	ENE
3	731.4	-31.4	-29.0	-33.6	14.6	16.5	E
4	728.7	-33.9	-31.9	-36.0	16.0	17.4	E
5	729.2	-33.7	-31.6	-37.1	14.1	16.3	E
6	726.1	-30.8	-28.8	-36.0	15.0	16.9	E
7	732.5	-32.7	-27.5	-35.9	12.8	14.0	E
8	734.1	-30.9	-28.0	-35.0	11.5	14.4	E
9	737.4	-36.6	-29.5	-42.2	10.0	11.2	E
10	733.0	-39.4	-36.4	-41.1	10.2	11.2	E
MEAN	731.3	-32.3	-29.2	-35.6	12.7		
11	727.6	-34.9	-32.7	-37.6	13.4	15.0	E
12	726.2	-38.2	-34.7	-41.8	12.4	15.3	E
13	720.3	-43.2	-41.4	-44.3	11.9	13.0	E
14	722.3	-45.4	-43.9	-46.4	11.6	13.0	E
15	735.3	-44.7	-41.5	-46.3	13.2	15.5	E
16	737.7	-43.6	-41.3	-46.4	11.4	13.1	ESE
17	727.7	-48.8	-46.3	-51.2	11.9	14.2	ESE
18	723.0	-49.7	-48.8	-51.0	14.5	16.1	E
19	726.2	-48.6	-47.7	-50.0	12.5	14.2	E
20	720.9	-49.9	-49.5	-50.6	14.5	16.3	E
MEAN	726.7	-44.7	-42.6	-46.4	12.7		
21	716.4	-51.0	-50.3	-51.5	13.5	14.9	E
22	716.3	-51.5	-50.5	-53.0	12.0	14.2	E
23	725.6	-51.3	-46.7	-53.9	9.7	10.7	E
24	727.0	-41.1	-38.2	-46.7	9.6	11.4	E
25	725.5	-45.5	-39.3	-48.8	8.6	10.8	E
26	728.7	-46.9	-46.0	-48.3	11.5	12.4	E
27	736.8	-50.6	-46.6	-52.9	10.8	12.2	E
28	740.2	-52.8	-49.1	-54.0	10.6	13.0	ESE
29	739.3	-48.6	-47.2	-52.4	14.3	17.8	ESE
30	730.8	-43.6	-42.1	-47.2	15.5	18.6	ESE
MEAN	728.7	-48.1	-45.6	-50.7	11.6		
MONTHLY MEAN							
	728.9	-41.6	-39.0	-44.2	12.3		

JULY 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	729.7	-44.6	-42.3	-46.9	12.2	13.9	E 16.2 E
2	728.2	-42.6	-39.0	-47.5	11.8	12.9	E 15.8 E
3	734.7	-47.9	-40.0	-52.2	9.7	12.0	E 13.5 E
4	737.0	-51.5	-50.1	-54.1	13.7	16.3	ESE 18.6 ESE
5	727.2	-48.6	-42.9	-51.2	16.6	18.9	ESE 22.7 ESE
6	719.7	-41.8	-39.1	-44.0	16.5	19.7	E 23.1 E
7	722.2	-47.7	-44.0	-48.9	13.0	16.7	E 20.0 E
8	726.2	-41.0	-36.0	-46.7	14.6	17.6	E 21.0 E
9	725.5	-35.1	-32.0	-39.2	15.9	18.0	E 21.9 E
10	727.3	-43.4	-38.9	-45.1	13.6	15.2	E 18.1 E
MEAN	727.8	-44.4	-40.4	-47.4	13.8		
11	724.4	-43.3	-42.2	-44.3	13.5	15.5	E 17.6 E
12	721.1	-43.9	-41.3	-45.4	13.1	14.2	E 17.2 E
13	716.2	-43.0	-40.3	-45.0	14.9	17.2	E 19.5 E
14	720.6	-43.8	-41.1	-45.1	15.6	18.1	E 21.8 E
15	730.7	-44.4	-41.9	-47.9	14.3	17.5	ESE 20.3 ESE
16	727.4	-44.6	-41.8	-47.1	15.7	17.5	ESE 20.6 ESE
17	722.7	-46.0	-45.1	-47.8	17.5	19.1	ESE 22.9 ESE
18	723.4	-45.1	-43.9	-46.7	16.9	18.6	ESE 22.3 ESE
19	727.3	-46.5	-45.3	-47.5	16.3	18.2	ESE 21.5 E
20	724.7	-42.8	-40.9	-45.3	16.3	18.1	ESE 22.7 ESE
MEAN	723.9	-44.3	-42.2	-46.2	15.4		
21	726.8	-43.1	-42.3	-44.2	16.5	18.7	ESE 22.2 ESE
22	735.4	-42.3	-41.5	-43.4	14.2	17.5	E 20.0 E
23	730.4	-39.8	-38.1	-40.9	17.5	20.3	E 25.0 E
24	723.7	-39.1	-37.9	-41.0	16.4	19.3	ESE 23.3 ESE
25	720.3	-39.5	-38.1	-41.5	14.5	18.7	ESE 21.1 ESE
26	721.6	-41.6	-39.3	-43.3	13.4	15.6	ESE 18.6 ESE
27	722.1	-43.9	-42.9	-44.8	11.6	12.9	E 14.5 E
28	719.5	-47.5	-44.7	-49.1	10.2	11.6	E 16.0 E
29	718.9	-44.7	-42.0	-47.9	10.3	11.2	E 14.9 E
30	720.1	-43.4	-40.6	-45.6	8.8	10.6	ENE 11.8 ENE
31	723.5	-42.3	-38.5	-45.0	10.7	12.5	E 14.7 E
MEAN	723.8	-42.3	-40.5	-44.2	13.1		
MONTHLY MEAN							
	725.1	-43.7	-40.9	-45.8	14.1		

AUGUST 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	727.0	-34.0	-32.6	-37.7	9.3	11.2	ENE 13.1 ENE
2	725.1	-35.4	-32.0	-38.4	9.4	10.5	ENE 12.8 ENE
3	723.8	-41.5	-37.3	-48.0	7.7	9.2	ENE 11.2 ENE
4	726.8	-52.2	-48.0	-53.6	8.2	9.4	E 10.8 E
5	731.3	-47.7	-37.2	-52.9	9.6	11.5	ENE 14.8 ENE
6	724.3	-32.1	-30.9	-37.0	9.5	11.5	NE 15.3 NE
7	723.0	-33.4	-30.6	-36.0	9.6	11.2	E 12.0 E
8	715.5	-32.1	-29.9	-35.9	11.3	15.9	E 18.7 E
9	712.8	-40.6	-35.2	-43.9	10.6	15.5	E 18.4 E
10	721.6	-45.5	-43.1	-47.4	9.7	10.7	ENE 13.2 E
MEAN	723.1	-39.3	-35.5	-42.9	9.6		
11	720.7	-50.2	-46.8	-53.2	8.5	10.1	E 11.6 ENE
12	722.9	-51.4	-48.1	-53.4	10.2	12.0	ENE 13.6 ENE
13	733.4	-40.8	-37.3	-48.3	12.6	16.2	E 19.9 E
14	730.9	-41.6	-39.6	-43.3	15.5	17.2	E 21.6 E
15	724.9	-48.4	-42.3	-51.8	14.1	15.2	ESE 18.1 E
16	724.5	-52.1	-50.1	-54.3	11.2	13.3	E 17.1 E
17	728.4	-49.7	-46.2	-54.0	13.1	13.9	E 16.7 E
18	734.2	-42.6	-40.5	-46.2	13.8	15.2	E 17.3 E
19	731.8	-43.0	-40.5	-46.9	16.5	19.3	ESE 24.0 ESE
20	719.5	-44.6	-43.1	-46.4	16.9	20.2	ESE 25.0 ESE
MEAN	727.1	-46.4	-43.3	-49.6	13.2		
21	723.1	-45.0	-43.4	-46.9	13.8	16.7	ESE 21.0 ESE
22	727.1	-36.7	-33.0	-44.3	14.6	18.3	E 22.5 E
23	730.1	-37.2	-33.6	-41.2	13.9	16.1	E 18.8 E
24	733.6	-36.9	-32.8	-40.9	13.8	16.3	E 19.8 E
25	739.5	-33.7	-31.3	-37.2	14.3	16.3	E 18.2 E
26	735.7	-39.9	-37.1	-42.4	12.8	15.0	E 19.5 E
27	737.5	-35.4	-34.2	-37.3	13.0	14.2	E 16.0 E
28	737.0	-36.0	-34.4	-37.5	13.7	15.2	E 17.4 E
29	732.4	-37.4	-35.1	-39.5	13.0	14.8	E 17.5 E
30	727.7	-38.5	-35.9	-40.6	12.5	14.1	E 17.0 E
31	723.0	-37.9	-33.8	-44.8	10.0	12.9	E 15.0 E
MEAN	731.5	-37.5	-34.8	-41.1	13.2		
MONTHLY MEAN							
	727.4	-40.9	-37.9	-44.4	12.0		

SEPTEMBER 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)	
1	716.7	-45.8	-43.8	-47.5	14.4	16.1	ESE	20.0
2	720.1	-45.7	-44.0	-46.7	16.6	19.1	ESE	23.0
3	726.8	-44.6	-41.7	-46.6	12.4	14.9	E	17.9
4	731.4	-44.1	-40.7	-46.0	9.5	11.1	E	12.1
5	730.9	-47.0	-41.2	-52.1	9.1	11.2	ESE	12.6
6	732.1	-47.9	-42.6	-53.2	12.8	13.7	ESE	15.6
7	736.1	-34.1	-31.3	-42.6	12.3	13.4	E	15.7
8	740.2	-30.5	-28.4	-34.8	11.9	13.6	E	16.1
9	742.8	-34.0	-30.9	-37.0	11.9	13.8	E	16.1
10	739.0	-31.3	-27.0	-36.6	19.0	24.6	E	30.8
MEAN	731.6	-40.5	-37.0	-44.3	13.0			
11	733.0	-28.1	-24.0	-30.6	21.7	25.2	E	31.4
12	728.7	-28.4	-23.2	-35.7	13.8	22.6	ENE	29.4
13	729.8	-38.4	-35.7	-40.3	12.7	14.4	E	16.4
14	723.1	-37.8	-34.5	-40.9	14.1	15.8	E	19.2
15	719.6	-33.3	-29.8	-37.5	15.9	18.3	E	22.2
16	718.7	-40.4	-37.5	-43.5	14.7	18.3	E	21.3
17	716.8	-37.7	-32.3	-42.6	12.4	15.4	E	19.0
18	723.3	-36.7	-32.0	-42.1	9.3	14.4	E	
19	721.8	-40.2	-36.2	-43.6	11.7	13.7	E	
20	719.3	-35.5	-31.9	-41.1	10.1	14.2	E	
MEAN	723.4	-35.5	-31.7	-39.6	13.6			
21	720.2	-33.3	-30.1	-37.6	8.0	10.5	E	12.4
22	721.3	-34.5	-31.4	-39.0	7.9	9.1	ENE	10.8
23	715.5	-37.7	-33.6	-40.5	11.1	13.5	E	15.4
24	710.8	-37.7	-35.4	-40.4	14.6	16.2	ESE	19.8
25	714.3	-38.8	-35.3	-42.3	13.1	15.8	E	18.8
26	721.2	-39.4	-35.0	-42.6	14.4	17.2	E	21.2
27	709.0	-36.2	-32.5	-42.3	16.3	19.5	E	24.8
28	712.3	-35.5	-30.9	-42.8	14.1	16.6	E	20.5
29	712.2	-39.8	-35.6	-42.9	15.2	18.2	E	22.5
30	716.7	-39.5	-35.4	-43.2	13.5	14.4	E	17.6
MEAN	715.4	-37.2	-33.5	-41.2	12.8			
MONTHLY MEAN								
	723.5	-37.6	-34.1	-41.8	13.2			

OCTOBER 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)	
1	719.3	-37.0	-33.8	-41.6	13.7	15.5	E	19.0
2	728.2	-36.9	-30.9	-43.6	8.0	12.7	E	15.8
3	727.1	-38.8	-33.5	-45.1	9.0	10.2	E	11.5
4	719.0	-36.1	-31.1	-45.3	9.4	12.4	E	14.0
5	710.3	-44.1	-37.9	-49.0	9.7	13.0	E	14.9
6	717.2	-43.4	-39.2	-49.8	11.4	13.6	E	15.4
7	723.6	-37.1	-31.6	-42.6	10.0	13.1	E	15.0
8	720.0	-37.2	-32.6	-41.2	7.0	11.6	E	13.0
9	710.9	-35.6	-31.7	-39.9	11.6	12.6	E	14.6
10	710.8	-32.9	-28.2	-39.7	9.9	13.4	E	15.5
MEAN	718.6	-37.9	-32.9	-43.6	10.0			
11	716.9	-34.4	-29.8	-40.8	6.6	8.7	E	10.2
12	713.6	-38.6	-34.3	-43.1	9.4	10.7	ENE	12.5
13	715.9	-40.7	-34.6	-46.1	11.9	14.1	E	16.0
14	713.4	-40.9	-35.1	-47.0	11.8	13.5	E	16.2
15	711.3	-43.8	-38.2	-48.2	11.9	14.4	ESE	17.0
16	712.1	-41.0	-34.7	-47.6	12.2	13.2	E	15.4
17	717.3	-42.3	-35.9	-47.3	9.1	11.5	E	14.3
18	721.1	-42.9	-35.2	-49.6	8.6	10.7	E	12.0
19	728.0	-42.3	-33.8	-48.9	8.0	10.3	E	11.4
20	731.8	-34.0	-27.9	-47.8	12.1	15.2	ENE	17.7
MEAN	718.1	-39.9	-33.8	-46.6	10.2			
21	730.1	-27.6	-24.7	-32.7	10.7	15.1	E	17.9
22	729.9	-34.9	-29.4	-41.0	11.3	12.4	E	15.0
23	726.3	-38.0	-33.5	-43.6	13.7	15.7	E	18.3
24	728.8	-34.7	-29.8	-39.7	13.3	14.9	E	17.6
25	728.9	-38.5	-33.6	-41.8	15.8	17.7	E	21.6
26	726.1	-38.8	-32.9	-44.0	12.9	16.7	E	20.5
27	730.1	-40.8	-34.9	-46.0	11.8	13.2	E	15.7
28	725.9	-40.1	-33.9	-46.7	12.2	13.3	E	17.0
29	723.8	-37.9	-30.9	-44.7	10.1	13.2	E	16.0
30	727.6	-36.3	-29.5	-43.2	8.6	10.1	ENE	12.1
31	729.0	-35.8	-28.6	-42.3	7.4	10.1	ENE	12.7
MEAN	727.9	-36.5	-30.9	-42.3	11.6			
MONTHLY MEAN								
	721.8	-38.0	-32.6	-44.0	10.6			

NOVEMBER 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)	
1	725.9	-33.8	-28.0	-43.4	9.6	11.6	E	13.4
2	723.9	-28.3	-23.8	-33.6	12.6	15.3	E	17.6
3	727.7	-28.8	-23.3	-33.8	11.0	14.2	E	18.3
4	729.0	-30.1	-23.9	-35.4	8.2	10.7	E	12.5
5	730.4	-26.1	-21.7	-35.0	12.1	12.7	ENE	14.7
6	730.3	-23.5	-19.5	-29.2	10.1	13.4	ENE	16.5
7	731.6	-26.7	-22.0	-30.8	11.0	13.0	E	14.5
8	737.8	-29.7	-23.7	-35.5	8.2	11.5	E	13.5
9	737.5	-31.0	-25.4	-37.1	11.0	12.3	E	14.1
10	738.8	-31.7	-25.4	-37.3	10.0	13.2	E	15.6
MEAN	731.3	-28.8	-23.5	-35.1	10.4			
11	737.6	-32.2	-26.0	-38.0	11.4	13.6	E	15.2
12	733.9	-28.5	-22.4	-35.9	12.4	13.4	E	15.4
13	738.6	-27.0	-21.0	-32.7	9.9	12.8	E	15.0
14	738.2	-26.7	-19.7	-34.1	7.7	10.2	E	11.6
15	734.3	-25.0	-20.1	-34.0	10.9	12.7	E	14.3
16	734.8	-24.6	-20.7	-29.9	9.9	12.7	E	14.8
17	732.1	-26.4	-21.5	-32.0	10.4	13.1	E	14.1
18	731.2	-27.2	-21.7	-31.9	10.1	12.4	E	13.9
19	729.2	-27.6	-22.3	-33.4	10.7	12.1	E	14.5
20	731.3	-26.2	-20.9	-32.8	10.3	12.2	E	13.9
MEAN	734.1	-27.1	-21.6	-33.3	10.4			
21	725.3	-25.4	-19.2	-30.7	8.4	11.5	E	13.1
22	728.4	-23.7	-18.0	-31.7	8.0	11.3	ENE	13.3
23	736.4	-20.8	-16.1	-25.9	5.7	8.1	E	9.3
24	737.7	-23.4	-17.8	-30.5	5.9	9.9	ESE	11.0
25	734.1	-24.7	-18.7	-31.6	11.0	12.3	E	14.0
26	736.7	-24.0	-20.1	-29.8	12.1	15.1	E	17.8
27	733.9	-23.6	-20.1	-28.9	13.8	17.0	E	20.7
28	732.8	-20.6	-16.0	-25.9	12.1	15.2	E	19.5
29	736.6	-21.6	-15.6	-27.7	7.7	10.3	E	11.9
30	738.2	-20.9	-15.0	-27.7	8.0	10.4	E	11.2
MEAN	734.0	-22.7	-17.5	-29.0	9.3			
MONTHLY MEAN								
	733.1	-26.3	-20.8	-32.5	10.0			

DECEMBER 1984

DATE	PST (MB)	TM (°C)	TX (°C)	TN (°C)	VM (M/S)	VX (M/S)	VI (M/S)
1	734.4	-22.6	-17.2	-27.4	8.8	11.4	E 12.6
2	729.1	-23.1	-17.8	-28.9	10.2	12.3	E 14.4
3	737.5	-20.5	-14.4	-27.5	9.5	12.6	E 14.0
4	747.6	-19.8	-14.3	-26.3	7.0	9.8	E 10.7
5	740.3	-22.0	-16.4	-28.7	6.8	8.4	E 8.7
6	744.2	-21.2	-15.6	-27.6	7.5	10.1	E 10.9
7	741.0	-18.5	-14.5	-26.0	15.7	18.6	E 22.6
8	744.5	-15.3	-12.6	-18.1	14.7	19.3	E 22.9
9	745.9	-16.2	-12.4	-19.7	15.0	16.9	E 20.0
10	745.9	-17.4	-13.8	-21.4	14.7	16.5	E 19.6
MEAN	741.0	-19.5	-14.9	-25.0	11.0		
11	748.5	-18.0	-14.0	-22.3	13.9	16.3	E 19.3
12	747.9	-17.2	-12.7	-24.7	15.1	17.8	E 21.4
13	746.0	-13.6	-10.5	-18.1	14.0	16.2	E 20.0
14	744.8	-13.3	-10.1	-17.1	12.3	14.5	E 17.7
15	750.3	-13.6	-10.8	-17.2	10.3	14.1	E 16.6
16	750.9	-12.8	-9.2	-16.6	9.1	14.3	E 16.8
17	751.5	-11.9	-7.2	-17.7	10.0	14.0	E 16.1
18	755.4	-12.8	-8.9	-17.1	10.1	13.1	E 14.8
19	753.9	-12.3	-6.0	-18.6	7.7	10.4	E 11.5
20	752.3	-14.5	-10.4	-20.3	7.2	10.1	E 11.6 ENE
MEAN	750.2	-14.0	-9.8	-18.8	11.0		
21	749.1	-17.1	-12.6	-22.1	5.7	12.8	E 13.0
22	747.3	-18.3	-13.9	-23.3	6.7	8.8	E 9.4
23	746.9	-18.9	-15.0	-23.5	8.9	11.1	E 12.5
24	745.4	-17.0	-12.0	-22.7	9.5	11.8	E 13.0
25	744.8	-18.0	-13.9	-22.4	9.3	11.6	E 12.5
26	742.4	-19.2	-15.1	-24.2	8.0	10.3	E 11.2
27	741.2	-15.7	-13.0	-20.7	7.5	10.9	ENE 12.2 ENE
28	745.5	-15.7	-13.5	-18.0	7.7	10.5	E 11.4
29	747.9	-16.0	-11.2	-20.4	8.7	10.5	E 11.4
30	748.7	-16.2	-12.4	-20.9	10.8	14.0	E 16.2
31	745.6	-15.5	-10.4	-21.2	9.8	13.1	E 15.0
MEAN	745.9	-16.9	-12.8	-21.6	8.4		
MONTHLY MEAN							
	745.7	-16.9	-12.6	-21.8	10.1		

Table 3. Surface synoptic data in 1984.

JANUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	736.0	-19.3	E	5.7						
	06	736.5	-19.1	ENE	7.3						
	09	737.5	-17.0	ENE	9.7	10-	36	5	07X	E	10-Ac
	12	738.9	-17.0	ENE	8.4						
	15	739.6	-16.6	ENE	8.5	10-	36	10	07X	E	10-Ac
	18	739.6	-16.1	ENE	5.5						
	21	739.8	-18.0	ENE	6.9	10-	36	10	07X	E	2As, 8Ac
	24	740.5	-22.1	E	7.5						
2	03	739.4	-24.6	ESE	4.8						
	06	738.9	-19.7	E	7.2						
	09	738.7	-19.1	ENE	10.6	10		5	07X	-	10Ac
	12	738.7	-18.2	ENE	7.6						
	15	737.8	-17.4	ENE	6.2	10	02	5	07X	-	4As, 6Ac
	18	736.9	-17.4	NE	5.8						
	21	736.0	-17.7	ENE	3.3	10	71	5	07X	-	4As, 6Ac
	24	735.7	-18.3	ENE	5.4						
3	03	735.4	-18.9	E	8.6						
	06	735.6	-18.8	ENE	9.6						
	09	735.9	-17.9	ENE	10.8	10	36	5	07X	E	2As, 8Ac
	12	736.2	-15.8	NE	8.3						
	15	736.5	-15.7	ENE	6.6	10	02	10	07X	-	1As, 9Ac
	18	737.0	-16.3	ENE	5.7						
	21	737.1	-17.1	E	4.3	10	02	10	07X	-	2As, 8Ac
	24	737.5	-21.0	E	6.1						
4	03	738.2	-19.5	ENE	5.0						
	06	738.7	-18.1	E	4.4						
	09	739.0	-16.5	NE	5.8	10		5	072	-	2As, 7Ac, XCi
	12	739.3	-15.7	NE	6.3						
	15	739.5	-15.0	ENE	3.6	10	71	5	072	-	7Ac, 3As, XCi
	18	739.0	-16.0	NE	4.9						
	21	738.7	-18.5	E	5.9	9	02	10	07X	-	2As, 7Ac
	24	738.1	-25.0	E	6.6						
5	03	736.9	-26.9	E	8.9						
	06	735.4	-24.7	E	10.9						
	09	734.5	-21.5	E	10.6	4	36	10	002	E	4Ci
	12	734.2	-20.2	ENE	9.0						
	15	733.6	-19.0	ENE	7.8	6	02	15	002	-	6Ci
	18	733.2	-17.8	ENE	7.7						
	21	733.7	-20.4	E	6.7	4	01	20	002	-	4Ci
	24	734.5	-24.4	E	9.4						
6	03	735.6	-26.4	E	10.0						
	06	736.8	-24.8	E	10.4						
	09	738.5	-20.5	E	9.0	0	36	20	002	E	Ci
	12	739.2	-17.8	ENE	10.0						
	15	740.5	-16.9	NE	9.0	5	02	20	002	-	5Ci
	18	741.6	-17.5	NNE	5.8						
	21	742.5	-21.9	ENE	5.4	2	36	20	052	E	2Ci, 2Ac
	24	743.5	-25.0	ENE	7.4						

JANUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	743.6	-22.8	ENE	6.1						
	06	743.0	-19.7	ENE	6.2						
	09	742.8	-18.0	ENE	8.0	10				-	2As
	12	741.6	-15.8	ENE	11.3						
	15	741.0	-15.6	NE	11.1	6	36	1.5	100	D	
	18	740.1	-16.4	ENE	9.2						
	21	739.0	-17.4	E	6.5	10	03	3	007	-	7Ac
	24	737.9	-19.0	E	10.2						
8	03	736.9	-22.8	E	9.6						
	06	734.7	-22.2	E	10.0						
	09	733.7	-19.2	E	12.1	1	36	1	002	D	Ci
	12	733.4	-17.7	ENE	14.0						
	15	734.4	-16.9	ENE	11.7	8	36	1.5	002	D	8Ci
	18	734.4	-17.1	ENE	10.7						
	21	734.8	-19.7	ENE	10.0		36	1.5	076	D	8Ci, 2Ac
	24	735.2	-20.1	ENE	10.2						
9	03	736.2	-20.4	ENE	10.6						
	06	736.6	-19.2	ENE	12.0						
	09	737.4	-17.5	ENE	11.2	10	73	.1	01X	A	10As
	12	738.0	-16.3	ENE	11.8	10	73				
	15	739.5	-14.6	ENE	9.5	10	73	1.5	01X	D	10As
	18	740.3	-14.3	ENE	6.5	10	71	2			
	21	740.6	-16.5	ENE	5.4	10	01	5	072	-	3As, 10Ci
	24	742.5	-17.3	E	6.2						
10	03	743.7	-18.6	E	9.0						
	06	744.0	-19.4	E	10.6						
	09	743.2	-18.4	E	13.5	10	71	.7	012	D	10Ci, 2As
	12	743.0	-15.3	E	11.0		71				
	15	742.1	-13.7	ENE	9.2	10	36	5	032	E	10Ci, 1Ac
	18	742.0	-13.8	ENE	7.0						
	21	741.7	-17.5	ENE	6.8	0	36	3	000	E	1Ac
	24	741.2	-21.1	ENE	10.1						
11	03			E	11.4						
	06			E	11.8						
	09	739.6	-18.0	E	12.2						
	12	739.0	-15.1	E	12.8						
	15	738.6	-14.2	E	13.0	0	36	2	000	D	
	18	738.2	-15.0	E	10.0						
	21	738.3	-17.8	E	11.2	0	36	2	000	D	
	24	739.4	-20.6	E	11.3						
12	03	740.1	-22.2	E	11.0						
	06	741.0	-19.2	E	12.1						
	09	741.2	-17.1	E	12.5	0	36	1	000	D	
	12	741.8	-16.3	E	13.2						
	15	742.0	-13.3	E	11.7	0	36	10	000	E	
	18	742.0	-13.7	E	9.3						
	21	742.8	-17.5	E	7.2	5	03	30	050	-	
	24	743.1	-19.5	ESE	8.7						

JANUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	743.5	-21.9	E	10.2						
	06	742.8	-22.0	E	10.2						
	09	741.5	-17.6	E	12.4	0		30	000		
	12	741.2	-12.7	E	12.5	1			001		Ci
	15	741.3	-11.0	E	9.5	0	36	30	002	E	
	18	740.9	-12.0	E	8.0						
	21	741.3	-15.7	E	8.9		02	10	002	-	
	24	742.6	-16.5	E	8.6						
14	03	743.1	-19.2	E	8.7						
	06	744.0	-15.3	E	9.1						
	09	744.3	-12.0	E	8.6	10	36	10	032	E	5Ci, 6Ac
	12	743.0	-10.5	E	10.4		36				
	15	741.9	-10.2	E	11.3	10	36	3	007	E	10Cs
	18	741.9	-11.1	E	8.5		36	5	002	E	2Ci
	21	741.8	-14.8	E	10.1		36	5	002	E	
	24	741.2	-19.3	E	11.0						
15	03	740.0	-21.2	E	12.8						
	06	739.5	-19.7	E	12.0						
	09	739.0	-16.2	E	13.7						
	12	739.9	-13.1	ENE	10.5	3		10	003		
	15	740.6	-11.3	ENE	7.5	7	02	10	017	-	
	18	741.0	-11.7	ENE	5.2						
	21	741.5	-16.0	E	5.4	10	02	10	032	-	10-Ci, 1Ac
	24	741.5	-19.8	E	7.0						
16	03	741.5	-21.3	E	7.8						
	06	741.6	-17.0	ENE	7.8						
	09	741.8	-15.0	ENE	10.5						
	12	741.8	-13.7	E	10.2						
	15	742.1	-12.8	ENE	9.8	4	36	3	032	E	1Ac, 4Ci
	18	742.1	-13.8	E	8.8		36	3		E	
	21	742.3	-17.5	E	10.6	10	36	3	001	E	10-Ci
	24	743.1	-21.7	E	13.2						
17	03	743.9	-23.8	E	12.4						
	06	744.3	-23.3	E	11.8						
	09	744.4	-20.0	E	10.8						
	12	745.1	-16.3	E	10.0						
	15	746.0	-14.7	E	9.1	0	00	20	000	-	
	18	746.8	-15.8	E	7.3	0		20	000	-	
	21	748.0	-19.8	E	8.5		00	30	000	-	
	24	749.8	-23.8	E	9.0						
18	03	751.1	-25.7	E	10.8						
	06	752.3	-24.6	E	10.8						
	09	753.2	-20.3	E	12.0	0		20	000	-	
	12	753.9	-17.5	E	11.5						
	15	754.1	-15.5	E	9.9		00	20	000	-	
	18			E	7.8						
	21			E	8.4		02	20	032	-	3Ac, 6Ci
	24	754.8	-23.8	E	10.8						

JANUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	754.4	-24.0	E	12.9						
	06	753.9	-21.9	E	12.0						
	09	751.8	-21.0	ESE	13.0						
	12	749.9	-17.8	E	12.4						
	15	748.6	-16.2	E	13.2	O	36	.8	000	D	
	18	747.3	-17.3	E	11.8						
	21	746.6	-20.7	E	11.8	O	36	.8	000	D	
	24	746.0	-24.1	E	12.2						
20	03	745.5	-25.9	E	13.4						
	06	745.3	-24.8	E	14.1						
	09	745.3	-21.7	E	14.2	O	3			E	
	12	746.5	-18.6	E	13.4		2				
	15	747.4	-16.4	E	12.2		36	1.5	002	D	
	18	748.2	-16.6	E	9.8						
	21	749.0	-21.0	E	8.5	1	36	3	032	E	
	24	749.5	-24.0	E	10.8						
21	03	750.0	-25.9	E	10.4						
	06	749.8	-25.3	E	11.9						
	09	749.7	-22.0	E	11.8						
	12	749.6	-17.9	E	12.2						
	15	750.1	-16.6	E	11.8	8	36	1.5	000	D	
	18	750.3	-17.1	E	10.7						
	21	750.9	-19.3	E	11.2	8	36	3	002	E	8Ci
	24	751.7	-21.7	E	10.8						
22	03	752.1	-18.2	E	11.1						
	06	751.9	-18.8	E	12.4						
	09	751.8	-16.2	E	12.5	O+	2				
	12	751.3	-13.0	E	12.0						
	15	750.6	-11.0	E	11.1	8	36	3	070	E	8Ac
	18	750.0	-12.2	E	8.6						
	21	749.1	-14.1	E	11.0	10-	36	3	02X	E	1As, 7Ac
	24	749.0	-20.5	E	10.2						
23	03	747.0	-20.9	E	10.1						
	06	745.4	-21.0	E	13.1						
	09	743.5	-18.8	E	14.0						
	12	742.3	-16.3	E	13.5	1	36	.8	003	D	
	15	742.3	-15.4	ENE	12.3	1	36	1.5	003	D	
	18	742.8	-15.0	E	10.2						
	21	743.4	-18.7	E	9.7	1	36	3	002	E	1Ci
	24	743.9	-21.3	E	10.4						
24	03	743.7	-21.5	E	11.0						
	06	742.7	-20.7	E	12.1						
	09	741.5	-16.9	E	12.0	O	20				
	12	740.9	-12.5	E	11.8	2					
	15	739.8	-11.5	E	13.4	3	36	1.5	050	D	
	18	739.2	-12.5	E	12.1	8					
	21	739.4	-15.9	E	13.0		36	1.5	037	D	1Ac, 10Cs
	24	740.8	-20.2	E	10.8						

JANUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	741.8	-18.8	ENE	11.7						
	06	743.0	-16.5	ENE	11.5						
	09	744.8	-16.4	E	12.7	9	36	5	007	E	7Ci, 8Cs
	12	745.6	-13.5	E	10.9						
	15	744.5	-12.0	ESE	10.8	10-	36	10	007	E	10Cs
	18	743.0	-12.5	ESE	9.1						
	21	742.4	-17.5	E	9.1	1	01	10	005	-	1Cs
	24	743.2	-20.0	E	10.7						
26	03	743.9	-22.4	E	8.2						
	06	743.7	-21.2	E	8.6						
	09	742.8	-16.9	E	8.9						
	12	741.4	-13.9	E	9.2						
	15	741.9	-12.8	ENE	9.3	6	02	10	032	-	3Ac, 0+Cc, 4Ci
	18	743.2	-14.1	ENE	5.6						
	21	744.1	-17.2	E	6.8		02	30	032	-	2Ac, 6Ci, 2Cc
	24	744.7	-21.5	E	9.3						
27	03	744.7	-24.0	E	7.0						
	06	744.1	-23.1	E	10.2						
	09	743.1	-20.5	E	11.4	2		20	002		
	12	742.2	-17.0	E	12.2	2		20	002		
	15	742.5	-16.0	ENE	12.0	6	38	.7	002	D	
	18	743.0	-16.4	E	7.0						
	21	744.0	-21.0	E	8.5	4	36	2	031	D	
	24	745.0	-23.9	E	9.5	1		2	001		
28	03	745.8	-25.2	E	10.9						
	06	745.5	-24.6	E	14.1						
	09	746.0	-21.0	E	12.9	8	36	.5	001	C	
	12	747.0	-18.5	E	12.2						
	15	747.3	-16.5	E	10.7	10-	36	2	02X	D	10-As
	18	747.4	-16.3	E	10.2						
	21	748.4	-17.0	E	11.0	10-	36	1.5	07X	D	10-Ac
	24	749.2	-19.4	ENE	12.6						
29	03	750.0	-21.2	E	9.4						
	06	749.7	-22.6	E	11.6						
	09	749.4	-19.8	E	10.2	0+	01	5	030	-	0+Ac
	12	748.3	-16.9	E	10.5						
	15	747.6	-16.2	E	10.2	8	02	30	001	-	8Ci
	18	746.1	-17.2	E	10.2	1		30	001	-	1Ci
	21	745.0	-21.1	E	9.2		01	30	001	-	
	24	745.0	-23.2	E	10.6						
30	03	745.0	-22.6	E	11.2						
	06	744.3	-20.5	E	11.9						
	09	744.5	-17.9	ENE	12.1	10-	36	2	029	D	Cs
	12	745.0	-14.6	ENE	12.2						
	15	745.3	-13.0	E	10.7		36	3	001	E	Ci
	18	745.6	-13.8	E	9.2						
	21	746.1	-16.5	E	9.3	10-	03	5	07X	-	10-As, 1Ac
	24	747.6	-18.8	E	11.5						

JANUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLOCNCH (KM)	BS	PHENOMENA
31	03	748.8	-21.1	E	11.8						
	06	749.0	-21.6	ENE	10.8						
	09	749.5	-19.5	ENE	10.4	10	03	S		-	10Cs, 4Ci
	12	749.8	-17.2	ENE	10.2						
	15	749.9	-16.0	ENE	8.8	10	03	10	071	-	2As, 2Ac, 10Ci
	18	749.7	-16.0	ENE	5.4						
	21	749.9	-20.8	E	7.5		03			-	
	24	750.2	-23.5	E	10.8						

FEBRUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	750.0	-26.3	E	12.5						
	06	748.8	-25.7	E	12.5						
	09	747.9	-21.7	ENE	13.3						
	12	747.0	-17.7	ENE	12.5						
	15	746.8	-16.2	ENE	11.3	0+	36	1.5	001	D	1Ci
	18	746.2	-17.0	E	10.4						
	21	746.2	-21.9	E	11.3						
	24	746.2	-25.0	E	9.2						
2	03	745.0	-27.1	E	9.4						
	06	744.0	-25.5	E	10.4						
	09	743.0	-20.7	E	10.9	1	36	3	001	E	Ci
	12	742.8	-16.5	E	13.8	1	36	3	001	E	Ci
	15	743.0	-15.0	ENE	11.0	1	36	3	001	E	Ci
	18	743.6	-16.6	ENE	9.9						
	21	744.3	-21.0	ENE	11.0	6	36	5	008	E	Cs
	24	745.8	-24.0	ENE	11.3						9As, Cs
3	03	746.3	-26.0	ENE	11.5						
	06	747.0	-25.0	ENE	11.9						
	09	747.5	-21.5	ENE	11.9	10	02	5	007	-	10Cs, 8Ci
	12	747.9	-18.2	ENE	11.8						
	15	747.6	-16.4	ENE	10.8	8	02	5	008	-	7Cs, 3Ci
	18	747.9	-16.4	ENE	8.2						
	21	747.7	-20.5	E	9.2						
	24	748.0	-22.8	E	9.2						
4	03	747.9	-22.3	E	8.2						
	06	747.4	-19.2	E	8.4						
	09	747.3	-16.8	E	10.7						
	12	747.2	-13.9	E	9.8						
	15	746.8	-14.2	E	9.4	8	02	10	008	-	10Cs
	18	746.1	-15.8	E	6.5						
	21	745.0	-19.4	E	9.8						
	24	744.6	-22.4	E	10.6						
5	03	744.0	-24.7	E	11.4						
	06	744.0	-23.4	E	11.4						
	09	744.0	-20.4	E	11.0						
	12	744.0	-16.8	E	10.8						
	15	744.6	-15.2	E	9.8	1	02	10	031	-	
	18	745.1	-16.3	E	6.7						
	21	745.2	-20.0	E	11.1						
	24	746.5	-22.6	ENE	11.8		02				-
6	03	748.5	-23.7	ENE	11.6						
	06	750.0	-21.4	E	9.7						
	09	751.0	-17.7	E	9.7	0		30			
	12	751.9	-13.7	E	7.5						
	15	752.4	-12.7	E	8.0	0	02	30	000	-	
	18	753.0	-14.4	E	6.0						
	21	753.8	-20.0	E	6.8						
	24	754.3	-22.5	E	9.7						

FEBRUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLOUDCH (KM)	BS	PHENOMENA
7	03	754.3	-24.3	E	9.6						
	06	754.3	-22.9	E	10.6						
	09	753.9	-18.7	ENE	11.8						
	12	753.8	-13.3	ENE	10.7						
	15	753.0	-13.5	E	11.3	9	36	2	002	D	9Ci
	18	751.8	-14.9	ENE	10.8						
	21	749.9	-19.2	E	11.5						
	24	749.1	-22.8	E	11.1						
8	03	746.0	-25.0	E	13.7						
	06	744.3	-24.2	E	14.0						
	09	743.1	-20.8	E	14.0		2.5			E	
	12	742.7	-17.1	ENE	14.4						
	15	741.5	-15.5	E	12.8	1	36	2	042	D	2Cs
	18	741.8	-16.5	ENE	12.0						
	21	741.7	-20.1	E	13.8						
	24	742.2	-22.5	ENE	13.8						
9	03	742.1	-22.7	E	14.6						
	06	741.4	-22.7	ENE	15.4						
	09	741.7	-20.5	E	15.3	10	32	1	094	D	5Cs, 4Ci, 4As
	12	741.6	-17.8	E	15.6						
	15	741.3	-16.5	ENE	14.3	10-	70	.7	094	D	10-Ac, 1As
	18	741.3	-17.3	ENE	13.0						
	21	741.2	-19.8	E	14.2						
	24	741.1	-20.5	E	14.8						
10	03	739.9	-22.2	E	13.8						
	06	738.9	-22.7	E	15.3						
	09	738.1	-20.9	E	14.8						
	12	738.3	-18.2	E	14.7	9	37	.4		C	
	15	739.2	-17.5	E	13.9	10	37	.5	071	C	10Ci, 1Ac
	18	739.3	-18.7	E	12.2						
	21	739.7	-21.8	E	13.8						
	24	740.4	-23.7	E	12.8	,					
11	03	739.9	-25.0	E	12.8						
	06	738.9	-24.7	E	13.1						
	09	738.2	-21.6	ENE	11.8	3		2		D	
	12	737.5	-19.0	ENE	11.1						
	15	736.6	-17.4	ENE	10.7	7	02	5	035	-	
	18	736.0	-18.3	ENE	9.1						
	21	735.8	-21.3	ENE	9.2						
	24	735.5	-23.8	ENE	10.3						
12	03	735.1	-25.9	ENE	10.2						
	06	734.2	-26.2	ENE	10.2						
	09	734.2	-23.0	ENE	10.1						
	12	734.2	-19.8	ENE	9.8						
	15	734.2	-18.0	ENE	7.7	10-	03	5	078	-	9Ac, 7As, 8Cs
	18	734.4	-18.0	ENE	5.8						
	21	734.6	-20.8	ENE	6.8	10-	03	10	061	-	
	24	735.0	-25.5	ENE	7.7						

FEBRUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	735.0	-28.2	ENE	9.0						
	06	735.1	-28.4	E	9.2						
	09	734.9	-24.8	ENE	8.9						
	12	735.3	-20.8	ENE	6.5						
	15	735.7	-18.8	ENE	6.2	10-	02	30	002	-	10-Ci
	18	735.9	-18.3	ENE	1.8	10-	02	30	002	-	
	21	736.0	-25.3	ENE	5.3	7	01	30	032	-	
	24	736.4	-29.2	ENE	6.8						
14	03	737.0	-31.4	E	7.2						
	06	736.5	-30.0	E	8.4						
	09	736.4	-25.5	E	8.0	3					
	12	736.6	-21.3	ENE	7.0						
	15	736.7	-18.8	ENE	5.5	6	02	30	009	-	
	18	736.2	-20.6	ENE	6.9						
	21	735.7	-25.5	ENE	8.3						
	24	735.6	-28.5	ENE	9.2						
15	03	735.0	-30.2	E	9.8						
	06	733.0	-29.0	E	11.3						
	09	731.2	-25.0	E	13.3						
	12	729.7	-20.5	ENE	12.8						
	15	728.0	-19.1	ENE	12.7	10	71	.5	017	B	Cs, As
	18	726.8	-19.0	ENE	13.4						
	21	727.2	-20.0	ENE	10.8						
	24	728.2	-20.1	ENE	11.5						
16	03	730.0	-21.3	ENE	9.8						
	06	730.8	-22.3	E	11.0						
	09	731.8	-22.1	E	9.9	2	36	3	032	E	2Ci, 1Ac
	12	732.0	-21.2	E	11.8						
	15	732.2	-20.3	E	11.1	2	36	4	002	E	2Ci
	18	732.6	-21.7	E	8.6						
	21	733.0	-25.9	E	9.2						
	24	733.3	-29.6	E	11.7						
17	03	733.5	-31.6	E	11.3						
	06	733.2	-31.2	E	11.5						
	09	732.7	-27.4	E	11.2		20				
	12	732.0	-23.5	ENE	10.5						
	15	731.6	-22.0	ENE	9.7	1	36	20	002	E	1Ci
	18	730.7	-23.4	ENE	8.4	0+		20			
	21	730.5	-27.7	ENE	9.5						
	24	730.1	-30.6	ENE	11.1						
18	03	729.6	-32.5	ENE	11.3						
	06	728.8	-32.3	ENE	11.2						
	09	728.3	-28.7	ENE	10.7	9	02	5	002	-	9Ci
	12	728.5	-25.1	ENE	9.0						
	15	728.7	-23.0	NE	6.6	8	01	5	008	-	8Cs
	18	729.1	-24.0	NE	4.5						
	21	729.8	-25.3	ENE	4.5						
	24	730.5	-26.9	ENE	5.6						

FEBRUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLOMCH	BS	PHENOMENA
									(KM)		
19	03	731.0	-30.2	ENE	6.9						
	06	731.2	-31.1	E	7.1						
	09	731.4	-28.3	ENE	6.6						
	12	731.9	-24.3	E	3.8						
	15	732.3	-23.2	ENE	2.8	3	70	10	002	-	3Ci
	18	732.8	-24.1	ENE	1.5	10-	03	20	05X	-	10-Ac
	21	733.0	-24.3		0.0	10	71		02X	-	
	24	733.3	-25.1	NE	1.3	10	71		02X	-	
20	03	733.5	-29.4	ENE	2.7						
	06	733.4	-32.6	E	7.6						
	09	733.4	-29.5	ENE	6.3	10					
	12	733.5	-25.9	ENE	5.0	10					
	15	733.3	-23.0	NNE	2.6	10	71	4	02X	-	
	18	733.0	-22.0		0.0	10					
	21	732.4	-24.4	ENE	3.8	10					
	24	731.7	-25.7	ENE	3.8		70		02X	-	
21	03	731.0	-34.2	E	7.6						
	06	730.0	-36.2	E	8.2						
	09	729.8	-33.1	E	8.5						
	12	729.3	-28.8	E	8.3						
	15	729.1	-26.3	E	7.2	0	32	5	000	E	
	18	729.3	-27.6	E	5.2						
	21	729.5	-33.1	E	8.3						
	24	730.0	-35.5	ENE	9.7						
22	03	730.3	-37.4	ENE	10.0						
	06	730.2	-37.5	ENE	10.0						
	09	730.1	-34.2	ENE	10.6						
	12	730.0	-29.9	ENE	10.2						
	15	729.7	-27.8	ENE	8.9	1	36	3	006	E	1Cs
	18	728.9	-29.2	ENE	8.3						
	21	728.9	-33.6	ENE	9.6						
	24	728.8	-36.2	ENE	10.7						
23	03	728.6	-37.7	ENE	11.0						
	06	729.0	-37.7	ENE	11.2						
	09	729.6	-34.0	ENE	11.2	2	36	40		E	
	12	730.0	-30.0	ENE	9.6						
	15	731.0	-28.0	ENE	8.1	5	36	40	042	E	
	18	731.5	-29.1	NE	7.3						
	21	732.3	-34.0	ENE	8.0						
	24	733.6	-37.1	ENE	9.1						
24	03	734.5	-39.2	E	10.0						
	06	734.7	-38.9	E	10.2						
	09	735.5	-35.2	E	9.6						
	12	735.8	-30.0	E	8.2						
	15	735.9	-28.4	E	6.7	2	00	10	001	-	
	18	735.5	-29.9	E	8.2						
	21	734.8	-34.0	E	10.5						
	24	734.8	-35.7	E	11.8						

FEBRUARY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	732.7	-37.2	E	12.3						
	06	731.2	-36.7	E	13.1						
	09	730.5	-33.2	E	14.1						
	12	729.8	-29.3	E	13.2						
	15	729.3	-26.9	E	12.0	4	37	2	002	D	
	18	729.3	-28.8	E	11.7						
	21	729.6	-33.3	E	12.7						
	24	729.8	-35.9	ENE	12.8						
26	03	729.9	-36.8	E	12.5						
	06	729.6	-36.5	E	12.3						
	09	730.0	-34.1	E	12.6						
	12	731.0	-30.3	E	11.5						
	15	732.5	-28.1	ENE	9.5	1	36	5	010	E	
	18	733.3	-30.0	E	9.3						
	21	735.0	-34.5	ENE	10.5						
	24	735.6	-36.3	ENE	11.8						
27	03	735.8	-36.5	E	12.6						
	06	735.8	-35.0	E	12.7						
	09	736.4	-30.8	E	12.6						
	12	737.8	-27.2	E	10.4	10-	36	3	007	E	10-Cs
	15	739.3	-24.8	E	9.2	10	71	1	007	D	10Cs
	18	741.0	-25.8	E	9.1						
	21	742.0	-26.6	E	10.2						
	24	742.0	-27.8	E	11.4						
28	03	741.2	-29.8	ENE	12.1						
	06	739.3	-31.4	ENE	12.8						
	09	737.3	-28.9	E	14.1						
	12	735.2	-25.6	E	13.4						
	15	732.2	-24.2	E	14.2	10-	38	.7	007	D	10-Cs
	18	729.8	-25.9	E	14.3						
	21	728.7	-25.9	ENE	13.2						
	24	727.8	-24.3	ENE	12.6						
29	03	727.0	-23.5	ENE	11.7						
	06	725.6	-22.9	ENE	11.7						
	09	725.4	-21.1	ENE	11.8		71	.1		A	
	12	725.7	-19.3	NE	11.2						
	15	726.0	-18.3	NE	9.2	10	71	.3	01X	B	
	18	725.9	-19.0	NE	9.6						
	21	726.3	-20.0	NNE	10.0						
	24	726.6	-20.5	NE	9.7						

MARCH 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLCMCH	BS	PHENOMENA
									(KM)		
1	03	727.2	-22.0	NE	8.6						
	06	727.2	-23.2	ENE	7.5						
	09	728.1	-21.5	ENE	7.2						
	12	729.4	-19.6	ENE	7.8						
	15	730.3	-18.4	ENE	5.9	10	70	2	007	-	10 Cs
	18	731.1	-22.1	ENE	6.5						
	21	732.3	-26.8	E	7.6						
	24	733.6	-29.0	E	7.3						
2	03	734.6	-32.1	E	8.0						
	06	735.7	-32.9	E	7.7						
	09	736.9	-29.2	ENE	7.0	10	71	1		-	
	12	737.3	-22.7	NE	3.8						
	15	737.6	-20.8	NNW	2.2	10	71	1	087	-	
	18	737.0	-22.9		1.6						
	21	736.1	-23.9	N	2.6						
	24	734.4	-23.6		1.0						
3	03	732.3	-23.6	WSW	3.8						
	06	730.4	-32.4	SE	7.6						
	09	729.6	-37.0	ESE	11.8						
	12	728.4	-35.4	ESE	11.4						
	15	726.4	-35.0	ESE	9.4	0	36	1	000	D	
	18	724.5	-37.1	ESE	8.9						
	21	723.2	-40.5	E	9.6						
	24	722.4	-43.0	E	12.0						
4	03	721.8	-43.0	ENE	12.4						
	06	721.3	-42.0	ENE	11.7						
	09	722.1	-39.0	ENE	11.4						
	12	723.0	-31.3	NE	9.8	10	73	.3	01X	B	10 As
	15	724.0	-24.3	N	9.2	10	73	.1	01X	A	
	18	725.1	-24.0	N	9.0						
	21	726.4	-25.3	N	6.8						
	24	728.3	-26.3	N	7.3						
5	03	730.1	-23.3	NW	9.0						
	06	731.3	-21.2	NNW	8.8						
	09	732.5	-20.4	NNW	12.0	10	73		02X	-	10 As
	12	734.0	-20.7	NW	9.8						
	15	735.2	-20.7	NNW	6.0	10	73	.7	02X	D	10 As
	18	734.9	-19.7	NNW	9.6						
	21	734.6	-19.2	NNW	12.9						
	24	733.8	-19.3	NNW	14.0						
6	03	733.0	-19.5	NW	14.5						
	06	731.6	-19.9	NNW	16.1						
	09	731.0	-19.9	NW	16.0	10	73			-	
	12	731.0	-21.9	NW	12.1						
	15	730.5	-22.6	WNW	11.7	10	73	.05	01X	A	
	18	730.5	-27.0	NW	7.8						
	21	730.7	-30.0	NW	8.9						
	24	731.6	-37.0	NNW	3.0						

MARCH 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	732.0	-40.0		N	2.2					
	06	732.5	-40.6	NNE		4.0					
	09	733.5	-38.0	ENE		4.0					
	12	734.6	-34.3	E		3.0					
	15	736.6	-33.2	E	2.0		1	00	10	080	-
	18	738.0	-38.2	E		5.3					
	21	739.2	-42.3	E		8.0					
	24	739.5	-43.0	E		8.9					
8	03	739.5	-39.7	E		7.7					
	06	739.4	-39.5	E		8.9					
	09	739.0	-34.8	E		8.5					
	12	739.0	-32.1	E		8.0					
	15	739.2	-31.8	E	6.6		1	01	3	040	E
	18	738.9	-35.6	ESE		9.5					
	21	738.5	-39.4	ESE		12.6					
	24	738.5	-40.0	ESE		12.2					
9	03	738.6	-40.0	E		12.1					
	06	738.3	-38.5	E		12.2					
	09	737.9	-34.7	E		12.5					
	12	738.0	-30.3	E		13.5					
	15	737.9	-29.0	E	13.7		9	39	.1	007	A
	18	737.6	-32.3	E		14.7					
	21	738.0	-33.5	E		14.7					
	24	738.3	-35.0	E		16.0					
10	03	738.3	-34.2	E		14.4					
	06	738.0	-34.7	E		14.5					
	09	737.9	-33.1	E		14.2					
	12	736.6	-29.8	E		11.3					
	15	735.1	-29.2	ESE	12.3		0	39	.1	000	A
	18	733.2	-31.9	ESE		13.1					
	21	732.0	-33.8	ESE		14.2					
	24	730.3	-35.8	ESE		15.0					
11	03	728.3	-36.1	ESE		14.8					
	06	725.8	-35.8	ESE		15.3					
	09	725.0	-32.8	E		15.9					
	12	724.7	-30.2	E	16.3		0	39	.1	000	A
	15	725.3	-29.3	E	15.3		0	39	.1	000	A
	18	727.0	-31.5	E		13.0					
	21	729.1	-34.3	E		14.3					
	24	731.1	-35.5	E		12.8					
12	03		-35.5	E		12.9					
	06		-35.1	ENE		12.3					
	09	735.1	-32.8	E		12.0					
	12	736.1	-30.3	E		12.6					
	15	737.5	-29.0	ENE	11.6		0	37	1	000	D
	18	737.5	-31.2	E		10.9					
	21	737.5	-33.3	E		12.4					
	24	737.7	-34.0	E		13.1					

MARCH 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLCMCH	BS	PHENOMENA
									(KM)		
13	03	737.0	-35.0	E	15.1						
	06	736.1	-34.9	E	15.0						
	09	734.9	-31.8	E	16.1						
	12	732.9	-28.5	E	17.9	10	73	.05	02X	A	
	15	731.3	-24.5	E	17.2	10	73	.05	02X	A	
	18	730.1	-23.0	E	18.0						
	21	729.9	-22.1	ENE	15.8						
	24	729.0	-21.0	E	16.2						
14	03	728.9	-21.3	E	13.7						
	06	727.0	-21.3	E	16.8						
	09	725.8	-20.9	E	17.1						
	12	724.8	-20.9	E	19.0						
	15	724.7	-21.9	E	18.9	10	73	.03	01X	A	10As
	18	723.3	-22.3	E	22.5						
	21	722.2	-24.3	E	22.9						
	24	723.2	-25.2	E	22.0						
15	03	724.6	-26.4	E	19.3						
	06	725.6	-26.4	E	18.0						
	09	727.2	-25.5	E	16.6						
	12	729.0	-24.5	E	14.2						
	15	729.5	-25.3	E	13.4	5	38	.4	078	B	
	18	729.4	-27.9	E	13.3						
	21	730.0	-31.1	E	13.3						
	24	730.1	-32.3	E	13.7						
16	03	731.2	-33.3	E	13.0						
	06	731.5	-33.8	E	12.8						
	09	732.0	-31.8	E	13.2						
	12	732.0	-28.7	E	12.6						
	15	732.0	-27.5	ENE	11.2	4	36	.7	082	D	
	18	731.7	-16.6	ENE	10.0						
	21	731.3	-26.1	ENE	9.4						
	24	730.4	-26.1	ENE	8.8						
17	03	731.3	-25.2	E	7.6						
	06	731.5	-28.0	E	7.6						
	09	732.1	-25.7	E	7.8						
	12	732.1	-26.5	E	7.5						
	15	732.1	-26.2	E	7.2	8	02	20	011	-	
	18	731.7	-30.0	E	9.5						
	21	731.3	-34.0	E	9.8						
	24	730.4	-37.0	E	10.1						
18	03	729.3	-38.6	E	11.3						
	06	728.0	-39.0	E	11.1						
	09	727.0	-36.2	E	11.4						
	12	726.1	-32.7	ENE	11.0						
	15	725.5	-31.6	ENE	9.8	1	36	10	008	E	
	18	725.5	-34.8	ENE	9.4						
	21	725.6	-37.2	ENE	10.4						
	24	725.6	-38.5	ENE	10.0						

MARCH 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	725.7	-39.4	E	10.0						
	06	725.8	-39.1	E	10.8						
	09	726.1	-37.0	E	10.8						
	12	726.7	-33.9	E	10.3						
	15	726.8	-32.5	E	10.1	5	36	2	002	D	
	18	727.1	-35.6	E	10.3						
	21	727.7	-37.8	E	10.1						
	24	727.9	-38.3	ENE	10.6						
20	03	727.9	-38.8	E	10.8						
	06	728.1	-38.9	ENE	10.5						
	09	728.7	-36.7	ENE	9.6						
	12	729.0	-33.5	ENE	9.3						
	15	729.2	-32.8	E	7.8	1	36	10	003	E	1Ac
	18	729.2	-36.7	E	8.0	1	36	10	003	E	1Ac
	21	729.2	-39.5	E	8.8						
	24	729.2	-40.8	ENE	8.3						
21	03	729.0	-42.5	E	7.6						
	06	729.0	-43.4	E	8.4						
	09	729.2	-41.5	E	8.6						
	12	729.2	-37.3	E	8.4						
	15	729.0	-36.0	E	7.2	3	01	10	008	-	
	18	728.9	-39.5	E	8.6						
	21	728.5	-41.6	E	9.0						
	24	728.2	-42.0	E	9.1						
22	03	727.9	-43.2	E	9.1						
	06	727.1	-42.7	E	9.3						
	09	727.1	-41.0	E	9.4						
	12	727.1	-37.3	E	8.4						
	15	727.2	-36.6	E	7.3	3	02	10	002	-	3Ci
	18	727.4	-41.1	E	8.6						
	21	727.4	-44.1	E	10.0						
	24	727.0	-46.4	E	10.2						
23	03	726.2	-48.0	E	11.3						
	06	725.5	-48.3	E	11.0						
	09	725.6	-44.6	E	11.3						
	12	726.2	-39.2	ENE	10.3						
	15	727.3	-35.2	ENE	9.3	10	70	.5	02X	B	10As
	18	728.4	-33.3	ENE	11.8						
	21	729.9	-32.2	ENE	13.2						
	24	731.2	-29.2	ENE	12.9						
24	03	732.5	-28.0	ENE	13.5						
	06	733.4	-27.5	ENE	14.7						
	09	735.0	-25.7	ENE	14.5						
	12	736.9	-22.5	NE	14.2						
	15	739.1	-21.3	NNE	12.4	10	73	.05	02X	A	
	18	741.6	-20.8	NNE	9.6						
	21	744.3	-21.0	NNE	9.4						
	24	746.1	-22.5	ENE	8.3						

MARCH 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	747.5	-22.9	ENE	10.1						
	06	748.1	-22.2	ENE	11.0						
	09	748.0	-22.8	ENE	12.3						
	12	746.9	-21.6	E	14.3						
	15	745.6	-21.1	E	15.6	10	71	.05	02X	A	10As
	18	744.7	-20.7	E	15.0						
	21	745.4	-21.6	ENE	13.8						
	24	746.0	-22.8	ENE	11.8						
26	03	746.3	-25.3	ENE	11.1						
	06	746.0	-27.1	ENE	10.5						
	09	746.0	-26.0	E	9.2						
	12	744.9	-25.9	E	9.2						
	15	744.0	-27.3	E	9.0	3	36	3	002	E	3Ci
	18	742.2	-29.3	E	9.8						
	21	740.9	-32.8	E	12.4						
	24	739.5	-33.8	E	12.5						
27	03	736.0	-34.9	E	15.0						
	06	733.6	-33.6	E	16.8						
	09	729.1	-31.0	E	20.0						
	12	723.8	-31.0	E	20.0						
	15	718.8	-28.5	E	21.8	10	75	.05	000	A	
	18	716.1	-26.6	E	20.9						
	21	716.4	-26.7	E	18.6						
	24	715.5	-27.9	E	17.5						
28	03	715.6	-30.1	E	17.0						
	06	715.3	-31.6	E	17.2						
	09	716.1	-31.2	E	16.2						
	12	717.1	-30.8	E	16.0						
	15	718.1	-29.8	ENE	13.8	10	75	.05	02X	A	
	18	719.2	-30.3	ENE	12.4						
	21	720.6	-31.2	E	12.6						
	24	721.3	-30.6	E	11.3						
29	03	722.1	-31.0	E	11.9						
	06	723.0	-30.2	E	10.9						
	09	724.0	-29.7	E	10.8	10	73	.5	01X	B	
	12	725.3	-28.9	E	10.5	10	73	.5	01X	B	
	15	726.3	-28.0	E	9.9	10	73	.7	02X	D	
	18	727.3	-29.8	E	10.8						
	21	728.8	-30.3	E	10.7						
	24	729.6	-30.7	E	9.6						
30	03	730.3	-31.6	E	9.3						
	06	730.0	-33.1	E	9.2						
	09	730.0	-32.5	E	10.8	10	71	2	017	D	
	12	729.5	-30.8	E	9.2						
	15	728.6	-31.3	E	9.0	10	71	2	017	D	
	18	727.7	-37.3	E	9.2						
	21	726.5	-40.3	E	10.0						
	24	725.1	-38.9	E	11.5						

MARCH 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
31	03	724.3	-38.8		E	11.5					
	06	723.2	-38.1		E	11.6					
	09	723.6	-36.9		E	12.7					
	12	724.0	-35.5		E	13.0					
	15	724.2	-35.5		E	12.4	10	73	.05	02X	A
	18	724.4	-37.0		E	11.4					
	21	725.0	-41.6		E	12.7					
	24	725.0	-43.1		E	13.0					

APRIL 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	724.9	-43.3	E	13.3						
	06	724.8	-43.7	E	13.2						
	09	724.8	-43.1	E	12.2						
	12	725.0	-40.8	E	12.9						
	15	725.1	-40.3	E	12.1	0	39	.3	000	B	
	18	725.1	-43.1	E	12.9						
	21	725.0	-44.7	E	13.4						
	24	725.0	-45.1	E	13.8						
2	03	725.0	-45.1	E	12.9						
	06	725.5	-45.4	E	12.2						
	09	726.5	-44.4	E	12.9						
	12	727.7	-41.3	E	12.1						
	15	729.4	-40.3	E	11.7	0+	39	.5	005	B	
	18	730.6	-42.1	E	11.8						
	21	731.6	-42.9	E	12.4						
	24	732.1	-42.1	E	12.6						
3	03	732.7	-40.7	ENE	12.3						
	06	733.0	-38.2	ENE	11.2						
	09	733.0	-35.2	ENE	8.3						
	12	733.6	-32.4	ENE	5.6	10	70		02X	-	
	15	733.6	-37.1	E	8.5	1	36	.7	002	D	1Ci
	18	733.4	-41.2	E	9.5						
	21	733.1	-43.8	E	10.3						
	24	732.8	-45.4	E	10.5						
4	03	731.6	-45.8	E	10.5						
	06	730.5	-46.0	E	10.4						
	09	729.2	-45.3	E	11.5						
	12	728.0	-43.2	E	11.6						
	15	727.0	-42.6	E	10.3	1	36	.5	010	C	
	18	725.9	-45.3	E	10.7						
	21	724.8	-46.8	E	11.0						
	24	723.9	-47.7	E	11.0						
5	03	723.2	-47.3	E	11.1						
	06	722.5	-47.8	E	11.2						
	09	722.6	-46.1	E	11.1						
	12	723.0	-43.7	E	11.1						
	15	724.0	-42.1	E	10.2	4	36	.5	010	C	
	18	725.0	-44.7	E	11.3						
	21	726.0	-45.0	E	11.4						
	24	727.5	-45.5	E	10.9						
6	03	729.0	-45.6	E	9.8						
	06	730.3	-45.0	E	8.6						
	09	731.9	-43.6	E	9.9						
	12	733.2	-37.3	ENE	7.9						
	15	735.0	-32.2	NE	6.6	10	22	2	017	-	
	18	736.0	-31.1	NNE	5.9						
	21	737.3	-28.2	NNE	4.0						
	24	738.4	-29.7	N	2.9						

APRIL 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	738.8	-30.6	ENE	4.0						
	06	738.0	-35.9	ENE	7.0						
	09	737.2	-35.7	ENE	7.2		70				-
	12	735.8	-33.3	E	6.7						
	15	734.3	-35.9	E	7.2	10	70	2	01X	-	10As
	18	732.8	-38.2	E	8.3						
	21	731.7	-41.3	E	8.8						
	24	730.3	-39.7	E	9.1						
8	03	728.9	-42.0	E	9.0						
	06	727.7	-42.0	E	9.2						
	09	727.1	-41.5	E	10.0						
	12	726.6	-38.9	E	9.3						
	15	726.4	-39.6	E	9.7	0	38	.5	000	B	
	18	726.1	-42.7	E	10.7						
	21	726.0	-44.0	E	10.0						
	24	725.3	-44.6	E	10.5						
9	03	724.4	-44.6	E	10.9						
	06	724.0	-43.7	E	11.5						
	09	724.5	-42.0	ENE	12.3						
	12	725.6	-36.6	ENE	11.8						
	15	727.5	-35.0	ENE	11.0	10-	37	.5	075	C	
	18	729.0	-35.8	ENE	11.5						
	21	730.2	-32.7	ENE	11.7						
	24	731.3	-29.2	ENE	9.8						
10	03	731.8	-29.9	ENE	9.4						
	06	731.8	-28.9	ENE	11.3						
	09	731.8	-27.7	ENE	13.2						
	12	731.3	-26.1	ENE	14.2						
	15	729.8	-26.3	ENE	17.7	10	75	.03	02X	A	
	18	727.3	-26.5	ENE	18.4						
	21	725.3	-24.7	ENE	19.1						
	24	723.9	-23.2	ENE	16.3						
11	03	722.1	-22.6	ENE	15.7						
	06	721.5	-21.5	ENE	11.5						
	09	719.5	-20.8	NE	17.2						
	12	720.0	-20.1	NNE	15.6						
	15	720.9	-19.5	N	13.5	10	75	.05	02X	A	
	18	722.9	-26.4	NNW	6.3						
	21	725.0	-29.0	NNW	5.2						
	24	726.9	-29.5	E	4.3						
12	03	728.3	-31.0	E	6.6						
	06	729.6	-32.0	E	6.8						
	09	730.7	-36.2	E	7.1						
	12	732.0	-37.2	E	8.4						
	15	733.0	-39.4	ESE	9.0	1	37	2	030	D	
	18	733.3	-42.7	E	9.8						
	21	733.9	-43.0	E	10.4						
	24	734.0	-43.0	E	11.1						

APRIL 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	733.8	-42.9	E	11.2						
	06	733.2	-42.5	E	11.2						
	09	732.9	-42.3	E	10.8						
	12	732.4	-40.8	E	10.2						
	15	732.2	-41.4	E	9.6	0	37	3	000	E	
	18	731.8	-43.0	E	9.5	0+	37		030		
	21	731.8	-44.7	E	9.7						
	24	732.3	-44.9	E	9.2						
14	03	733.0	-46.2	E	10.4						
	06	732.6	-46.4	E	11.1						
	09	732.4	-43.9	E	12.3						
	12	732.0	-40.4	E	11.7	10	70	.15	09X	A	
	15	731.6	-37.1	E	11.4	10	70	.2	07X	A	
	18	731.0	-40.1	E	12.2						
	21	731.3	-41.8	E	12.1						
	24	731.6	-40.8	E	13.0						
15	03	731.2	-40.5	E	14.5						
	06	730.4	-37.2	E	14.8						
	09	730.0	-37.1	E	15.7						
	12	729.6	-36.4	E	16.1						
	15	729.5	-36.0	E	16.3	10	73	.05	017	A	
	18	728.8	-35.7	E	16.1						
	21	728.7	-34.5	E	16.2						
	24	728.4	-33.1	E	14.6						
16	03	728.3	-32.7	E	12.5						
	06	728.1	-33.2	ENE	11.7						
	09	728.2	-32.8	ENE	10.8						
	12	728.7	-33.0	ENE	10.0						
	15	728.9	-33.0	ENE	9.8	10	71	.8	02X	D	
	18	728.9	-35.1	E	10.3						
	21	729.3	-36.0	E	10.7						
	24	729.4	-37.7	E	10.6						
17	03	729.6	-39.1	E	10.0						
	06	729.6	-40.3	E	9.3						
	09	730.5	-42.0	E	10.0						
	12	731.0	-41.1	E	9.7						
	15	731.2	-41.7	ESE	8.7	10-	36	5	016	E	
	18	731.3	-44.5	E	10.3						
	21	731.0	-45.5	E	9.9						
	24	730.9	-47.1	E	9.0						
18	03	730.7	-47.7	ESE	7.8						
	06	730.1	-49.7	ESE	8.8						
	09	730.1	-51.5	ESE	9.4						
	12	730.1	-50.4	ESE	10.6						
	15	730.5	-50.8	ESE	12.8	0	38	.1	000	A	
	18	729.4	-50.7	E	15.7						
	21	728.9	-49.0	E	16.6						
	24	728.3	-46.9	E	15.7						

APRIL 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	727.8	-43.7	E	16.0						
	06	726.8	-40.7	E	15.7						
	09	726.0	-39.3	E	17.0						
	12	725.2	-34.6	E	16.5						
	15	726.0	-32.3	ENE	15.2	10	39	.05	07X	A	
	18	727.3	-30.0	ENE	11.9						
	21	729.7	-30.3	ENE	10.3						
	24	730.9	-31.1	ENE	10.9						
20	03	731.5	-30.2	E	10.0						
	06	732.5	-33.1	E	10.2						
	09	732.5	-36.4	E	10.1						
	12	732.0	-38.0	E	11.3						
	15	731.4	-39.5	E	10.5	2	38	1.5	030	D	
	18	730.0	-41.5	E	11.4						
	21	728.7	-43.2	E	11.6						
	24	727.0	-44.4	E	12.2						
21	03	725.0	-44.7	E	14.1						
	06	722.4	-45.2	E	15.8						
	09	720.2	-45.1	E	14.7						
	12	719.5	-42.9	E	15.2						
	15	717.7	-41.7	E	14.8	1	39	.05	005	A	
	18	717.3	-42.1	E	15.5						
	21	716.8	-42.7	E	14.0						
	24	716.7	-42.8	E	13.5						
22	03	717.0	-43.1	E	14.0						
	06	717.3	-43.7	E	13.1						
	09	718.3	-43.1	E	12.2						
	12	720.1	-41.8	E	10.6						
	15	721.9	-42.0	E	10.2	0	36	2	000	D	
	18	723.7	-43.2	E	11.0						
	21	725.6	-42.7	E	10.3						
	24	727.1	-38.8	E	10.0						
23	03	729.5	-37.0	ENE	7.2						
	06	731.1	-37.0	ENE	7.4						
	09	732.0	-38.5	E	8.2						
	12	733.6	-41.0	E	8.4						
	15	734.8	-42.0	E	8.3	7	36	.8	07X	D	
	18	736.0	-43.4	E	8.5						
	21	737.2	-45.7	E	9.6						
	24	738.0	-47.0	E	9.4						
24	03	738.7	-47.7	E	10.1						
	06	738.7	-45.6	E	10.7						
	09	738.9	-40.7	E	11.9						
	12	738.5	-37.4	E	12.7	10	38	.5	01X	B	
	15	737.8	-37.3	E	12.0	10	38	.5	012	B	Ci
	18	736.6	-37.1	E	13.8						
	21	735.8	-35.9	E	14.2						
	24	734.9	-35.0	E	15.6						

APRIL 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	733.9	-35.7	E	15.5						
	06	733.7	-36.3	E	17.1						
	09	733.8	-36.9	E	15.9						
	12	734.2	-37.9	E	16.8						
	15	734.0	-38.9	E	15.9	10	73	.05	02X	A	
	18	734.3	-38.5	E	15.0						
	21	735.0	-39.2	E	14.8						
	24	735.3	-39.4	E	14.3						
26	03	735.5	-41.0	E	11.8						
	06	735.1	-44.5	E	12.6						
	09	734.7	-45.0	E	12.7						
	12	734.5	-44.4	E	14.2						
	15	734.7	-45.0	E	11.6	0	38	.2	000	A	
	18	734.9	-45.3	E	13.5						
	21	735.3	-45.4	E	12.2						
	24	736.3	-46.4	E	11.3						
27	03	736.4	-43.1	E	10.6						
	06	736.6	-41.6	E	9.4						
	09	737.1	-41.9	E	10.1						
	12	737.3	-41.4	E	10.6						
	15	736.8	-45.4	E	10.8	2	38	.5	008	B	
	18	735.4	-45.6	E	12.4						
	21	734.4	-44.9	E	13.1						
	24	733.1	-43.3	E	12.9						
28	03	731.5	-42.8	E	13.1						
	06	730.0	-42.4	E	13.5						
	09	729.7	-41.8	E	14.3	7	72	.2	018	A	
	12	728.7	-40.2	E	14.2						
	15	727.6	-39.7	E	14.1	10	38	.1	008	A	
	18	726.8	-39.6	E	14.0						
	21	726.3	-38.6	E	14.2						
	24	725.9	-38.3	ENE	13.2						
29	03	725.3	-38.3	ENE	12.5						
	06	724.9	-37.3	E	12.1						
	09	724.4	-37.6	E	12.1						
	12	724.0	-37.7	E	11.3						
	15	723.4	-39.2	E	11.3	2	36	.6	008	D	
	18	723.0	-39.5	E	11.9						
	21	722.3	-40.5	E	11.8						
	24	722.0	-41.0	E	12.0						
30	03	721.8	-42.0	E	11.9						
	06	721.8	-42.9	E	11.4						
	09	722.4	-42.8	E	11.9	2	37	.4	008	C	
	12	723.4	-42.4	E	12.0	2	37	.5	008	C	
	15	724.1	-43.4	ESE	11.3	0	38	.7	000	D	
	18	725.7	-43.2	ESE	13.3	2	72	.1	008	A	
	21	727.4	-42.8	ESE	13.9						
	24	730.1	-41.6	ESE	12.8						

MAY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	732.2	-41.4	ESE	13.1						
	06	733.4	-41.8	ESE	14.3						
	09	734.8	-40.9	ESE	14.4						
	12	735.9	-40.7	ESE	14.7						
	15	737.0	-41.3	E	12.7	0	38	.1	000	A	
	18	737.8	-41.3	E	13.3						
	21	738.2	-41.4	ESE	12.8						
	24	738.2	-41.1	E	12.5						
2	03	737.8	-41.7	E	12.0						
	06	736.9	-41.7	E	10.9						
	09	735.7	-42.0	E	10.9						
	12	734.3	-42.4	ESE	10.5						
	15	732.6	-43.3	ESE	11.0	0+	36	1	040	D	
	18	730.9	-45.5	ESE	10.7						
	21	730.0	-47.7	ESE	13.2						
	24	728.0	-49.4	ESE	15.3						
3	03	725.6	-48.2	SE	15.3						
	06	722.6	-45.3	SE	14.7						
	09	720.3	-43.1	SE	17.9	10	75	.05	02X	A	
	12	720.2	-43.1	SE	16.5						
	15	720.7	-42.7	SE	16.7	10	75	.05	02X	A	
	18	722.1	-42.7	SE	15.6						
	21	722.9	-43.5	ESE	13.9						
	24	723.2	-44.3	ESE	14.5						
4	03	723.0	-45.2	ESE	14.1						
	06	722.5	-46.2	ESE	14.0						
	09	721.3	-47.5	ESE	15.3	10	75	.05	02X	A	
	12	720.3	-48.2	ESE	16.0						
	15	718.8	-48.7	ESE	16.1	10	75	.05	02X	A	
	18	718.3	-48.2	ESE	14.3						
	21	717.1	-48.3	ESE	15.4						
	24	716.8	-46.1	E	13.6						
5	03	716.0	-45.6	E	13.8						
	06	715.3	-45.1	E	14.0						
	09	715.5	-45.3	E	14.5						
	12	716.0	-45.8	E	13.2						
	15	716.5	-45.5	E	12.0	8	73	.2	02X	A	
	18	717.0	-40.6	ENE	12.0						
	21	718.0	-37.6	ENE	11.6						
	24	719.5	-33.9	ENE	10.6						
6	03	721.8	-30.7	NE	8.6						
	06	724.3	-28.1	NNE	8.6						
	09	727.3	-26.1	NNE	8.8	10	73	.1	02X	A	
	12	730.5	-24.0	N	9.1	10	73	.1	02X	A	
	15	733.5	-22.1	N	9.2	10	73	.1	02X	A	
	18	735.9	-22.0	N	8.3						
	21	737.6	-22.1	N	8.2						
	24	738.1	-21.4	NNE	8.6						

MAY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	739.5	-17.8	NNW	9.3						
	06	742.2	-16.3	NW	7.2						
	09	744.4	-17.7	NNW	3.4	10	75		02X		-
	12	745.9	-16.7	ESE	6.1	10	75		02X		-
	15	746.8	-19.4	E	13.8	10	75	.05	02X	A	
	18	747.3	-21.0	E	17.3	10	75	.05	02X	A	
	21	747.3	-21.4	E	18.8						
	24	748.0	-21.9	ENE	20.0						
8	03	748.3	-22.0	ENE	19.2						
	06	748.7	-22.3	E	19.7						
	09	748.7	-21.7	ENE	19.1						
	12	748.0	-21.7	E	18.5						
	15	749.0	-22.4	E	21.2	10	75	.04	02X	A	
	18	749.7	-22.2	E	19.1						
	21	750.5	-22.4	E	19.9						
	24	751.7	-24.4	E	17.7						
9	03	754.9	-25.8	E	14.9						
	06	753.0	-26.0	E	16.6						
	09	752.9	-26.0	E	17.7	10	37	.1	02X	A	
	12	753.5	-25.8	E	15.8						
	15	754.3	-25.7	ESE	13.5	9	37	.5	002	B	
	18	752.8	-26.1	E	17.7						
	21	753.0	-26.6	E	13.0						
	24	752.2	-29.6	E	13.7						
10	03	749.7	-29.8	E	13.0						
	06	745.6	-30.0	ESE	11.6						
	09	743.0	-30.5	ESE	13.3						
	12	740.3	-29.3	ESE	15.0	0	39	.05	000	A	
	15	737.8	-30.2	ESE	16.8	0	39	.05	000	A	
	18	735.9	-30.1	ESE	16.4						
	21	734.4	-31.8	E	14.4						
	24	733.9	-33.9	ESE	15.1						
11	03	733.3	-36.2	ESE	16.2						
	06	732.2	-37.1	ESE	17.1						
	09	731.7	-38.1	ESE	16.6						
	12	731.9	-38.0	ESE	15.5						
	15	731.5	-40.9	ESE	18.5	0	39	.5	000	B	
	18	730.6	-42.0	ESE	20.0						
	21	731.0	-42.0	ESE	17.5						
	24	732.0	-42.0	ESE	15.8						
12	03	732.9	-42.3	E	17.1						
	06	734.0	-42.4	E	15.7						
	09	734.3	-42.8	E	16.4	0	39	.03	000	A	
	12	735.6	-42.8	E	15.7	0	39	.03	000	A	
	15	737.1	-41.4	E	15.2	0	39	.03	000	A	
	18	738.6	-40.7	E	13.9						
	21	740.6	-40.2	E	13.6						
	24	742.1	-40.0	E	14.1						

MAY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	743.2	-39.9		E 12.8						
	06	744.0	-39.1		E 13.5						
	09	746.0	-38.2		E 13.2						
	12	746.9	-37.3		E 13.2	0	37	.1	000	A	
	15	747.9	-36.4		E 13.4	0	37	.2	000	C	
	18	748.9	-35.4		E 13.9						
	21	749.0	-35.6		E 14.3						
	24	749.1	-36.3		E 14.9						
14	03	749.0	-35.0		E 15.2						
	06	749.0	-33.5		E 14.2						
	09	750.5	-30.7	ENE	12.0						
	12	752.5	-27.5	ENE	10.4						
	15	753.8	-26.3	ENE	10.0	10	70	.8	077	D	
	18	755.4	-26.9		E 9.5						
	21	756.5	-27.9		E 10.2						
	24	755.0	-31.7		E 10.7						
15	03	753.1	-32.9		E 12.3						
	06	750.9	-31.7		E 13.3						
	09	748.8	-31.9		E 13.3						
	12	747.8	-29.3		E 13.6						
	15	745.8	-28.8		E 12.5	10	71	.4	027	B	
	18	743.1	-28.6		E 12.8						
	21	740.9	-30.3		E 15.6						
	24	738.6	-30.4		E 15.8						
16	03	735.8	-27.9		E 14.7						
	06	733.4	-27.0		E 15.1						
	09	731.8	-29.7		E 13.9						
	12	731.2	-28.3		E 14.0						
	15	730.9	-27.5		E 12.1	9	71	.1	01X	A	
	18	731.8	-26.9		E 12.9						
	21	733.3	-26.4	ENE	13.4						
	24	736.2	-25.2	ENE	10.2						
17	03	738.0	-24.1		E 9.3						
	06	739.3	-23.9	ENE	9.1						
	09	740.7	-22.7	ENE	10.3		71	1			
	12	742.1	-22.7	ENE	10.1						
	15	742.5	-23.1	ENE	10.4	10	71	.1	02X	A	
	18	742.9	-22.7	ENE	11.5						
	21	743.4	-22.4	ENE	10.5						
	24	743.5	-23.6	E	9.7						
18	03	742.7	-26.5		E 10.0						
	06	740.8	-27.8		E 11.5						
	09	739.2	-26.8		E 13.1						
	12	737.9	-28.0		E 14.9						
	15	736.2	-30.0		E 15.3	8	71	.05	01X	A	
	18	734.8	-31.0		E 15.1						
	21	733.1	-30.4		E 17.0						
	24	732.0	-30.7		E 16.1						

MAY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	731.1	-31.8		E 14.8						
	06	730.2	-31.2		E 13.2						
	09	729.3	-31.4		E 13.9						
	12	729.4	-30.8		E 13.7						
	15	729.8	-31.1		E 12.8	2	38	.2	002	A	
	18	730.2	-32.7		E 12.0						
	21	730.5	-33.7		E 12.3						
	24	731.1	-34.3		E 11.8						
20	03	731.8	-33.8	ENE	10.7						
	06	733.0	-34.4	ENE	11.4						
	09	734.4	-34.8	ENE	9.9						
	12	735.9	-33.7	ENE	10.2						
	15	738.0	-30.1	ENE	9.1	10	36	1	028	D	
	18	739.2	-30.0	E	9.0						
	21	740.2	-29.7	E	8.8						
	24	741.1	-30.1	E	8.5						
21	03	741.7	-32.8	E	7.4						
	06	742.0	-33.6	E	7.1						
	09	742.7	-36.9	E	6.9						
	12	742.8	-37.3	E	8.8						
	15	742.3	-38.6	E	10.1	2	36	.5	008	C	
	18	741.6	-39.3	E	11.4						
	21	740.5	-38.6	E	11.7						
	24	739.5	-38.2	E	12.3						
22	03	738.7	-38.2	E	11.7						
	06	737.3	-38.2	E	11.9						
	09	736.4	-37.0	E	12.4						
	12	736.1	-36.8	E	12.1						
	15	735.6	-37.0	E	12.5	3	37	.5	008	C	
	18	735.4	-35.8	E	12.2						
	21	735.8	-35.2	E	10.2						
	24	736.2	-34.2	E	10.1						
23	03	736.7	-33.0	E	9.5						
	06	737.0	-33.0	E	8.4						
	09	737.3	-33.8	E	7.9						
	12	737.7	-33.6	E	7.0						
	15	738.0	-32.6	E	7.0	10	71	.5	02X	-	
	18	737.9	-34.9	E	6.3						
	21	737.5	-34.5	E	6.0						
	24	737.3	-37.9	ENE	6.5						
24	03	736.8	-37.3	ENE	5.1						
	06	736.0	-35.5	ENE	5.4						
	09	735.2	-37.2	ENE	6.7						
	12	734.3	-36.5	ENE	6.2						
	15	733.6	-37.7	E	8.0	10	36	.5	022	C	10Ci, 5As
	18	732.8	-37.9	E	8.6						
	21	732.1	-41.1	E	9.4						
	24	731.2	-43.0	E	10.2						

MAY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	730.4	-43.2	E	10.2						
	06	729.3	-44.0	E	10.3						
	09	728.5	-42.0	ENE	10.6						
	12	727.8	-42.1	E	10.6						
	15	727.0	-43.2	E	11.2	1	36	.2	002	C	
	18	726.1	-44.2	E	11.3						
	21	725.8	-44.9	E	11.4						
	24	725.7	-45.7	E	11.0						
26	03	725.5	-45.7	E	10.1						
	06	725.3	-46.0	E	10.3						
	09	725.9	-47.0	E	10.6						
	12	726.6	-46.0	E	10.0						
	15	727.3	-45.1	E	8.8	8	36	.5	076	C	
	18	727.7	-40.3	ENE	8.2						
	21	728.5	-38.0	ENE	6.4						
	24	729.4	-33.8	NNE	4.0						
27	03	730.4	-32.3	N	2.6						
	06	731.3	-33.1	N	1.0						
	09	732.0	-43.5	E	2.5						
	12	733.0	-46.0	E	6.3						
	15	733.5	-44.9	E	6.9	5	70	.5	002	B	
	18	733.6	-44.9	E	6.8						
	21	733.3	-41.3	ENE	5.8						
	24	733.3	-39.0	ENE	5.2						
28	03	733.3	-44.0	ENE	6.6						
	06	732.9	-46.7	ENE	6.8						
	09	733.1	-48.0	E	7.4						
	12	733.3	-46.7	E	7.3						
	15	733.8	-49.8	E	7.9	7	36	.5	004	C	
	18	733.9	-50.8	E	8.5						
	21	733.8	-53.3	E	10.3						
	24	733.6	-54.0	E	12.2						
29	03	733.0	-54.0	E	12.5						
	06	732.5	-54.0	E	12.5						
	09	731.7	-54.0	E	13.6						
	12	731.5	-54.0	E	13.2						
	15	731.3	-54.0	E	12.0	3	38	.2	004	A	
	18	730.9	-54.5	E	12.2						
	21	730.2	-54.6	E	12.0						
	24	729.5	-55.0	E	11.4						
30	03	727.6	-54.2	E	10.5						
	06	725.8	-52.7	E	10.3						
	09	723.6	-50.1	E	9.8						
	12	721.4	-49.3	ENE	11.0						
	15	719.8	-48.6	E	12.3	0	38	.05	000	A	
	18	718.2	-45.1	E	12.6						
	21	716.5	-41.3	ENE	13.6						
	24	715.6	-39.3	ENE	14.2						

MAY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
31	03	714.5	-37.3	ENE	13.8						
	06	713.3	-35.8	ENE	13.4						
	09	712.2	-33.6	ENE	12.9						
	12	712.6	-33.9	ENE	11.7						
	15	713.3	-33.8	ENE	11.0	X	38	.1	XXX	A	
	18	714.1	-31.8	NE	11.5						
	21	716.2	-30.5	NE	13.6						
	24	720.2	-29.3	N	5.2						

JUNE 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	720.6	-27.5	NE	14.0						
	06	723.0	-27.0	NE	14.0						
	09	726.5	-26.4	NNE	12.6						
	12	728.9	-25.2	NNE	11.2						
	15	730.9	-24.7	NNE	11.5	9	72	.1	XXX	A	
	18	732.3	-24.9	NNE	11.0						
	21	732.9	-25.1	NNE	11.0						
	24	733.3	-25.3	NE	10.5						
2	03	733.8	-25.9	NE	8.6						
	06	733.7	-27.0	ENE	7.6						
	09	733.0	-27.0	ENE	7.8						
	12	732.7	-27.9	ENE	10.1						
	15	731.3	-28.7	ENE	11.2	10	72	.1	XXX	A	
	18	731.0	-28.0	ENE	13.0						
	21	731.0	-29.7	ENE	12.8						
	24	731.0	-29.0	ENE	13.2						
3	03	731.0	-29.6	ENE	14.7						
	06	731.2	-29.7	ENE	14.3						
	09	731.8	-30.6	E	14.3						
	12	732.0	-30.7	E	13.3						
	15	732.1	-31.4	E	14.9	10	73	.05	XXX	A	
	18	731.9	-32.7	E	14.6						
	21	731.0	-32.5	E	14.7						
	24	730.3	-33.6	E	15.7						
4	03	728.9	-34.5	E	16.3						
	06	728.4	-35.3	E	16.3						
	09	728.4	-35.9	E	16.9						
	12	728.2	-35.0	E	15.2						
	15	728.2	-33.8	E	15.9	10	38	.1	XXX	A	
	18	728.5	-32.3	ENE	17.2						
	21	729.1	-32.5	ENE	14.6						
	24	729.6	-32.0	E	15.3						
5	03	730.8	-32.2	E	11.8						
	06	730.6	-33.4	E	11.9						
	09	730.2	-32.3	E	13.4						
	12	729.9	-32.8	E	14.4						
	15	729.4	-33.0	E	14.1	10	71	.1	XXX	-	
	18	728.5	-33.1	E	15.5						
	21	727.5	-35.7	E	15.8						
	24	726.5	-37.0	E	16.2						
6	03	725.5	-34.8	E	15.6						
	06	724.8	-33.3	E	15.2						
	09	724.5	-32.4	E	16.2						
	12	724.8	-30.6	E	16.1						
	15	725.7	-29.2	E	15.0	10	72	.05	02X	-	
	18	726.8	-28.9	ENE	14.4	10	70	.1	02X	-	
	21	727.9	-28.7	E	13.9						
	24	728.9	-28.8	E	13.4						

JUNE 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	730.5	-27.8	E	11.6						
	06	731.1	-28.4	E	12.9						
	09	732.0	-31.0	E	13.5						
	12	732.7	-33.0	E	12.5						
	15	733.2	-34.8	E	12.5	2	39	.5	070	B	
	18	733.5	-35.4	E	13.5						
	21	733.5	-35.8	E	13.2						
	24	733.6	-35.0	E	12.5						
8	03	733.3	-32.8	E	14.0						
	06	733.4	-32.9	E	12.1						
	09	733.6	-32.0	E	11.8						
	12	733.7	-29.7	E	11.8						
	15	734.1	-28.6	E	11.3	10	72	.3	XXX	-	
	18	734.3	-28.0	E	11.0						
	21	734.9	-31.9	E	10.1						
	24	735.9	-31.5	E	9.7						
9	03	736.8	-30.3	ENE	10.1						
	06	737.3	-31.0	ENE	10.1						
	09	738.2	-32.3	ENE	10.2						
	12	738.3	-36.7	E	9.9	10	37	.7	052	D	
	15	738.0	-38.3	E	9.5	10	37	.7	052	D	
	18	737.7	-41.4	E	10.0						
	21	736.8	-41.4	E	9.8						
	24	736.0	-41.2	E	10.2						
10	03	735.0	-41.0	E	9.8						
	06	734.1	-40.4	E	10.0						
	09	733.8	-40.5	E	10.0						
	12	733.7	-39.7	E	9.4						
	15	733.0	-38.9	E	10.1	7	36	.7	007	D	
	18	732.1	-38.9	E	11.0						
	21	731.5	-39.4	E	11.0						
	24	730.7	-36.4	E	10.1						
11	03	730.1	-37.2	E	12.2						
	06	729.1	-36.1	E	12.2						
	09	728.5	-35.2	E	13.6						
	12	727.3	-34.7	E	13.2						
	15	726.4	-33.0	E	14.4	10	39	.05	002	A	
	18	726.2	-33.9	E	14.4						
	21	726.9	-33.2	E	13.7						
	24	726.1	-35.9	E	13.2						
12	03	726.1	-34.8	E	12.8						
	06	726.2	-36.2	E	13.7						
	09	726.4	-37.0	E	13.1						
	12	726.8	-38.3	E	12.0						
	15	727.1	-37.4	E	11.8	3	37	.5	049	C	
	18	726.7	-39.2	E	12.0						
	21	725.7	-41.0	E	12.2						
	24	724.5	-41.8	E	11.9						

JUNE 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	723.9	-42.0	E	11.5						
	06	722.8	-42.7	E	11.5						
	09	721.3	-43.0	E	11.4						
	12	720.2	-43.1	E	12.5						
	15	719.5	-43.5	E	12.1	0	37	.2	000	C	
	18	718.6	-43.6	E	12.5						
	21	718.0	-44.0	E	12.0						
	24	717.9	-44.0	E	12.0						
14	03	718.0	-44.0	E	11.4						
	06	718.4	-44.0	E	11.0						
	09	719.4	-44.6	E	11.1						
	12	721.1	-46.0	E	10.6						
	15	722.8	-46.1	E	11.2	2	37	.4	008	C	
	18	724.3	-46.1	E	12.1						
	21	726.4	-46.1	E	12.2						
	24	728.3	-46.2	E	13.0						
15	03	730.1	-45.9	E	12.5						
	06	732.2	-46.0	E	12.6						
	09	734.0	-45.5	E	13.0						
	12	735.3	-45.6	E	13.8						
	15	736.7	-45.0	ESE	13.3	5	37	.3	008	C	
	18	737.3	-44.5	ESE	14.3						
	21	737.6	-43.2	ESE	13.7						
	24	738.8	-41.5	ESE	12.3						
16	03	739.1	-42.2	ESE	12.7						
	06	739.1	-42.2	ESE	12.0						
	09	738.9	-42.1	ESE	11.7						
	12	738.2	-42.6	E	11.5						
	15	738.0	-43.9	E	11.3	0	36	2	000	D	
	18	737.0	-44.0	E	10.7						
	21	736.3	-45.6	E	10.6						
	24	735.2	-46.4	E	11.0						
17	03	733.7	-47.3	E	10.7						
	06	731.8	-47.9	E	11.1						
	09	730.4	-48.2	E	11.3						
	12	728.7	-47.7	E	11.0	1	37	1	008	D	
	15	726.7	-48.2	ESE	11.6	1	37	1.5	030	D	
	18	724.9	-48.8	E	12.8						
	21	723.3	-51.0	ESE	13.3						
	24	722.2	-51.0	ESE	13.2						
18	03	721.7	-50.7	ESE	14.6						
	06	720.8	-50.7	E	14.8						
	09	721.2	-50.3	E	15.2						
	12	722.2	-49.7	E	14.7						
	15	723.0	-49.2	E	14.5	0	39	.1	000	A	
	18	723.8	-49.3	E	14.0						
	21	724.9	-49.2	E	14.5						
	24	726.2	-48.8	E	13.5						

JUNE 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	727.0	-48.2	E	12.7						
	06	727.1	-48.0	E	12.8						
	09	727.4	-47.8	E	12.0						
	12	727.0	-48.3	E	12.2						
	15	726.7	-48.4	E	12.0	0	36	.1	000	C	
	18	725.7	-48.3	E	12.2						
	21	725.0	-48.3	E	12.4						
	24	724.0	-50.0	E	13.9						
20	03	723.1	-49.7	E	14.0						
	06	722.4	-49.8	E	14.2						
	09	721.3	-49.9	E	15.9						
	12	720.5	-49.7	E	16.2						
	15	720.5	-49.9	E	14.8	0	39	.05	000	A	
	18	720.0	-49.7	E	14.3						
	21	720.1	-50.0	E	12.5						
	24	719.0	-50.6	E	13.7						
21	03	718.8	-50.8	E	14.0						
	06	718.3	-51.0	E	13.3						
	09	717.3	-51.2	E	13.4						
	12	716.6	-51.3	E	13.2						A
	15	716.0	-51.4	E	13.8	0	39	.1	000	A	
	18	715.8	-51.0	E	13.3						
	21	714.2	-50.8	E	13.6						
	24	714.0	-50.7	E	13.7						
22	03	713.9	-50.8	E	13.5						
	06	713.8	-50.9	E	13.2						
	09	714.3	-51.1	E	13.3						
	12	715.1	-51.0	E	12.8						
	15	716.3	-51.1	E	12.3	0	38	.2	000	A	
	18	717.9	-51.6	E	11.1						
	21	719.0	-52.4	E	10.1						
	24	720.1	-53.0	E	9.8						
23	03	721.2	-53.5	E	10.2						
	06	722.6	-53.6	E	9.8						
	09	724.2	-53.4	E	8.8						
	12	725.3	-52.4	E	9.2						
	15	726.8	-51.8	E	9.4	1	37	.5	001	C	
	18	727.5	-50.1	E	9.4						
	21	728.3	-48.9	E	10.2						
	24	728.8	-46.7	E	10.4						
24	03	728.9	-45.3	E	10.3						
	06	728.4	-42.9	E	10.4						
	09	727.9	-40.6	E	10.9						
	12	727.2	-38.6	E	10.7		70				
	15	726.5	-38.9	E	10.3	7	36	.5	038	B	
	18	725.8	-40.8	E	9.4	0	36	1	000	D	
	21	725.7	-40.3	E	8.2						
	24	725.2	-41.3	ENE	6.9						

JUNE 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	725.0	-41.2	E	6.3						
	06	725.0	-39.5	E	5.2						
	09	725.2	-42.0	E	6.5						
	12	725.1	-47.8	E	10.1						
	15	725.5	-48.5	E	10.2	1	36	2	002	D	
	18	725.8	-48.8	E	10.0						
	21	726.3	-48.3	E	10.1						
	24	726.4	-48.0	E	10.0						
26	03	727.0	-47.7	E	10.6						
	06	727.1	-47.9	E	11.4						
	09	727.9	-46.9	E	11.8						
	12	728.1	-46.2	E	11.6						
	15	728.8	-46.2	E	11.6	1	37	.5	008	C	
	18	729.3	-46.6	E	11.4						
	21	730.1	-46.9	E	11.4						
	24	731.0	-46.6	E	11.9						
27	03	732.3	-47.4	E	11.3						
	06	733.0	-48.3	E	12.0						
	09	734.9	-49.2	E	11.0						
	12	736.3	-50.4	E	9.8						D
	15	738.2	-51.3	E	10.3	1	36	5	008	E	
	18	739.3	-52.7	E	11.3						
	21	740.0	-52.3	E	10.5						
	24	740.4	-52.8	E	10.0						
28	03	740.2	-52.7	E	9.6						
	06	740.0	-53.0	E	9.1						
	09	740.0	-51.5	ESE	9.1						
	12	740.4	-53.0	ESE	10.9						
	15	740.8	-53.7	ESE	11.3	6	38	.2	038	A	
	18	740.4	-53.5	ESE	12.4						
	21	739.8	-52.7	ESE	11.0						
	24	740.0	-52.4	ESE	11.5						
29	03	741.1	-51.9	ESE	11.6						
	06	741.2	-49.6	ESE	13.6						
	09	741.1	-48.3	ESE	12.8						
	12	740.8	-47.6	ESE	14.0						
	15	740.8	-48.4	ESE	13.7	6	38	.2	001	A	
	18	738.7	-48.1	ESE	14.6						
	21	736.7	-47.8	ESE	16.4						
	24	734.1	-47.2	ESE	17.8						
30	03	732.3	-46.1	ESE	17.9						
	06	731.0	-44.8	ESE	17.1						
	09	729.7	-43.2	E	16.2						
	12	730.0	-42.5	E	16.2						
	15	730.8	-42.3	E	14.8	1	39	.1	001	A	
	18	730.9	-42.6	E	14.1						
	21	731.2	-43.3	E	14.0						
	24	730.8	-43.6	E	14.0						

JULY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	730.9	-42.9	E	12.2						
	06	730.0	-42.9	E	13.1						
	09	729.9	-43.1	E	13.0						
	12	730.0	-44.0	E	12.3						
	15	729.4	-44.7	E	12.5	3	37	.5	008	C	
	18	729.4	-45.7	E	11.3						
	21	729.1	-46.2	E	11.6						
	24	728.9	-46.9	E	11.2						
2	03	728.7	-47.3	E	11.7						
	06	728.2	-46.8	E	12.1						
	09	727.9	-44.4	E	11.9						
	12	727.7	-41.5	E	12.1						
	15	727.8	-41.2	E	12.3	10	75	.2	02X	A	
	18	727.6	-40.0	ENE	11.8						
	21	728.7	-39.4	ENE	11.6						
	24	729.3	-40.5	ENE	10.6						
3	03	730.9	-41.0	ENE	8.6						
	06	732.0	-42.8	E	8.2						
	09	733.3	-46.9	E	9.0						
	12	734.3	-48.5	E	8.7						
	15	735.3	-49.7	E	10.0	2	36	1	008	D	
	18	736.4	-50.2	E	10.4						
	21	737.4	-52.0	E	10.9						
	24	738.1	-52.1	E	11.6						
4	03	738.3	-53.8	ESE	13.7						
	06	738.4	-53.3	ESE	13.0						
	09	738.0	-51.9	ESE	15.4						
	12	737.8	-50.8	ESE	13.9						
	15	737.5	-50.5	ESE	13.6	6	37	.1	036	C	
	18	736.2	-50.3	ESE	12.5						
	21	735.0	-50.5	ESE	14.3						
	24	734.5	-50.8	ESE	13.2						
5	03	733.0	-50.7	ESE	15.7						
	06	731.6	-50.2	ESE	15.9						
	09	729.9	-50.3	ESE	16.1						
	12	728.1	-49.8	ESE	17.2	10	73	.02	02X	A	10 As
	15	726.0	-49.4	ESE	17.6	10	73	.02	02X	A	
	18	724.7	-48.8	ESE	17.2						
	21	723.0	-46.7	ESE	16.7						
	24	721.5	-42.9	E	16.4						
6	03	720.8	-40.8	ESE	16.8						
	06	720.1	-41.1	ESE	16.4						
	09	719.3	-40.0	ESE	13.7						
	12	717.8	-42.1	E	17.8						
	15	718.4	-39.3	E	17.6	3	39	.02	01X	A	
	18	719.8	-43.3	E	16.2						
	21	720.3	-43.7	E	17.3						
	24	721.3	-44.0	E	15.9						

JULY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	722.3	-45.5	E	15.3						
	06	722.3	-47.5	E	13.1						
	09	721.4	-48.7	E	14.0						
	12	721.0	-48.3	E	12.9						
	15	721.2	-48.2	E	12.6	0	37	.4	000	C	
	18	721.8	-48.7	E	10.4						
	21	722.9	-47.7	E	12.8						
	24	724.8	-46.7	E	12.8						
8	03	726.8	-42.9	E	13.7						
	06	728.2	-43.6	E	11.8						
	09	728.3	-43.5	E	13.4						
	12	727.9	-43.4	E	13.6	6	39	.1	008	A	
	15	726.6	-41.6	E	15.0	6	39	.05	008	A	
	18	724.9	-39.3	E	15.5						
	21	723.9	-37.5	E	16.5						
	24	723.3	-36.4	E	17.3						
9	03	723.3	-35.3	E	17.4						
	06	723.2	-33.7	E	16.5						
	09	723.6	-32.3	E	17.2						
	12	724.9	-32.8	E	16.4						
	15	726.0	-34.0	E	15.8	10	39	.05	02X	A	
	18	726.9	-35.4	E	15.7						
	21	727.8	-38.2	E	14.2						
	24	728.6	-39.0	E	14.3						
10	03	728.2	-40.8	E	14.7						
	06	728.2	-41.7	E	13.8						
	09	727.9	-42.3	E	14.4						
	12	728.0	-44.0	E	11.5						
	15	727.3	-45.0	ESE	14.1	4	37	.2	036	C	
	18	726.3	-44.7	ESE	13.1						
	21	726.2	-44.5	ESE	14.0						
	24	726.1	-44.1	E	12.9						
11	03	726.2	-44.1	E	12.4						
	06	725.3	-44.1	E	13.7						
	09	725.0	-43.8	E	14.1						
	12	724.7	-42.7	E	13.1						
	15	724.0	-42.5	E	12.3	1	37	.5	030	C	
	18	723.8	-42.4	E	13.0						
	21	723.2	-42.7	E	15.1						
	24	723.3	-43.9	E	13.9						
12	03	723.0	-45.0	E	13.5						
	06	722.2	-45.2	E	12.8						
	09	722.0	-45.1	E	12.6						
	12	721.8	-44.3	E	11.5						
	15	721.3	-44.0	E	12.6	1	37	.3	005	C	
	18	720.3	-43.7	E	13.9						
	21	719.7	-42.6	E	14.1						
	24	718.7	-41.3	E	13.7						

JULY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	718.1	-40.5	E	13.6						
	06	717.5	-41.5	E	13.6						
	09	717.0	-42.0	E	14.1						
	12	716.2	-43.1	E	14.9						
	15	716.0	-43.3	E	15.0	3	39	.1	005	A	
	18	715.0	-44.5	E	16.4						
	21	714.7	-44.8	E	16.1						
	24	714.9	-44.0	E	15.7						
14	03	715.5	-45.0	E	15.2						
	06	716.1	-43.2	E	14.6						
	09	717.5	-41.5	E	13.5						
	12	719.5	-43.7	ESE	16.9						
	15	721.8	-45.1	E	16.5	1	39	.1	001	A	
	18	723.2	-44.8	E	17.6						
	21	724.9	-44.1	E	14.9						
	24	726.6	-43.2	E	15.9						
15	03	729.3	-42.0	E	15.3						
	06	730.7	-42.2	E	14.2						
	09	731.7	-43.1	E	14.2						
	12	731.7	-43.6	ESE	14.3	3	73	.1	018	A	
	15	731.3	-44.3	ESE	14.3	3	73	.1	018	A	
	18	730.8	-45.7	ESE	13.3						
	21	730.1	-47.3	ESE	13.3						
	24	730.3	-46.7	ESE	15.8						
16	03	729.9	-44.1	ESE	15.3						
	06	729.3	-42.9	ESE	15.3						
	09	728.1	-41.9	ESE	14.4						
	12	727.5	-43.3	ESE	15.8						
	15	727.3	-45.0	ESE	15.1	6	37	.1	032	C	
	18	726.2	-46.1	ESE	16.3						
	21	725.9	-46.9	ESE	16.2						
	24	725.1	-46.9	ESE	16.9						
17	03	724.6	-46.3	ESE	16.7						
	06	724.8	-46.0	ESE	17.0						
	09	723.7	-45.4	ESE	18.1						
	12	723.5	-45.3	ESE	16.6						
	15	722.6	-45.5	ESE	17.7	0	39	.05	000	A	
	18	721.7	-46.1	ESE	18.4						
	21	720.6	-46.6	ESE	18.5						
	24	720.0	-46.7	ESE	16.6						
18	03	720.1	-46.2	ESE	17.4						
	06	720.5	-46.1	ESE	17.0						
	09	721.2	-45.3	ESE	17.8						
	12	722.7	-44.0	E	16.6						
	15	724.0	-44.6	E	16.7	3	39	.05	005	A	
	18	725.3	-44.2	E	17.5						
	21	726.5	-44.6	E	16.2						
	24	727.1	-46.0	ESE	16.0						

JULY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	727.5	-46.3	E	14.1						
	06	727.0	-46.4	E	15.7						
	09	727.3	-47.0	E	15.2						
	12	727.2	-47.0	E	17.5						
	15	727.6	-47.1	E	16.3	0	39	.05	000	A	
	18	727.7	-46.1	E	17.2						
	21	727.7	-46.5	E	16.1						
	24	726.5	-45.3	ESE	17.9						
20	03	726.0	-44.2	ESE	16.3						
	06	725.3	-43.0	ESE	18.0						
	09	725.2	-41.9	ESE	17.0						
	12	725.0	-41.1	ESE	15.3						
	15	724.3	-41.5	ESE	15.1	0	39	.05	000	A	
	18	723.8	-42.4	ESE	16.9						
	21	724.0	-44.0	ESE	15.0						
	24	723.8	-44.0	ESE	16.5						
21	03	723.8	-43.4	ESE	17.3						
	06	724.3	-43.0	ESE	16.3						
	09	724.0	-42.8	ESE	18.7						
	12	725.4	-43.8	ESE	16.3						
	15	725.7	-43.3	E	17.6	0	39	.03	000	A	
	18	726.8	-43.0	E	16.8						
	21	731.1	-43.0	E	14.8						
	24	733.1	-42.8	E	13.8						
22	03	734.5	-43.2	E	13.6						
	06	735.3	-42.6	E	13.0						
	09	736.0	-42.1	E	13.5						
	12	736.3	-41.7	E	13.2						
	15	736.8	-41.7	E	13.6	1	39	.6	030	D	
	18	736.0	-42.5	E	13.7						
	21	735.0	-42.5	E	15.9						
	24	733.6	-41.9	E	16.9						
23	03	732.3	-39.3	E	16.2						
	06	731.2	-39.1	E	17.1						
	09	730.6	-39.1	E	18.9						
	12	730.1	-39.5	E	17.6						
	15	730.4	-40.4	E	19.6	0	39	.05	000	A	
	18	730.0	-40.6	E	19.0						
	21	729.9	-40.6	ESE	16.0						
	24	728.8	-40.0	ESE	15.9						
24	03	727.6	-38.8	ESE	15.2						
	06	726.4	-40.2	ESE	15.8						
	09	724.2	-39.5	ESE	16.3						
	12	724.0	-38.0	ESE	17.5						
	15	723.2	-38.7	ESE	18.2	4	39	.05	008	A	
	18	721.9	-39.3	ESE	17.2						
	21	721.2	-38.8	ESE	16.6						
	24	721.0	-39.7	ESE	14.2						

JULY 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	720.0	-38.9	ESE	16.0						
	06	719.5	-38.9	ESE	14.0						
	09	719.6	-39.3	ESE	11.4						
	12	720.6	-38.2	ESE	14.1						
	15	720.8	-39.0	ESE	14.7	0	39	.05	000	A	
	18	720.0	-40.0	ESE	17.7						
	21	720.9	-40.5	ESE	15.0						
	24	720.7	-41.0	ESE	13.0						
26	03	720.0	-39.4	ESE	15.0						
	06	720.0	-39.9	ESE	14.1						
	09	720.9	-41.0	ESE	13.0						
	12	721.5	-41.7	ESE	13.9						
	15	721.4	-42.0	E	14.9	0	38	.2	000	A	
	18	722.9	-42.9	E	12.2						
	21	722.7	-43.0	E	12.3						
	24	723.2	-43.2	ESE	11.6						
27	03	722.9	-43.7	E	11.8						
	06	722.6	-43.9	E	12.3						
	09	722.4	-44.0	E	12.3						
	12	722.6	-43.8	E	11.8						
	15	721.9	-43.3	E	11.9	0	36	5	000	E	
	18	722.0	-43.9	E	10.8						
	21	721.3	-44.0	E	11.2						
	24	721.0	-44.8	E	10.7						
28	03	720.6	-45.7	E	10.3						
	06	720.3	-45.5	E	9.5						
	09	719.9	-47.1	E	9.7						
	12	719.7	-47.5	E	9.7						
	15	719.3	-48.3	E	10.0	0	36	5	000	E	
	18	719.2	-48.8	E	10.1						
	21	718.6	-48.9	E	11.0						
	24	718.4	-47.9	E	11.0						
29	03	718.8	-46.0	E	10.0						
	06	718.9	-45.0	ENE	10.0						
	09	718.9	-45.2	E	10.2						
	12	719.2	-46.2	E	10.4						
	15	719.0	-45.2	E	10.6	10	70	.1	022	A	5As, 10Ci
	18	718.7	-43.9	E	10.4						
	21	718.8	-44.2	E	10.5						
	24	719.0	-42.0	E	10.4						
30	03	718.7	-41.6	ENE	9.1						
	06	718.9	-41.5	ENE	9.2						
	09	719.1	-42.9	ENE	9.2						
	12	719.9	-43.5	ENE	8.8						
	15	720.4	-43.6	ENE	7.9	4	36	.5	005	C	
	18	721.0	-45.4	E	9.1						
	21	721.1	-44.5	ENE	9.0						
	24	722.0	-44.0	ENE	8.4						

JULY 1984

DATE	LT	PST (MB)	TT (° C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
31	03	721.8	-44.4	ENE	9.9						
	06	722.5	-45.0	E	10.8						
	09	722.7	-44.9	E	11.3						
	12	723.0	-43.3	E	12.4						
	15	723.3	-42.0	ENE	12.1	8	38	.1	007	A	
	18	724.0	-40.7	ENE	11.3						
	21	724.9	-39.5	ENE	9.6						
	24	726.0	-38.5	ENE	7.8						

AUGUST 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	726.0	-35.8	ENE	8.0						
	06	726.6	-32.9	ENE	9.4						
	09	727.5	-34.0	ENE	9.6						
	12	727.5	-33.6	NE	9.9						
	15	727.8	-34.0	NE	10.1	10	75	.2	027	A	
	18	727.5	-34.4	ENE	8.6						
	21	726.7	-34.2	ENE	9.1						
	24	726.0	-33.0	NE	9.6						
2	03	726.0	-33.2	ENE	8.2						
	06	725.3	-32.9	ENE	9.1						
	09	725.1	-33.7	ENE	9.2						
	12	725.0	-35.0	E	10.1	10	73	.3	017	B	
	15	725.0	-35.2	ENE	9.4	10	73	.3	017	B	
	18	724.8	-37.8	E	9.8						
	21	724.8	-37.8	ENE	10.0						
	24	724.8	-37.7	ENE	9.1						
3	03	725.0	-39.0	ENE	8.9						
	06	724.3	-38.7	ENE	8.7						
	09	724.0	-38.8	ENE	8.4						
	12	724.0	-38.0	ENE	7.3						
	15	723.7	-39.9	ENE	6.8	8	02	5	01X	-	
	18	723.2	-43.9	ENE	7.0						
	21	723.2	-46.0	ENE	7.1						
	24	723.0	-48.0	E	7.1						
4	03	724.0	-50.0	E	7.2						
	06	724.5	-51.4	E	8.1						
	09	725.0	-52.0	E	8.1						
	12	726.2	-51.9	E	7.7						
	15	727.0	-52.9	E	8.1	1	37	.3	020	C	1 As
	18	728.2	-53.3	E	8.7						
	21	729.2	-53.1	E	9.2						
	24	730.3	-52.9	E	8.4						
5	03	731.4	-52.7	E	8.2						
	06	732.2	-52.4	E	9.8						
	09	732.2	-51.3	ENE	9.7						
	12	732.4	-48.7	ENE	9.0						
	15	732.2	-48.3	ENE	9.4	1	36	5	030	E	
	18	731.1	-46.9	ENE	10.6						
	21	730.1	-44.3	ENE	10.5						
	24	728.8	-37.2	ENE	9.6						
6	03	727.5	-34.5	NE	9.8						
	06	725.6	-31.7	NE	9.7						
	09	724.9	-32.1	NE	9.3						
	12	724.3	-32.0	ENE	9.2						
	15	723.7	-31.3	ENE	9.0	10	70	.6	02X	-	
	18	723.2	-31.5	ENE	9.0						
	21	722.6	-32.0	ENE	9.6						
	24	722.5	-32.0	ENE	10.2						

AUGUST 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	722.9	-34.0	ENE	9.1						
	06	723.5	-31.5	ENE	8.8						
	09	723.6	-33.0	ENE	9.5						
	12	724.0	-34.5	ENE	9.7						
	15	723.8	-34.9	E	9.7	6	36	5	042	E	
	18	723.0	-34.5	E	10.6						
	21	722.0	-34.2	E	9.7						
	24	721.1	-30.6	ENE	9.9						
8	03	720.2	-30.7	E	7.1						
	06	719.0	-31.7	E	8.8						
	09	717.1	-30.0	ENE	12.0						
	12	716.8	-30.1	E	13.5						
	15	714.5	-31.5	E	14.1	10	73	.1	02X	A	
	18	713.8	-33.0	E	10.8						
	21	712.0	-33.5	E	14.1						
	24	710.7	-35.9	E	14.6						
9	03	711.0	-36.3	E	12.2						
	06	710.8	-35.7	E	11.2						
	09	711.4	-39.6	E	10.6						
	12	712.0	-40.3	E	10.9						
	15	712.9	-42.0	E	9.7	3	37	5	008	E	
	18	713.8	-43.1	E	9.7						
	21	714.3	-43.8	E	10.6						
	24	716.0	-43.6	E	10.0						
10	03	717.8	-44.2	E	9.7						
	06	719.5	-44.8	ENE	10.1						
	09	721.0	-45.6	E	9.9						
	12	722.5	-46.0	E	9.5						
	15	723.3	-43.2	E	9.7	9	37	1	007	D	
	18	723.2	-46.2	ENE	10.0						
	21	723.0	-47.2	ENE	9.4						
	24	722.5	-46.8	ENE	8.9						
11	03	721.9	-47.9	ENE	8.2						
	06	720.7	-48.6	E	8.8						
	09	720.2	-49.0	E	7.9						
	12	720.3	-48.7	E	8.0						
	15	720.6	-50.0	E	7.7	1	37	2	038	D	
	18	720.5	-51.7	E	8.1						
	21	720.6	-52.7	E	9.0						
	24	720.7	-53.1	E	10.0						
12	03	720.7	-53.3	E	10.2						
	06	720.7	-53.3	E	10.6						
	09	721.0	-53.0	E	10.1						
	12	721.8	-51.5	E	10.1						
	15	722.5	-51.5	ENE	9.9	0	38	.5	000	B	
	18	723.6	-50.8	ENE	9.0						
	21	725.5	-49.2	ENE	10.8						
	24	727.3	-48.3	E	11.1						

AUGUST 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	729.8	-44.7		E	11.5					
	06	731.9	-42.8		E	11.4					
	09	733.2	-41.1	ENE		11.5					
	12	734.6	-38.6		E	11.2					
	15	735.4	-38.9		E	12.4	10-	38 .1	016		A
	18	734.9	-39.7		E	13.0					
	21	734.0	-40.7		E	14.2					
	24	733.0	-40.0		E	15.9					
14	03	732.2	-40.3		E	16.5					
	06	731.9	-40.7			16.2					
	09	731.3	-40.3		E	16.3					
	12	731.3	-40.7		E	14.7					
	15	731.3	-42.0		E	15.1	8	39 .05	027		A
	18	730.7	-43.1		E	15.7					
	21	729.8	-43.2		E	14.8					
	24	729.0	-42.7		E	14.9					
15	03	728.3	-43.0		E	15.0					
	06	727.2	-45.0	ESE		14.3					
	09	726.1	-47.1	ESE		14.0					
	12	725.3	-48.3	ESE		13.7					
	15	724.1	-50.0		E	13.0	0	39 .15	000		A
	18	723.0	-50.8	ESE		15.1					
	21	722.8	-51.7		E	14.5					
	24	722.1	-51.2		E	13.3					
16	03	722.3	-50.3		E	13.0					
	06	723.0	-50.2		E	12.8					
	09	722.9	-51.7		E	11.8					
	12	723.9	-50.7		E	10.3					
	15	725.1	-52.0		E	9.7	0	36 2	000		D
	18	725.2	-53.8		E	10.0					
	21	726.3	-54.0		E	10.9					
	24	726.9	-53.9		E	10.8					
17	03	727.3	-53.6		E	11.3					
	06	726.9	-52.0		E	13.6					
	09	727.2	-50.5		E	13.3					
	12	727.8	-49.0		E	13.1					
	15	728.5	-49.3		E	13.0	8	38 .3	014		B
	18	728.9	-48.8		E	13.2					
	21	729.5	-48.1		E	13.6					
	24	730.7	-46.2		E	13.3					
18	03	731.2	-44.0		E	13.1					
	06	732.3	-42.8		E	13.5					
	09	733.2	-41.9		E	13.3					
	12	734.2	-40.7		E	13.3					
	15	734.7	-42.2		E	13.3	4	36 2	042		D
	18	735.4	-43.9		E	14.3					
	21	736.3	-42.9		E	14.6					
	24	736.3	-42.3		E	15.2					

AUGUST 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	736.9	-41.6	E	14.3						
	06	736.0	-41.7	E	15.8						
	09	734.7	-41.1	E	16.5						
	12	733.0	-40.8	E	17.1						
	15	731.6	-41.6	ESE	14.3	10	70	.5	07X	C	10Ac
	18	729.2	-44.3	ESE	17.0						
	21	727.2	-46.7	ESE	18.8						
	24	725.8	-46.3	ESE	18.3						
20	03	724.7	-46.2	ESE	19.5						
	06	721.8	-45.0	ESE	18.8						
	09	720.6	-43.8	ESE	18.2						
	12	719.0	-43.2	ESE	17.6						
	15	718.2	-43.3	E	16.6	0	39	.1	000	A	
	18	717.0	-44.0	E	15.2						
	21	717.0	-44.7	E	14.8						
	24	717.3	-46.3	E	14.3						
21	03	718.4	-45.8	E	13.7						
	06	719.9	-46.8	E	12.8						
	09	721.2	-45.5	E	12.3						
	12	723.2	-43.9	E	12.2						
	15	724.5	-44.5	E	13.3	0	36	5	000	E	
	18	724.9	-44.7	E	13.4						
	21	726.3	-44.6	E	16.3						
	24	726.7	-44.3	ESE	16.7						
22	03	726.4	-42.8	E	16.9						
	06	726.0	-40.3	E	15.3						
	09	726.0	-39.8	E	14.5						
	12	726.6	-36.3	E	13.0						
	15	726.9	-34.0	E	14.3	10-	39	.2	002	A	10-Ci
	18	727.3	-33.2	E	14.9						
	21	728.2	-32.5	E	13.6						
	24	729.2	-34.9	E	14.2						
23	03	730.1	-35.8	E	13.1						
	06	730.5	-36.0	E	11.8						
	09	730.7	-35.3	E	13.7						
	12	730.3	-34.8	E	14.8						
	15	730.3	-36.0	E	13.6	3	38	.2	030	A	3Ac
	18	730.1	-38.4	E	14.1						
	21	729.5	-40.3	E	14.5						
	24	728.9	-40.9	E	15.9						
24	03	729.2	-39.3	E	15.5						
	06	730.2	-39.9	E	15.1						
	09	731.9	-39.7	E	13.5						
	12	733.2	-37.0	E	12.8						
	15	734.2	-35.6	E	13.0	5	38	.2	028	A	5Cs, 2As
	18	735.0	-36.5	E	14.0						
	21	737.0	-34.5	E	13.0						
	24	738.2	-33.0	E	13.7						

AUGUST 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	739.6	-33.2	E	14.5						
	06	740.8	-31.9	E	12.2						
	09	740.4	-31.9	E	14.3						
	12	740.0	-31.9	E	14.6						
	15	739.7	-33.2	E	14.8	10-	39	.2	006	A	4 Ci, 10-Cs
	18	738.7	-34.5	E	15.1						
	21	738.0	-36.0	E	15.3						
	24	738.4	-37.1	E	13.3						
26	03	738.0	-39.3	E	13.7						
	06	736.7	-40.9	E	14.0						
	09	735.7	-42.0	E	12.7						
	12	734.8	-40.7	E	12.6						
	15	734.4	-40.1	E	12.6	1	36	3	030	E	1 Ac
	18	734.7	-40.2	E	12.3						
	21	735.6	-38.8	E	11.7						
	24	735.9	-37.3	E	12.8						
27	03	736.4	-36.0	E	12.8						
	06	736.9	-34.6	E	13.3						
	09	737.1	-35.5	E	13.0						
	12	737.4	-34.5	E	12.5						
	15	737.9	-35.0	E	12.8	10	36	.5	07X	C	4 Ac, 10 As
	18	738.1	-34.7	E	12.2						
	21	738.1	-35.8	E	13.6						
	24	738.0	-36.7	E	13.8						
28	03	737.9	-36.5	E	13.5						
	06	737.6	-36.6	E	14.0						
	09	737.7	-36.5	E	14.1						
	12	737.1	-35.0	E	13.7						
	15	736.9	-34.8	E	13.2	1	36	.6	030	D	1 Ac
	18	736.9	-35.1	E	13.3						
	21	736.1	-36.8	E	13.1						
	24	735.5	-37.0	E	14.3						
29	03	735.3	-37.4	E	13.5						
	06	734.6	-37.4	E	14.1						
	09	733.8	-37.1	E	14.1						
	12	733.3	-35.5	E	13.8						
	15	732.0	-35.4	E	12.5	0	36	3	030	E	0+Ac
	18	731.4	-37.8	E	11.9						
	21	729.9	-38.7	E	12.1						
	24	728.9	-39.5	E	12.0						
30	03	727.9	-39.8	E	12.3						
	06	727.0	-40.3	E	13.4						
	09	727.1	-40.3	E	13.3						
	12	727.3	-38.8	E	12.6						
	15	728.0	-38.7	E	12.3	10-	36	.8	044	D	3 Ac, 7 Ci
	18	728.4	-37.6	E	12.2						
	21	728.1	-36.8	E	11.9						
	24	727.5	-35.9	E	12.0						

AUGUST 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
31	03	725.5	-35.2	E	12.7						
	06	724.4	-33.9	E	11.5						
	09	723.8	-34.6	E	10.1						
	12	723.6	-34.6	ENE	8.3						
	15	722.9	-38.5	E	7.9	4	01	10	031	-	3Ac, 1Ci
	18	722.2	-40.7	E	8.8						
	21	721.2	-41.3	E	9.7						
	24	720.3	-44.8	E	10.8						

SEPTEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	718.7	-46.6	E	13.8						
	06	717.1	-47.4	E	14.3						
	09	716.8	-46.8	E	12.8						
	12	716.1	-44.2	ESE	13.2						
	15	715.7	-44.2	ESE	14.8	0	39	.1	000	A	
	18	715.7	-45.3	ESE	15.6						
	21	716.5	-45.6	ESE	14.5						
	24	717.2	-46.2	ESE	15.8						
2	03	718.0	-46.6	ESE	15.8						
	06	718.9	-46.6	ESE	17.4						
	09	719.6	-46.4	ESE	18.3						
	12	720.2	-44.9	ESE	18.4						
	15	720.7	-44.2	E	16.3	0	39	.1	000	A	
	18	720.7	-45.5	E	16.1						
	21	720.8	-45.7	E	15.5						
	24	721.6	-45.6	E	14.9						
3	03	722.1	-45.1	E	14.5						
	06	723.1	-45.0	E	13.8						
	09	724.7	-44.5	E	13.6						
	12	726.6	-42.3	E	11.9						
	15	728.0	-42.4	E	11.5	0	36	.9	000	D	
	18	729.4	-45.0	E	11.3						
	21	730.0	-46.2	E	11.5						
	24	730.8	-46.6	E	10.7						
4	03	730.9	-46.0	E	10.5						
	06	731.1	-45.9	E	10.3						
	09	731.6	-43.5	E	9.5						
	12	731.5	-41.3	E	9.4						
	15	731.5	-41.3	E	8.9	10-	02	20	034	-	2Ac, 10-Ci
	18	731.3	-43.9	E	9.0						
	21	731.5	-44.5	E	9.2						
	24	731.8	-46.0	E	9.1						
5	03	731.7	-47.2	E	8.8						
	06	731.4	-47.7	E	8.7						
	09	731.2	-46.9	E	9.5						
	12	730.8	-42.8	E	8.0						
	15	730.3	-42.5	E	8.2	7	36	5	036	E	3Ac, 7Cs
	18	730.0	-46.8	E	9.6						
	21	730.4	-49.8	E	9.9						
	24	731.2	-52.1	ESE	10.2						
6	03	731.4	-53.0	ESE	12.2						
	06	731.6	-53.0	E	12.6						
	09	731.7	-50.7	E	13.3						
	12	732.2	-47.2	E	13.8						
	15	732.3	-45.8	E	12.1	2	36	.7	031	D	1Ac, 2Ci
	18	732.1	-46.2	E	12.7						
	21	732.5	-44.8	E	12.9						
	24	732.8	-42.6	E	13.0						

SEPTEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	733.3	-40.2	E	12.7						
	06	734.1	-37.5	E	13.1						
	09	735.4	-34.5	E	11.5						
	12	736.3	-31.8	E	12.2						
	15	737.1	-31.5	E	11.6	10	73	.3	02X	B	10As
	18	737.5	-33.2	E	11.6						
	21	737.6	-32.6	E	12.5						
	24	737.8	-31.3	E	13.1						
8	03	738.2	-30.9	E	13.6						
	06	738.8	-31.0	E	12.1						
	09	739.2	-29.3	E	12.3						
	12	740.1	-28.6	E	13.0						
	15	740.7	-28.5	E	11.4	10	73	.7	02X	-	10As
	18	741.4	-29.3	E	10.3						
	21	741.5	-31.6	E	11.1						
	24	741.7	-34.8	E	11.2						
9	03	741.6	-36.2	E	10.4						
	06	741.6	-37.0	E	10.6						
	09	741.4	-34.9	E	12.2						
	12	742.2	-32.5	E	11.7						
	15	742.5	-32.0	E	12.6	10-	38	.3	07X	B	10-Ac
	18	743.5	-30.9	E	12.3						
	21	744.3	-33.3	E	13.0						
	24	745.4	-34.9	E	12.5						
10	03	745.3	-36.0	E	13.0						
	06	744.0	-36.5	E	14.3						
	09	742.3	-34.1	E	15.7						
	12	740.5	-31.8	E	18.2						
	15	737.5	-29.1	E	21.0	10	73	.03	XXX	A	
	18	734.9	-27.9	E	23.2						
	21	733.1	-27.2	E	24.2						
	24	734.2	-27.9	E	22.0						
11	03	735.8	-27.7	E	19.6						
	06	736.9	-28.6	E	18.4						
	09	737.1	-29.8	E	20.9						
	12	736.6	-29.8	E	21.6						
	15	733.9	-29.7	E	22.0	10	73	.03	XXX	A	
	18	730.0	-28.8	E	24.8						
	21	727.2	-26.4	ENE	24.3						
	24	726.4	-24.2	ENE	22.2						
12	03	727.3	-23.4	NE	19.1						
	06	729.0	-24.8	ENE	15.1						
	09	729.6	-25.8	ENE	14.2						
	12	729.1	-26.0	ENE	13.4						
	15	728.2	-27.0	E	12.1	10	39	.3	037	B	3Ac, 10Cs
	18	728.2	-31.3	E	11.7						
	21	728.8	-33.2	E	12.6						
	24	729.1	-35.7	E	12.4						

SEPTEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	729.9	-37.5	E	11.9						
	06	730.0	-39.2	E	12.5						
	09	730.3	-38.3	E	12.4						
	12	730.3	-36.8	E	13.0						
	15	730.2	-36.3	E	12.1	0	36	.7	000	D	
	18	730.2	-39.0	E	12.1						
	21	729.3	-39.6	E	13.4						
	24	728.4	-40.2	E	14.4						
14	03	727.2	-40.5	E	13.3						
	06	725.6	-40.9	E	13.0						
	09	724.2	-39.1	E	14.5						
	12	723.0	-36.4	E	14.5						
	15	721.9	-36.0	E	15.0	1	39	.2	030	A	1Ac
	18	721.4	-38.2	E	14.4						
	21	721.0	-36.7	E	14.3						
	24	720.1	-34.5	E	13.4						
15	03	719.9	-33.0	E	13.9						
	06	720.1	-33.2	E	13.5						
	09	719.4	-32.0	E	14.6						
	12	719.0	-30.1	E	17.4						
	15	719.6	-31.9	E	15.7	10	39	.2	037	A	6Ac, 10Cs
	18	719.5	-34.1	E	16.1						
	21	719.4	-34.4	E	18.3						
	24	720.0	-37.5	E	17.3						
16	03	719.4	-39.1	E	17.9						
	06	719.4	-40.6	E	16.4						
	09	719.5	-40.4	E	15.8						
	12	719.3	-38.0	E	14.4						
	15	719.2	-38.5	E	11.9	2	36	.8	002	D	2Ci
	18	718.2	-41.1	E	12.6						
	21	717.8	-43.2	E	14.2						
	24	716.9	-42.5	E	14.5						
17	03	716.0	-42.5	E	15.4						
	06	715.4	-42.5	E	14.1						
	09	716.0	-40.2	ENE	13.4						
	12	716.8	-35.6	E	12.5						
	15	716.5	-35.8	E	13.7	10	38	.3	037	B	2Ac, 10Cs
	18	716.5	-35.5	E	13.1						
	21	717.4	-34.1	E	10.8						
	24	719.6	-35.6	E	6.4						
18	03	720.9	-36.3	E	8.0						
	06	721.8	-36.6	E	9.1						
	09	722.2	-35.1	E	9.4						
	12	723.6	-33.0	E	9.2						
	15	724.4	-33.4	E	6.2	10-	02	20	07X	-	10-Ac
	18	724.1	-37.2	E	11.5						
	21	724.6	-39.8	E	11.2						
	24	725.0	-42.1	E	10.2						

SEPTEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	724.1	-42.9	E	9.2						
	06	723.1	-43.5	E	11.5						
	09	722.6	-40.6	E	11.9						
	12	722.3	-37.4	E	11.9						
	15	721.3	-36.6	E	10.9	0+	02	15	030	-	0+Ac
	18	720.8	-38.9	E	12.4						
	21	720.4	-41.0	E	12.1						
	24	719.5	-40.5	E	13.3						
20	03	718.7	-40.7	E	13.9						
	06	718.4	-38.5	E	13.1						
	09	719.0	-36.2	E	10.7						
	12	719.6	-33.4	E	8.1						
	15	719.9	-32.5	E	8.4	10	71	.7	01X	D	10As
	18	719.4	-33.5	E	9.2	.					
	21	719.6	-33.9	ENE	8.7						
	24	719.8	-35.6	E	9.0						
21	03	719.4	-36.2	E	10.0						
	06	719.4	-36.3	ENE	9.6						
	09	719.6	-34.5	E	9.1						
	12	719.8	-31.8	E	7.6						
	15	719.9	-30.1	ENE	6.7	10	71	2	077	-	2Ac, 10Cs
	18	720.6	-32.1	ENE	7.0						
	21	721.3	-32.9	ENE	6.6						
	24	721.9	-32.6	ENE	7.5						
22	03	722.0	-34.6	ENE	8.4						
	06	722.0	-33.5	ENE	8.2						
	09	721.9	-31.5	ENE	7.5	10	71	1.5	01X	-	10As
	12	721.6	-31.7	ENE	8.4	10	71	1.5	01X	-	10As
	15	721.6	-32.0	ENE	6.6	10	71	5	077	-	7Ac, 10Cs
	18	721.2	-36.5	E	7.4						
	21	720.6	-38.4	ENE	8.2						
	24	719.6	-38.0	ENE	8.7						
23	03	718.3	-38.6	ENE	9.7						
	06	717.3	-40.2	E	8.8						
	09	715.8	-37.5	E	10.5	0	39	.2	000	A	
	12	714.8	-34.5	ENE	11.8	3	39	.2	005	A	3Cs
	15	714.5	-34.2	ENE	11.4	10-	39	.2	006	A	4Ci, 7Cs
	18	714.5	-37.8	E	11.1						
	21	714.4	-39.5	E	12.0						
	24	714.2	-39.5	E	13.5						
24	03	714.2	-40.0	E	12.6						
	06	713.7	-39.6	E	14.0						
	09	713.1	-39.0	E	14.4	0	39	.1	000	A	
	12	712.0	-36.5	ESE	16.0	0	39	.1	000	A	
	15	710.3	-36.4	ESE	15.0	0	39	.1	000	A	
	18	708.4	-36.8	ESE	15.0						
	21	707.0	-35.5	E	14.9						
	24	707.3	-37.6	E	15.0						

SEPTEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	708.2	-39.3	E	13.2						
	06	709.7	-38.8	E	12.5						
	09	711.5	-37.1	E	13.5	10-	39	.3	036	B	3Ac, 7Cs
	12	713.8	-35.5	E	13.7	3	39	.2	002	A	3Ci
	15	715.5	-36.4	E	14.0	0	39	.1	000	A	
	18	717.1	-39.6	E	13.0						
	21	718.5	-41.5	E	12.4						
	24	719.7	-42.3	E	12.6						
26	03	721.1	-41.6	E	12.8						
	06	721.6	-42.5	E	12.8						
	09	722.1	-39.3	E	15.0	0	39	.2	000	A	
	12	722.1	-36.1	E	14.2	0	39	.2	000	A	
	15	721.5	-35.3	E	13.8	0	39	.2	000	A	
	18	720.7	-38.5	E	15.4						
	21	720.4	-40.9	E	16.4						
	24	719.9	-41.0	ESE	15.1						
27	03	716.3	-41.5	ESE	15.3						
	06	713.5	-42.1	E	15.8						
	09	710.0	-39.1	ESE	17.1	0	39	.05	000	A	
	12	707.2	-34.9	E	18.1	0	39	.05	000	A	
	15	705.3	-32.5	E	17.6	10	39	.05	007	A	10Cs
	18	705.0	-34.0	E	17.8						
	21	706.1	-33.2	E	16.1						
	24	708.3	-32.5	E	12.8						
28	03	709.6	-32.2	E	14.0						
	06	712.0	-31.2	E	14.4						
	09	712.7	-32.3	E	15.0	10	39	.1	007	A	10Cs
	12	713.6	-32.6	E	14.7	10	39	.1	007	A	10Cs
	15	713.6	-33.7	ESE	12.9	9	39	.3	070	B	9Ac
	18	713.2	-37.9	ESE	13.2						
	21	712.2	-41.1	ESE	14.0						
	24	711.5	-42.8	ESE	14.8						
29	03	710.4	-42.8	ESE	14.7						
	06	710.2	-42.1	ESE	15.6						
	09	710.5	-39.3	E	17.5	0	39	.1	000	A	
	12	711.5	-36.3	E	15.9	0	39	.1	000	A	
	15	712.7	-35.8	E	15.0	0	39	.2	000	A	
	18	713.7	-38.8	E	14.4						
	21	714.3	-41.2	E	14.5						
	24	714.1	-42.2	E	14.3						
30	03	716.0	-42.9	E	13.5						
	06	716.5	-42.8	E	13.7						
	09	716.7	-39.5	E	14.1	0	39	.3	000	B	
	12	717.0	-36.0	E	13.5	0	39	.3	000	B	
	15	716.6	-35.5	E	12.8	0	39	.3	000	B	
	18	716.6	-38.1	E	12.8						
	21	716.8	-40.4	E	13.7						
	24	717.3	-41.0	ENE	13.6						

OCTOBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	717.2	-41.5	E	14.4						
	06	717.3	-41.3	E	14.6						
	09	717.7	-38.3	E	14.7	4	39	.2	001	A	4Ci
	12	718.1	-35.0	E	14.8						
	15	718.6	-33.9	E	13.5	10	39	.3	037	B	2Ac, 10Cs
	18	720.1	-34.3	ENE	12.1						
	21	721.8	-35.1	ENE	13.4						
	24	723.5	-36.4	ENE	12.2						
2	03	724.4	-36.0	E	11.8						
	06	725.6	-37.1	ENE	10.5						
	09	727.2	-35.0	ENE	9.2	10	71	2	007	-	10Cs
	12	728.3	-32.4	ENE	6.8	10	71	5	007	-	10Cs
	15	729.3	-31.5	ENE	4.1	10	71	15	007	-	10Cs
	18	729.9	-37.7	E	5.7						
	21	730.4	-41.7	E	7.9						
	24	730.7	-43.6	E	8.3						
3	03	730.5	-44.9	E	8.4						
	06	729.7	-44.2	E	8.8						
	09	728.8	-39.6	E	8.7	10	02	3	037	-	1Ac, 10Cs
	12	727.3	-35.5	E	8.8						
	15	726.1	-34.4	E	8.0	10	36	3	037	E	1Ac, 10Cs
	18	725.5	-36.3	E	9.2						
	21	725.0	-37.9	E	9.9						
	24	724.1	-37.2	E	10.2						
4	03	723.0	-35.6	ENE	10.1						
	06	721.6	-34.1	ENE	10.0						
	09	720.8	-33.3	E	8.5	10	71	2	037	-	2Ac, 10Cs
	12	719.9	-31.5	E	8.6						
	15	718.7	-31.6	E	7.5	10-	36	5	002	E	10-Ci
	18	717.2	-35.9	E	8.1						
	21	716.0	-41.3	E	10.1						
	24	714.8	-45.3	E	12.4						
5	03	713.5	-47.5	E	12.0						
	06	712.0	-47.2	E	11.8						
	09	710.9	-42.9	E	11.1	0+	36	3	030	E	0+Ac
	12	709.9	-39.1	E	9.5	1	02	15	030	-	0+Ac
	15	709.1	-38.1	E	8.1	2	03	20	030	-	2Ac
	18	708.6	-41.9	E	7.7						
	21	708.9	-46.8	E	8.2						
	24	709.3	-49.0	E	9.4						
6	03	710.5	-49.6	ESE	10.5						
	06	711.9	-48.5	ESE	11.2						
	09	713.6	-45.5	ESE	10.5	0	37	.4	000	C	
	12	716.9	-41.8	ESE	10.4	1	36	1.5	031	D	0+Ac, 0+Ci
	15	719.6	-39.2	ESE	11.7	1	36	1.5	001	D	1Ci
	18	718.5	-37.9	ESE	11.8						
	21	723.1	-42.4	E	12.6						
	24	723.5	-42.2	E	12.5						

OCTOBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	723.7	-42.5	E	12.1						
	06	724.0	-41.9	E	12.1						
	09	723.9	-37.1	E	11.7						
	12	723.8	-32.8	E	10.2						
	15	723.2	-31.8	E	10.4	10	36	S	007	E	10Cs
	18	723.7	-35.8	E	9.0						
	21	723.2	-37.3	E	7.9						
	24	723.0	-37.4	E	6.2						
8	03	722.2	-40.6	E	6.7						
	06	721.5	-38.9	ENE	5.3						
	09	721.2	-36.9	E	4.0						
	12	720.5	-33.0	E	4.6						
	15	720.0	-33.5	E	6.7	1	02	20	001	-	1Ci
	18	719.2	-36.5	E	7.9						
	21	718.3	-37.9	E	9.2						
	24	716.8	-39.9	E	11.3						
9	03	714.4	-38.5	E	12.6						
	06	712.7	-36.7	E	12.2						
	09	710.7	-34.0	E	11.7						
	12	710.1	-32.2	E	11.6						
	15	710.1	-32.1	E	9.8	2	03	10	032	-	0+Ac, 2Ci
	18	709.8	-34.8	E	10.5						
	21	709.9	-37.4	E	11.8						
	24	709.6	-38.8	E	12.5						
10	03	708.9	-37.9	E	12.3						
	06	708.6	-38.0	E	12.5						
	09	708.6	-34.6	E	12.4						
	12	709.3	-31.4	E	9.7						
	15	710.5	-28.6	ENE	6.5	10	71	.8	007	-	10Cs
	18	711.9	-29.2	NNE	5.7						
	21	713.4	-31.4	NE	9.9						
	24	714.8	-31.8	NNE	9.8						
11	03	715.7	-33.5	NE	5.5						
	06	716.8	-34.0	NE	5.7						
	09	717.6	-32.0	NE	5.2						
	12	717.9	-30.2	NE	5.6						
	15	717.9	-31.3	ENE	6.3	10	71	5	037	-	0+Ac, 10Cs
	18	717.3	-35.0	ENE	7.5						
	21	716.5	-38.7	ENE	8.0						
	24	715.8	-40.4	E	8.6						
12	03	714.5	-42.2	E	9.1						
	06	713.5	-41.7	E	9.6						
	09	712.5	-38.4	E	9.9						
	12	712.9	-34.8	E	9.2						
	15	713.3	-34.5	E	7.6	5	03	5	006	-	5Cs
	18	713.6	-37.4	ENE	8.6						
	21	714.2	-39.1	ENE	10.7						
	24	714.6	-40.7	E	10.3						

OCTOBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	715.1	-42.1	E	11.2						
	06	715.0	-42.1	E	12.4						
	09	715.8	-39.1	E	12.0						
	12	716.3	-36.6	E	11.3						
	15	716.4	-36.1	E	9.7	10	36	1	007	D	10Cs
	18	716.3	-39.7	E	11.9						
	21	716.2	-44.1	E	13.6						
	24	716.3	-46.1	E	13.2						
14	03	715.4	-46.9	E	12.7						
	06	715.0	-45.0	E	13.5						
	09	713.7	-40.2	E	12.8						
	12	713.1	-36.7	E	11.8						
	15	712.9	-35.1	E	10.4	0	36	.9	000	D	
	18	712.5	-37.6	E	10.1						
	21	712.4	-41.6	E	10.1						
	24	712.1	-44.1	E	12.7						
15	03	712.1	-46.9	E	11.9						
	06	711.8	-47.8	ESE	10.1						
	09	710.7	-45.1	ESE	11.0						
	12	710.5	-41.3	ESE	12.5						
	15	711.1	-38.2	ESE	11.9	0	37	.08	000	C	
	18	711.4	-39.9	ESE	12.3						
	21	711.3	-44.0	E	13.2						
	24	711.5	-46.8	E	12.3						
16	03	710.9	-47.2	E	12.4						
	06	710.3	-45.8	E	12.6						
	09	710.8	-40.4	E	12.8	0	37	.1	000	C	
	12	711.5	-36.3	E	12.0	0	37	.12	000	C	
	15	712.1	-34.8	E	12.1	0	36	.7	000	D	
	18	712.9	-37.5	E	11.4						
	21	713.6	-42.0	E	12.2						
	24	714.5	-44.2	E	11.9						
17	03	715.3	-45.7	E	10.5						
	06	715.9	-45.9	E	10.5						
	09	716.5	-41.9	E	9.6	0	02	10	000	-	
	12	717.1	-37.7	E	8.2	0	02	20	000	-	
	15	717.9	-35.9	E	5.8	0	02	30	000	-	
	18	717.7	-39.2	ESE	8.5						
	21	718.7	-44.8	E	8.9						
	24	719.1	-47.3	E	10.7						
18	03	719.1	-48.9	E	9.4						
	06	718.9	-47.7	E	10.0						
	09	719.7	-42.9	E	10.0	3	02	10	031	-	0+Ac, 3Ci
	12	720.6	-37.2	E	7.0	3	02	30	001	-	3Ci
	15	721.1	-35.4	ESE	6.5	3	02	30	031	-	0+Ac, 3Ci
	18	722.2	-39.6	E	7.4						
	21	723.0	-45.3	E	8.9						
	24	724.0	-46.4	E	9.2						

OCTOBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLCMCH	BS	PHENOMENA
									(KM)		
19	03	724.1	-48.7	E	9.7						
	06	724.8	-46.8	E	9.4						
	09	725.3	-41.7	E	8.4	5	02	30	031	-	0+Ac, Sc
	12	727.2	-36.0	E	6.4	0+	02	30	030	-	0+Ac
	15	728.5	-34.5	E	5.0	0	02	30	000	-	
	18	729.9	-38.6	E	6.6						
	21	731.3	-44.6	E	8.5						
	24	732.4	-47.2	E	9.6						
20	03	733.0	-47.6	E	8.7						
	06	733.0	-44.1	E	10.2						
	09	733.0	-36.5	E	11.0						
	12	732.7	-30.8	E	12.2	10	36	2	07X	D	10Ac
	15	731.6	-28.7	E	13.5	10	36	1.5	037	D	1Ac, 10Cs
	18	730.8	-28.4	ENE	13.4						
	21	730.3	-28.2	ENE	14.2						
	24	729.9	-27.9	ENE	13.7						
21	03	729.3	-28.2	E	14.0						
	06	729.0	-27.9	E	15.0						
	09	729.4	-26.4	E	12.5						
	12	730.1	-25.4	ENE	9.7	10	36	.7	01X	D	10As
	15	730.1	-24.7	ENE	8.9	10	36	.7	01X	D	10As
	18	730.5	-25.7	E	8.2						
	21	731.1	-29.9	E	7.6						
	24	731.6	-32.7	E	9.6						
22	03	731.9	-36.2	E	11.0						
	06	730.9	-36.3	E	11.5						
	09	730.8	-34.0	E	11.8	2	36	.6	001	D	2Ci
	12	730.3	-30.6	E	11.5	1	36	.8	001	D	1Ci
	15	729.5	-29.9	E	10.8	0+	36	1	030	D	0+Ac
	18	729.1	-33.2	E	9.7						
	21	728.6	-37.9	E	11.4						
	24	728.0	-41.0	E	12.6						
23	03	727.1	-43.0	E	13.9						
	06	726.4	-42.7	E	13.7						
	09	726.1	-38.5	E	13.9	0	37	.2	000	C	
	12	725.7	-34.6	E	13.1	1	36	.5	030	C	1Ac
	15	725.9	-33.6	E	12.6	2	36	.7	030	D	2Ac
	18	726.0	-36.2	E	12.7						
	21	726.2	-38.2	E	14.5						
	24	726.6	-37.3	E	14.8						
24	03	726.8	-37.6	E	13.6						
	06	727.3	-36.4	E	13.0						
	09	728.0	-33.4	E	13.6	10	39	.1	007	A	10Cs
	12	728.8	-30.3	E	13.4	10	39	.1	037	A	2Ac, 10Cs
	15	729.2	-30.0	E	13.2	10	39	.3	037	B	2Ac, 10Cs
	18	729.8	-33.2	E	11.8						
	21	730.2	-37.2	E	12.9						
	24	730.3	-39.7	E	14.7						

OCTOBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	730.2	-41.1	E	15.0						
	06	729.9	-41.0	E	15.0						
	09	729.6	-37.8	E	15.1	1	39	.1	001	A	1Ci
	12	729.0	-34.4	E	15.4	4	39	.1	001	A	4Ci
	15	728.5	-34.0	E	15.7	3	39	.2	032	A	0+Ac, 3Ci
	18	728.0	-37.0	E	16.3						
	21	728.2	-40.9	E	17.2						
	24	727.9	-41.8	E	16.8						
26	03	727.1	-42.7	E	15.7						
	06	726.1	-42.0	E	16.3						
	09	725.8	-38.0	E	13.8	0	39	.2	000	A	
	12	725.1	-34.0	E	12.5	0	38	.5	000	B	
	15	725.0	-33.0	E	11.2	0	36	.7	030	D	0+Ac
	18	725.4	-35.9	E	10.7						
	21	726.4	-41.0	E	11.5						
	24	727.5	-44.0	E	11.2						
27	03	727.9	-45.8	E	13.0						
	06	728.0	-44.7	E	13.2						
	09	729.1	-40.1	E	12.1	0+	36	.8	030	D	0+Ac
	12	730.1	-35.8	E	11.4	1	36	5	030	E	1Ac
	15	731.0	-35.0	E	10.5	1	02	10	030	-	1Ac
	18	731.5	-37.5	E	9.9						
	21	731.9	-42.4	E	12.0						
	24	731.5	-45.1	E	12.4						
28	03	730.6	-46.7	E	12.7						
	06	729.1	-44.7	E	13.2						
	09	727.8	-39.9	E	12.4						
	12	726.6	-35.6	E	12.1	0+	36	.8	001	D	
	15	724.9	-33.9	E	11.1	0	36	5	000	E	
	18	723.3	-36.0	E	11.4						
	21	722.6	-40.9	E	12.2						
	24	721.9	-43.4	E	12.7						
29	03	721.3	-44.7	E	12.6						
	06	721.4	-42.6	E	12.2						
	09	722.0	-37.9	ENE	11.7	0	36	3	000	E	
	12	722.7	-33.1	ENE	10.1	0	02	10	000	-	
	15	724.0	-30.9	ENE	8.5	0+	02	30	030	-	0+Ac
	18	725.0	-33.3	ENE	7.5						
	21	726.6	-38.8	ENE	8.3						
	24	727.5	-41.6	ENE	9.5						
30	03	728.0	-43.1	ENE	9.9						
	06	728.0	-41.0	ENE	9.8						
	09	728.1	-35.9	ENE	8.7	3	02	30	032	-	0+Ac, 3Ci
	12	727.7	-31.0	ENE	8.6	4	02	30	032	-	0+Ac, 4Ci
	15	727.2	-29.5	ENE	7.2	4	02	30	032	-	1Ac, 3Ci
	18	727.1	-32.0	ENE	7.1						
	21	727.0	-37.7	ENE	8.3						
	24	727.3	-40.0	ENE	9.1						

OCTOBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLOMCH	BS	PHENOMENA
31	03	727.6	-40.9	ENE	9.9						
	06	728.1	-39.0	ENE	9.7						
	09	728.9	-34.3	E	8.5	6	36	3	032	E	0+Ac, 3Ci
	12	729.5	-30.4	ENE	7.2	1	02	30	031	-	0+Ac, 1Ci
	15	729.6	-28.7	ENE	4.7	3	02	30	031	-	0+Ac, 3Ci
	18	729.7	-32.0	ENE	5.0						
	21	729.5	-38.7	E	6.4						
	24	729.0	-42.3	E	8.0						

NOVEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
1	03	728.5	-43.1	E	9.2						
	06	727.7	-40.3	E	9.9						
	09	727.2	-34.6	E	8.8	10	02	10	037	-	2Ac, 10Cs
	12	726.6	-29.6	ENE	8.7	10	02	20	007	-	10Cs
	15	725.4	-28.0	ENE	8.9	10	02	10	037	-	1Ac, 10Cs
	18	724.8	-29.8	ENE	9.1						
	21	724.0	-32.0	E	10.7						
	24	723.3	-33.3	E	11.4						
2	03	722.6	-33.5	E	12.2						
	06	722.5	-32.5	E	12.8						
	09	722.4	-28.3	E	14.0	10	38	1	037	D	3Ac, 10Cs
	12	723.0	-25.0	ENE	12.7	10	38	1	537	D	1Sc, 2Ac, 10Cs
	15	723.7	-23.9	ENE	12.3	10	38	1	037	D	4Ac, 10Cs
	18	724.6	-25.5	ENE	11.0						
	21	725.8	-27.9	E	12.5						
	24	726.7	-30.0	E	13.0						
3	03	726.8	-31.8	E	13.4						
	06	727.1	-31.7	E	13.5						
	09	727.5	-28.5	E	14.0	10-	36	.7	03X	D	10-Ac
	12	727.3	-25.3	ENE	12.3	10-	36	.7	037	D	7Ac, 10-Cs
	15	728.0	-23.4	NE	9.4	10-	02	10	537	-	1Sc, 2Ac, 10-Cs
	18	728.1	-25.1	ENE	7.3						
	21	728.3	-30.6	E	8.8						
	24	728.3	-33.8	E	9.5						
4	03	728.1	-35.2	E	10.2						
	06	728.0	-33.9	E	10.4						
	09	727.7	-28.9	ENE	8.5						
	12	728.3	-25.1	ENE	6.9	0	02	30	000	-	
	15	728.9	-23.9	ENE	5.6	0+	02	30	030	-	0+Ac
	18	729.6	-26.7	E	5.7						
	21	730.5	-32.7	E	8.1						
	24	731.0	-34.7	E	10.1						
5	03	731.1	-34.9	E	11.2						
	06	731.0	-32.0	E	12.2						
	09	730.9	-27.0	E	12.4	10	02	10	537	-	0+Sc, 2Ac, 10Cs
	12	730.7	-23.3	ENE	12.3	10	02	10	037	-	3Ac, 10Cs
	15	730.2	-21.8	ENE	11.8	10	02	10	037	-	4Ac, 10Cs
	18	729.9	-22.4	ENE	11.6						
	21	729.6	-23.7	ENE	12.4						
	24	729.7	-23.7	ENE	13.0						
6	03	729.8	-24.0	ENE	12.0						
	06	730.5	-23.9	E	10.5						
	09	731.0	-22.9	E	10.5	10	71	.5	02X	-	10As
	12	731.1	-20.9	ENE	9.5	10	71	.5	02X	-	10As
	15	730.6	-19.5	ENE	8.3	10	38	5	007	E	10Cs
	18	730.0	-21.4	ENE	8.7						
	21	729.6	-26.4	ENE	10.2						
	24	729.5	-29.2	E	10.8						

NOVEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLOUDCH	BS	PHENOMENA
7	03	729.0	-30.1	E	10.7						
	06	728.6	-29.7	E	11.7						
	09	729.5	-26.3	E	12.3	1	36	.7	030	D	1Ac
	12	730.5	-23.0	E	11.5	1	36	5	030	E	1Ac
	15	731.5	-22.1	E	10.4	1	02	10	030	-	1Ac
	18	732.9	-24.4	E	9.7						
	21	734.7	-27.0	ENE	10.8						
	24	735.7	-30.8	E	10.7						
8	03	736.6	-32.6	E	9.8						
	06	736.9	-33.0	E	9.4						
	09	737.2	-29.6	E	8.5						
	12	737.8	-25.2	E	6.8						
	15	738.1	-23.7	E	6.9	3	02	30	001	-	3Ci
	18	738.4	-25.9	E	5.0						
	21	738.6	-31.9	E	8.5						
	24	738.5	-35.5	E	10.5						
9	03	738.2	-37.0	E	10.8						
	06	737.8	-35.0	E	11.1						
	09	737.4	-30.3	E	11.4						
	12	737.0	-26.5	E	10.4	0	36	5	000	E	
	15	736.7	-25.6	E	11.3	0	36	5	000	E	
	18	736.9	-27.2	E	10.2						
	21	737.6	-31.4	E	10.4						
	24	738.4	-35.3	E	12.0						
10	03	738.4	-37.0	ESE	13.1						
	06	738.7	-35.7	ESE	11.6						
	09	738.7	-31.6	ESE	10.8	0	36	1	000	D	
	12	738.9	-27.0	E	8.4	0	02	10	000	-	
	15	738.8	-25.5	ESE	8.9	0	02	30	000	-	
	18	739.0	-27.6	ESE	7.9						
	21	739.0	-32.5	ESE	8.5						
	24	738.9	-36.3	ESE	11.0						
11	03	738.8	-37.3	ESE	11.3						
	06	738.3	-36.1	ESE	13.0						
	09	738.1	-36.5	ESE	12.5						
	12	738.4	-27.3	ESE	9.7	1	02	10	030	-	1Ac
	15	737.6	-26.0	ESE	11.7	1	02	10	030	-	1Ac
	18	737.1	-27.2	ESE	8.8						
	21	736.7	-31.4	ESE	10.3						
	24	735.7	-35.3	E	12.3						
12	03	735.0	-35.8	E	12.4						
	06	734.0	-33.0	E	12.7						
	09	733.3	-28.0	E	12.3	0	36	.8	000	D	
	12	733.0	-23.7	E	12.9						
	15	732.9	-22.5	E	11.8	2	36	2	031	D	2Ac, 0+Ci
	18	733.3	-24.2	E	12.0						
	21	734.4	-28.8	E	12.2						
	24	735.4	-32.1	E	13.1						

NOVEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	736.0	-32.2	E	12.8						
	06	736.5	-30.8	E	12.0						
	09	737.4	-26.4	E	11.1	9	02	10	032	-	0+Ac, 9Ci
	12	738.0	-22.5	E	10.2	6	01	10	032	-	1Ac, 6Ci
	15	739.1	-21.0	E	8.6	4	01	30	032	-	3Ac, 1Ci
	18	740.0	-23.5	ENE	7.3						
	21	740.7	-27.4	ENE	8.4						
	24	741.0	-31.9	ENE	8.4						
14	03	740.7	-34.0	ENE	9.1						
	06	740.1	-30.3	ENE	8.2						
	09	739.3	-25.2	ENE	7.9	9	02	20	03X	-	9Ac
	12	738.5	-21.0	ENE	6.5	9	02	20	03X	-	9Ac
	15	737.8	-19.8	ENE	5.5	3	01	30	030	-	3Ac
	18	737.0	-22.7	E	5.3						
	21	736.3	-28.0	E	8.6						
	24	735.7	-32.6	E	10.2						
15	03	735.1	-33.7	E	11.2						
	06	734.5	-31.3	E	12.1						
	09	734.3	-26.4	E	12.1						
	12	734.2	-22.3	E	11.2	10-	02	10	03X	-	10-Ac
	15	734.0	-20.6	E	10.2	10	02	.3	01X	B	10As
	18	734.0	-20.8	ENE	9.9						
	21	733.9	-22.0	E	10.3						
	24	734.2	-23.1	ENE	10.2						
16	03	734.3	-25.3	ENE	11.3						
	06	734.5	-26.0	ENE	12.1						
	09	734.5	-24.3	E	12.2	10	37	.3	007	C	10Cs
	12	734.8	-21.7	ENE	11.3	6	36	1	032	D	4Ac, 2Ci
	15	734.9	-20.9	ENE	9.5	10-	36	5	007	E	10-Cs
	18	734.9	-22.0	ENE	6.8						
	21	735.2	-26.8	E	7.0						
	24	735.2	-29.9	E	8.7						
17	03	734.8	-31.9	E	10.7						
	06	734.2	-30.2	E	11.3						
	09	733.2	-26.2	E	10.8						
	12	732.4	-22.9	E	10.0	0+	02	10	030	-	0+Ac
	15	731.1	-21.9	E	10.0	0	02	30	000	-	
	18	730.1	-22.6	E	7.2						
	21	730.0	-26.0	E	10.7						
	24	730.7	-29.5	E	12.7						
18	03	731.3	-31.6	E	12.2						
	06	731.4	-30.9	E	11.5						
	09	731.6	-26.7	E	11.1	1	02	10	030	-	1Ac
	12	731.5	-23.0	E	10.0	1	02	20	001	-	1Ci
	15	731.1	-21.9	E	9.0	0	02	30	000	-	
	18	730.8	-23.4	E	7.2						
	21	730.7	-28.1	E	8.5						
	24	731.0	-31.9	E	10.9						

NOVEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	730.5	-33.3	ENE	10.4						
	06	729.8	-31.9	ENE	10.5						
	09	729.0	-27.9	ENE	11.9	2	36	2	001	D	2Ci
	12	728.7	-24.0	ENE	10.6	2	02	10	002	-	2Ci
	15	728.1	-22.4	ENE	10.3	3	02	10	031	-	1Ac, 3Ci
	18	728.2	-23.3	E	10.4						
	21	729.0	-27.1	E	10.5						
	24	730.0	-30.5	E	11.3						
20	03	731.4	-32.2	E	10.5						
	06	732.3	-31.0	E	10.5						
	09	732.0	-26.2	E	10.7						
	12	731.6	-22.0	E	11.9	1	02	10	030	-	1Ac
	15	731.3	-20.9	E	11.2	1	02	10	030	-	1Ac
	18	731.0	-22.0	E	7.9						
	21	730.5	-26.0	E	9.2						
	24	729.3	-29.5	E	10.7						
21	03	729.1	-30.3	E	11.0						
	06	727.9	-28.0	E	11.4						
	09	726.5	-25.7	E	10.9	1	02	10	030	-	1Ac
	12	725.2	-21.6	E	7.0	1	02	30	030	-	1Ac
	15	724.0	-19.3	ENE	5.3	0	02	30	000	-	
	18	723.4	-20.9	E	5.0						
	21	723.1	-26.7	E	7.1						
	24	723.5	-30.7	E	9.2						
22	03	724.0	-31.6	E	10.7						
	06	724.4	-29.7	ENE	10.7						
	09	726.0	-25.0	ENE	9.3	2	02	30	030	-	2Ac
	12	727.7	-20.0	NE	7.5	6	02	30	031	-	2Ac, 5Ci
	15	729.3	-18.1	NE	6.6	9	03	20	007	-	9Cs
	18	730.7	-19.7	NE	5.5						
	21	732.0	-21.9	ENE	6.5						
	24	733.2	-23.8	ENE	7.2						
23	03	734.3	-25.6	E	7.3						
	06	735.1	-24.3	E	8.1						
	09	735.6	-21.4	ENE	7.7	8	02	10	079	-	6Ac, 3Cc
	12	736.4	-17.2	E	4.9	10-	02	10	07X	-	10-Ac
	15	736.8	-16.5	ENE	4.4	10-	02	10	07X	-	10-Ac
	18	737.0	-17.1	NE	3.3						
	21	737.6	-20.2	ENE	4.0						
	24	738.1	-23.9	ENE	5.5						
24	03	738.1	-25.3	E	4.2						
	06	738.2	-24.8	E	5.4						
	09	737.8	-21.7	E	5.9	3	02	30	031	-	3Ac, 0+Ci
	12	738.0	-17.8	ESE	3.3	0+	02	30	001	-	0+Ci
	15	737.9	-19.1	ESE	6.1	0	02	30	000	-	
	18	737.5	-21.4	ESE	6.3						
	21	737.3	-26.9	ESE	6.4						
	24	737.0	-30.5	ESE	9.9						

NOVEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLOUDCH	BS	PHENOMENA
25	03	736.4	-31.5	E	10.7						
	06	735.8	-29.9	E	11.4						
	09	734.0	-24.5	E	11.1						
	12	733.8	-19.9	E	10.0	0	36	5	000	E	
	15	733.0	-18.7	E	10.9	0	36	5	000	E	
	18	733.1	-20.1	ESE	10.2						
	21	733.0	-24.3	E	11.6						
	24	733.9	-28.3	E	12.3						
26	03	734.0	-29.7	E	13.0						
	06	734.4	-28.0	E	12.5						
	09	735.0	-23.6	E	12.3	0	36	5	000	E	
	12	736.0	-20.2	E	13.0	1	36	2	030	D	1Ac
	15	736.9	-20.3	E	13.1	0	36	.7	000	D	
	18	738.1	-20.3	E	10.7						
	21	739.3	-23.3	E	9.5						
	24	740.0	-26.8	E	12.8						
27	03	740.2	-28.9	E	13.1						
	06	739.3	-27.1	E	12.4						
	09	737.7	-23.4	E	12.0	0	36	5	000	E	
	12	735.5	-20.2	ESE	11.9						
	15	731.9	-20.7	ESE	14.3	0	36	.7	000	D	
	18	729.0	-22.2	E	16.4						
	21	728.8	-22.4	E	14.7						
	24	729.0	-23.7	E	15.4						
28	03	729.2	-24.9	E	14.5						
	06	730.0	-23.1	E	14.7						
	09	731.0	-20.4	E	14.1	2	38	.5	030	B	2Ac
	12	732.0	-17.1	E	14.5	2	38	.5	030	B	2Ac
	15	733.3	-16.0	E	12.6	2	36	.8	030	D	2Ac
	18	734.4	-16.7	ENE	8.9						
	21	735.7	-21.3	E	8.2						
	24	736.9	-25.5	E	9.3						
29	03	736.9	-27.2	E	8.1						
	06	736.9	-25.0	E	8.6						
	09	736.4	-20.7	E	9.2	3	02	10	031	-	0+Ac, 1Ci
	12	736.3	-17.0	E	8.9	1	02	30	001	-	1Ci
	15	736.4	-15.7	E	7.4	0+	02	30	001	-	0+Ci
	18	736.3	-17.2	E	4.9						
	21	736.4	-23.4	E	6.6						
	24	737.3	-26.5	E	7.7						
30	03	737.7	-27.4	E	8.6						
	06	738.1	-23.8	E	8.2						
	09	738.1	-20.5	E	8.9	3	02	30	031	-	1Ac, 2Ci
	12	738.4	-16.8	ENE	8.7	1	02	30	001	-	1Ci
	15	738.3	-15.0	ENE	6.8	0+	02	30	001	-	0+Ci
	18	738.1	-16.5	E	4.6						
	21	738.1	-21.9	E	7.8						
	24	738.4	-25.4	E	10.1						

DECEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V	CLCMCH	BS	PHENOMENA
1	03	738.1	-27.2	E	11.4						
	06	737.5	-26.2	E	10.6						
	09	736.4	-21.9	E	9.7	0+	02	30	001	-	0+Ci
	12	735.4	-18.7	ESE	8.9	0+	02	30	001	-	0+Ci
	15	733.8	-17.2	E	7.1	0+	02	30	001	-	0+Ci
	18	732.4	-18.5	ESE	5.6						
	21	731.4	-23.4	E	7.6						
	24	730.5	-27.4	E	9.8						
2	03	730.0	-28.8	E	11.3						
	06	729.1	-27.2	E	11.7						
	09	728.8	-23.6	E	11.8						
	12	728.6	-19.8	E	10.4	0+	02	20	001	-	0+Ci
	15	728.3	-17.8	E	10.0	0+	02	20	001	-	0+Ci
	18	728.2	-18.6	E	7.6						
	21	729.2	-22.7	E	8.7						
	24	730.4	-25.9	E	9.9						
3	03	731.7	-27.3	E	11.7						
	06	732.7	-25.6	E	11.5						
	09	734.1	-20.7	E	11.7	0+	36	5	001	E	0+Ci
	12	736.1	-16.4	ENE	10.5	0+	02	10	001	-	0+Ci
	15	738.2	-14.5	ENE	9.0	0+	02	20	001	-	0+Ci
	18	740.1	-15.4	E	6.0						
	21	742.5	-19.4	E	7.4						
	24	744.5	-24.8	E	8.0						
4	03	745.9	-25.2	E	9.1						
	06	747.1	-22.2	E	8.6						
	09	748.2	-17.7	E	8.6	0+	02	30	001	-	0+Ci
	12	748.6	-15.2	E	7.9	0	02	30	000	-	
	15	748.5	-14.3	E	6.9	0	02	30	000	-	
	18	748.1	-15.7	E	4.1						
	21	747.6	-21.6	E	5.1						
	24	746.4	-26.3	E	5.9						
5	03	744.5	-28.7	E	7.4						
	06	742.4	-26.5	E	8.2						
	09	740.9	-21.9	E	7.9	0	02	30	000	-	
	12	739.6	-17.9	E	6.3	0	02	30	000	-	
	15	738.7	-16.4	E	5.6	0	02	30	000	-	
	18	738.3	-16.0	E	4.6						
	21	738.6	-21.8	E	6.2						
	24	739.1	-26.6	E	8.1						
6	03	739.9	-27.5	ENE	8.9						
	06	741.2	-25.3	ENE	8.7						
	09	743.1	-20.9	ENE	8.1	7	02	30	001	-	7Ci
	12	744.8	-16.9	ENE	6.2	2	01	30	001	-	2Ci
	15	745.9	-15.6	NE	5.6	0	02	30	000	-	
	18	746.5	-17.0	E	5.1						
	21	746.5	-21.6	E	7.0						
	24	745.7	-24.6	E	10.0						

DECEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
7	03	744.0	-25.9	E	13.1						
	06	742.0	-23.2	E	14.8						
	09	740.7	-19.4	E	14.8	9	38	.2	006	A	4Cs, 5Ci
	12	740.1	-16.0	E	16.6	10	39	.1	007	A	10Cs
	15	739.9	-14.6	E	16.0	10	39	.05	007	A	10Cs
	18	739.3	-15.6	E	17.4						
	21	740.5	-16.0	E	16.5						
	24	741.8	-17.0	ENE	16.0						
8	03	741.9	-17.2	E	17.9						
	06	743.5	-16.1	E	14.1						
	09	744.1	-15.2	E	15.6	10-	37	.3	032	C	2Ac, 10-Ci
	12	743.8	-13.7	E	18.9	4	39	.08	070	A	4Ac
	15	745.3	-12.9	E	14.8	5	36	.7	532	D	0+Sc, 0+Ac, 5Ci
	18	745.1	-13.5	E	13.8						
	21	745.9	-15.6	E	12.2						
	24	746.1	-17.9	E	10.6						
9	03	746.3	-18.6	E	13.8						
	06	745.7	-17.5	E	15.5						
	09	745.9	-16.6	E	15.3	1	37	.2	032	C	1Ac, 0+Ci
	12	745.8	-13.4	E	16.2	1	36	.5	030	C	1Ac
	15	745.9	-12.9	E	15.0	4	36	.8	032	D	0+Ac, 4Ci
	18	745.6	-14.1	E	15.0						
	21	745.8	-16.9	E	13.9						
	24	745.9	-19.7	E	15.6						
10	03	745.9	-21.3	E	14.5						
	06	745.5	-20.1	E	16.1						
	09	745.4	-17.4	E	15.6	1	38	.7	002	D	1Ci
	12	745.5	-14.8	E	15.3	3	36	.8	002	D	3Ci
	15	745.4	-13.8	E	13.7	8	36	2	036	D	0+Ac, 6Cs, 2Ci
	18	745.6	-14.6	E	14.4						
	21	746.6	-16.9	E	13.8						
	24	747.5	-20.0	E	14.0						
11	03	748.0	-21.1	E	14.0						
	06	747.7	-20.0	E	15.5						
	09	748.0	-17.2	E	14.6	4	36	.7	002	D	4Ci
	12	748.9	-15.0	E	13.9	4	36	1.5	002	D	4Ci
	15	748.7	-14.1	E	13.2	3	36	2	002	D	3Ci
	18	748.7	-15.6	E	13.1						
	21	748.9	-18.8	E	14.2						
	24	749.4	-22.3	E	12.6						
12	03	748.9	-24.6	E	16.2						
	06	748.3	-23.7	E	16.1						
	09	747.6	-18.2	E	15.2	0	38	.3	000	B	
	12	747.8	-13.9	E	16.5	1	39	.15	030	A	1Ac
	15	747.4	-12.7	E	15.7	2	36	.7	002	D	2Ci
	18	747.6	-13.1	E	13.4						
	21	747.7	-15.5	E	13.3						
	24	748.1	-15.8	E	14.7						

DECEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
13	03	747.9	-18.0	E	11.6						
	06	747.5	-15.2		13.2						
	09	746.9	-13.2	E	14.6	10-	36	1	002	D	10-Ci
	12	746.7	-11.0	E	14.8	10-	36	1	032	D	6Ac, 4Ci
	15	745.7	-10.8	E	14.8	10-	36	1	032	D	3Ac, 10-Ci
	18	745.1	-11.6	E	14.8						
	21	744.3	-13.2	E	14.4						
	24	744.2	-15.5	ESE	13.6						
14	03	744.3	-16.9	E	12.1						
	06	743.9	-14.6	E	12.9						
	09	744.0	-12.7	E	12.6	10-	36	3	002	E	10-Ci
	12	744.1	-11.2	E	14.0	4	36	3	002	E	4Ci
	15	744.0	-10.2	E	14.2	2	36	2.5	602	E	0+St, 4Ci
	18	744.9	-10.7	E	11.6						
	21	746.2	-13.7	E	9.9						
	24	747.3	-16.1	E	10.9						
15	03	748.3	-17.1	E	10.1						
	06	749.0	-15.9	E	10.2						
	09	749.9	-13.7	E	11.4	3	36	5	032	E	0+Ac, 3Ci
	12	750.0	-12.0	E	13.0	4	36	5	002	E	1Sc, 4Ci
	15	750.4	-10.9	E	10.4	9	36	4	002	E	1Sc, 9Ci
	18	750.9	-11.2	E	8.8						
	21	751.6	-13.0	E	8.4						
	24	752.1	-15.2	E	9.7						
16	03	752.0	-16.1	E	10.1						
	06	751.6	-15.5	ESE	9.4						
	09	750.6	-13.4	E	11.1	4	02	30	502	-	0+Sc, 4Ci
	12	750.4	-11.0	ENE	11.0	3	02	30	502	-	1Sc, 3Ci
	15	750.3	-9.5	ENE	10.1	10-	02	30	532	-	2Sc, 0+Ac, 1Cc, 8Ci
	18	750.4	-9.9	ENE	6.8						
	21	751.0	-11.7	E	5.5						
	24	751.2	-15.2	E	8.7						
17	03	751.4	-17.2	E	7.9						
	06	750.9	-14.8	E	1.5						
	09	750.3	-12.6	E	13.6	1	02	20	001	-	1Ci
	12	750.4	-9.1	E	13.6	0+	02	30	001	-	0+Ci
	15	751.3	-7.3	E	11.0	0+	02	30	001	-	0+Ci
	18	751.6	-8.2	E	10.2						
	21	752.4	-11.1	E	10.6						
	24	753.3	-15.0	E	11.2						
18	03	754.0	-16.6	E	10.6						
	06	754.1	-15.6	E	12.0						
	09	754.9	-12.1	E	10.4	2	02	30	001	-	2Ci
	12	755.1	-9.5	E	10.7	5	36	10	001	E	5Ci
	15	755.7	-9.0	E	11.0	4	02	30	001	-	4Ci
	18	756.2	-9.8	E	9.6						
	21	756.7	-13.0	E	7.5						
	24	756.8	-17.1	E	8.8						

DECEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
19	03	756.1	-18.0	E	10.1						
	06	755.4	-16.9	E	7.9						
	09	755.0	-12.8	ESE	7.7	0+	02	30	001	-	0+Ci
	12	754.0	-8.1	E	6.8	0+	02	30	001	-	0+Ci
	15	753.2	-6.6	E	5.9	0	02	30	000	-	
	18	752.4	-8.1	E	6.3						
	21	752.4	-12.2	E	7.8						
	24	752.5	-15.6	E	9.4						
20	03	752.8	-17.2	E	9.7						
	06	752.5	-16.3	ENE	9.7						
	09	752.8	-13.7	ENE	9.3	0	02	30	000	-	
	12	752.7	-11.3	ENE	7.5	0+	02	30	001	-	0+Ci
	15	752.4	-10.4	NE	5.9	0+	02	30	001	-	0+Ci
	18	752.0	-11.3	NE	5.1						
	21	751.7	-15.4	ENE	4.1						
	24	751.6	-20.3	ENE	6.1						
21	03	751.0	-21.8	E	6.2						
	06	750.4	-19.6	E	6.0						
	09	749.7	-16.4	ENE	7.2	10-	02	30	031	-	1Ac, 10-Ci
	12	749.3	-13.5	ENE	6.8	10-	02	30	031	-	0+Ac, 10-Ci
	15	748.7	-12.7	NE	5.4	6	01	30	031	-	0+Ac, 6Ci
	18	748.2	-13.2	ENE	3.9						
	21	747.8	-17.5	E	4.1						
	24	747.3	-22.1	E	6.1						
22	03	747.3	-22.9	E	7.6						
	06	747.0	-21.4	E	8.1						
	09	746.9	-17.7	E	8.3	0+	02	30	001	-	0+Ci
	12	747.2	-15.0	E	7.4	0+	02	30	001	-	0+Ci
	15	747.0	-14.2	E	6.4	0+	02	30	001	-	0+Ci
	18	747.3	-14.3	ENE	4.7						
	21	747.4	-18.3	E	4.7						
	24	747.9	-22.5	E	6.5						
23	03	747.8	-23.5	E	8.4						
	06	747.8	-22.1	E	9.7						
	09	747.4	-18.8	E	10.5	8	02	20	001	-	8Ci
	12	747.2	-15.6	E	10.5	7	36	10	001	E	7Ci
	15	746.9	-15.2	E	10.8	4	36	10	001	E	4Ci
	18	746.4	-15.6	E	7.3						
	21	745.8	-18.7	ESE	6.0						
	24	746.0	-21.5	E	7.9						
24	03	746.0	-21.4	E	9.6						
	06	745.9	-20.4	E	9.9						
	09	745.4	-17.7	E	10.4	0+	02	30	001	-	0+Ci
	12	744.9	-13.8	E	11.1	3	36	10	001	E	3Ci
	15	745.0	-12.2	E	9.5	1	02	20	001	-	1Ci
	18	745.1	-12.9	E	7.6						
	21	745.4	-17.0	ESE	6.3						
	24	745.2	-20.2	E	11.2						

DECEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
25	03	745.4	-21.7	E	10.7						
	06	745.4	-20.5	E	10.2						
	09	745.2	-17.4	E	10.9	3	36	10	001	E	3Ci
	12	744.8	-14.7	E	10.8	2	36	10	002	E	2Ci
	15	744.6	-14.3	E	10.2	2	36	10	001	E	2Ci
	18	744.4	-14.5	E	7.8						
	21	744.3	-18.2	ESE	6.4						
	24	744.4	-22.4	ESE	7.0						
26	03	744.0	-24.1	E	9.0						
	06	743.5	-22.5	E	9.8						
	09	743.3	-18.7	E	9.1	0+	02	30	001	-	0+Ci
	12	743.3	-16.0	E	8.8	2	02	30	501	-	0+Sc, 2Ci
	15	742.3	-15.3	E	8.9	8	03	30	501	-	4Sc, 8Ci
	18	741.4	-16.0	E	6.6						
	21	740.9	-19.9	ESE	5.0						
	24	740.7	-20.7	E	6.4						
27	03	740.7	-18.9	E	6.6						
	06	740.6	-17.4	E	7.4						
	09	740.3	-15.3	E	10.1	10-	38	.9	07X	D	10-Ac
	12	740.8	-14.1	ENE	9.7	10	38	1.5	07X	D	10Ac
	15	740.9	-13.2	ENE	8.2	10-	36	4	57X	E	2Sc, 10-Ac
	18	741.1	-13.7	ENE	7.5						
	21	742.0	-14.9	ENE	4.6						
	24	743.1	-17.7	E	5.9						
28	03	744.1	-17.3	E	6.8						
	06	744.8	-17.7	E	8.8						
	09	745.6	-17.2	E	10.2	10-	38	1	03X	D	10-Ac
	12	745.6	-15.8	E	9.3	10-	36	5	072	E	2Ac, 10-Ci
	15	745.4	-13.9	ENE	8.5	10-	36	10	071	E	10-Ac, xCi
	18	745.6	-13.5	ENE	7.0						
	21	746.1	-14.5	ENE	5.6						
	24	747.1	-15.5	E	5.1						
29	03	747.4	-19.5	E	7.1						
	06	747.8	-19.3	E	8.6						
	09	747.6	-17.5	E	10.0	9	36	5	004	E	9Ci
	12	747.3	-13.8	E	9.5	9	36	10	001	E	9Ci
	15	747.4	-11.5	ENE	8.9	8	36	10	001	E	8Ci
	18	748.0	-11.8	ENE	7.9						
	21	748.5	-15.8	E	7.4						
	24	749.2	-18.8	E	10.4						
30	03	749.8	-20.4	E	8.1						
	06	748.8	-19.8	E	14.0						
	09	749.2	-15.7	E	10.0	0+	36	10	001	E	0+Ci
	12	748.9	-13.7	E	12.4	0+	36	5	002	E	0+Ci
	15	748.4	-12.6	E	12.1	0+	36	5	001	E	0+Ci
	18	748.0	-12.8	E	10.2						
	21	748.2	-15.6	E	8.5						
	24	748.5	-18.8	E	10.7						

DECEMBER 1984

DATE	LT	PST (MB)	TT (°C)	DD (16)	VV (M/S)	N	WW	V (KM)	CLCMCH	BS	PHENOMENA
31	03	748.1	-20.9	E	10.0						
	06	747.1	-20.0	E	10.4						
	09	746.4	-15.7	E	10.4	0+	36	10	001	E	0+Ci
	12	745.4	-12.0	E	10.4	0+	36	10	001	E	0+Ci
	15	745.2	-10.7	E	9.1	1	02	20	001	-	1Ci
	18	744.5	-11.4	E	7.3						
	21	744.2	-14.7	E	7.6						
	24	743.5	-18.7	E	13.0						