

Advances in Polar Upper Atmosphere Research

No. 14

CONTENTS

Simultaneous measurements of high-frequency pump-enhanced airglow and ionospheric temperatures at auroral latitudes <i>T. B. Leyser, B. Gustavsson, B. U. E. Brändström, Å. Steen, F. Honary, M. T. Rietveld, T. Aso and M. Ejiri.</i> . . .	1
Interhemispheric conjugacy of auroral poleward expansion observed by conjugate imaging riometers at $\sim 67^\circ$ and $75^\circ\text{--}77^\circ$ invariant latitude . <i>Hisao Yamagishi, Yuiti Fujita, Natsuo Sato, Masanori Nishino, Peter Stauning, Ruiyuan Liu and Th. Saemundsson.</i> . .	12
Simultaneous quasi-periodic optical and HF radar signatures observed in the postnoon sector <i>Yozo Murata, Natsuo Sato, Hisao Yamagishi, Akira Sessai Yukimatu, Masayuki Kikuchi, Kazuo Makita, Tadahiko Ogawa, Huigen Yang, Ruiyuan Liu and A. David M. Walker.</i> . .	34
Simultaneous transients in the auroral zone and the equator as observed with SuperDARN and magnetometers: A correlation with equatorial counter electrojet (CEJ) event <i>Osuke Saka, Tai-ichi Kitamura, Hiroshi Tachihara, Manabu Shinohara, N.B. Trivedi, Natsuo Sato, J.M. Ruohoniemi and R.A. Greenwald.</i> . .	45
Generation region of polar cusp hiss observed by ISIS satellites <i>Tadanori Ondoh.</i> . .	55
Characteristics of solar flare effect in the high-latitude ionosphere as observed by the SuperDARN radars <i>Keisuke Hosokawa, Toshihiko Iyemori, Akira Sessai Yukimatu and Natsuo Sato.</i> . .	66
Conjugate features of daytime absorption associated with specific changes in the solar wind observed by inter-hemispheric high-latitude imaging riometers <i>Masanori Nishino, Hisao Yamagishi, Natsuo Sato, Ruiyuan Liu, Hongquao Hu, Peter Stauning and Jan A. Holtet.</i> . .	76

Statistical study of Doppler velocity and echo power around 75° magnetic latitude using data obtained with the Syowa East HF radar in 1997 <i>Masaaki Fukumoto, Nozomu Nishitani, Tadahiko Ogawa, Natsuo Sato, Hisao Yamagishi and Akira Sessai Yukimatu.</i> . . .	93
Auroral field-aligned currents by incoherent scatter plasma line observations in the <i>E</i> region <i>Ingemar Häggström, Mikael Hedin, Takehiko Aso, Asta Pellinen-Wannberg and Assar Westman.</i> . . .	103
Current status of a super-pressure balloon research of new design concept <i>Nobuyuki Yajima, Naoki Izutsu and Hideyuki Honda.</i> . . .	122
Research Note	
Meridional gradients of the neutral temperature in the dayside summer <i>E</i> -region <i>Sawako Maeda and Satonori Nozawa.</i> . . .	128
Penetration of the non-migrating atmospheric diurnal tide into polar latitudes <i>Takehiko Aso.</i> . . .	138
The peculiar behavior of high-energy particles affected by an interplanetary shock wave <i>Mitsue Den and Kazuyuki Yamashita.</i> . . .	146
3-D extent of the main ionospheric trough—a case study . . . <i>Mikael Hedin, Ingemar Häggström, Asta Pellinen-Wannberg, Laila Andersson, Urvan Brädström, Björn Gustavsson, Åke Steen, Assar Westman, Gudmund Wannberg, Tony van Eyken, Takehiko Aso, Cynthia Cattell, Charles W. Carlson and Dave Klumpar.</i> . . .	157
Ballast saving balloons with a film of specific optical properties <i>Yoshitaka Saito, Yukihiko Matsuzaka, Yasuaki Miyahara, Akira Ohnishi, Takamasa Yamagami, Rikio Yokota, Tadashi Kobayashi and Jun Nishimura.</i> . . .	163
Charging of the impedance-probe by the auroral energetic electrons <i>Yuzo Watanabe.</i> . . .	172
Review	
HF coherent scatter radar observations of ionospheric convection during magnetospheric substorms <i>Mark Lester.</i> . . .	179
Radar investigations of the mesosphere, stratosphere and the troposphere in Svalbard <i>Jürgen Röttger.</i> . . .	202
Quantification of neutral turbulence in the mesosphere and lower thermosphere using EISCAT and ESR <i>C. M. Hall.</i> . . .	221

Sources of gravity waves in the polar middle atmosphere	
.....	<i>Kaoru Sato</i> . . . 233
Note to contributors 241
Author index 243